# COMMUNICATIONS

# DE LA FACULTÉ DES SCIENCES DE L'UNIVERSITÉ D'ANKARA

Série B : Chimie

TOME 15 B

**ANNEE 1968** 

An Improved Method of Synthesis of 2,6-Dinitrobromobenzene

by

CELÂL TÜZÜN and ÇAKIL ERK

1

Faculté des Sciences de l'Université d'Ankara Ankara, Turquie

## Communication de la Faculté des Sciences de l'Université d'Ankara

Comité de Rédaction de la Série B S. Saracoğlu S. Aybar M. Okay Secrétaire de Publication

B. C. Ünal

La Revue "Communications de la Faculté des Sciences de l'Université d'Ankara" est un organe de publication englobant toutes les disciplines scientifiques représentées à la Faculté : Mathématiques pures et appliquées, Astronomie, Physique et Chimie théoriques, expérimentales et techniques, Géologie, Botanique et Zoologie.

La Revue, à l'exception des tomes I, II, III, comprend trois séries

Série A : Mathématiques, Physique et Astronomie.

Série B : Chimie.

Série C : Sciences naturelles.

En principe, la Revue est réservée aux mémoires originaux des membres de la Faculté. Elle accepte cependant, dans la mesure de la place disponible, les communications des auteurs étrangers. Les langues allemande, anglaise et française sont admises indifféremment. Les articles devront etre accompagnés d'un bref sommaire en langue turque.

Adrese: Fen Fakültesi Tebliğler Dergisi, Fen Fakültesi, Ankara, Turquie.

## An Improved Method of Synthesis of 2,6-Dinitrobromobenzene

Department of General Chemistry, Faculty of Science, University of Ankara. (Received 14 March 1968)

### CELÂL TÜZÜN and CAKIL ERK

A better method for synthesis of 2,6-dinitrobromobenzene both in respect of procedure and yield, has been develoed

#### INTRODUCTION

Although there are several publications on the syntehesis of 2,6- dinitrochlorobenzene, a few work exist on its analoguous, 2,6-dinitrobromobenzene. Welsch [1] dissolved 2,6-dinitroanitreated with curpous chloride and obtained 2,6-dinitrochlorobenzene. Gunstone and Tucker [2] used sulfuric acid and acetic acid as solvent for 2,6-dinitroaniline, diazotized and treated with curprous chloride and optained the same compound (both are the Sandmeyer reaction). Borsche [3] dinitrated chlorobenzene and treated so formed mixture with sodium ethylacetoacetate. Thus, 2,4- dinitrochlorobenzene did give a reaction with it but 2,6-dinitrochlorobenzene did not, and extracted with ether from reaction mixture. Körner [4] dissolved 2,6-dinitroaniline in nitric acid and diazotized, treated with cuprous chloride or bromide and obtained 2,6-dinitrochloro bromobenzene. There was no mention about the yield. However, verification of the reaction for 2,6-dinitrobromobenzene gave low yield. Parker and Read [5] has prepared 2,6-dinitrochloro/ and bromobenzene for some reactions without giving the details of the preparations. Hodgson and Walker [6] dissolved 2,6-dinitroaniline in glacial acetic acid and diazotized with cold mixture of sodium nitrite in conc. sulfuric acid. It is reported that,

#### C. TÜZÜN AND Ç. ERK

precipipitation of 2,6-dinitroaniline sulfate in this reaction affected the rate of diazotization. On the other hand cuprous chloride or bromide solution are added immediately into the diazonium salt solution. In this manner, dimerization of aryl radicals which has already been observed in the similar reactions, has been prevented.

In the present work, both Gunston and Tucker's and Hudgson and Walker's work have been considered and a modified method has been developed and much higher yield has been reached.

Starting material, 2,6-dinitroaniline was made according to Welsch [1]. and Gunstone and Tucker [2] and Schultz [8], via suldonation of chlorobenzene, dinitration of so formed 4-chlorobenzene sulfunic acid, amination of, 3,5-dinitro-4-chlorobenzene sulfonic acid to 2,6-dinitroaniline.

#### EXPERIMENTAL

Solution (A). In a 100 ml three neck round bottom flask which was equipped with a mechanical stirrer, a dropping funnel and a themomerter, was set on an ice bath. Into the flask was introduced 75 g of conc. sulfuric acid (d = 1.84) and cooled down to nearly 0 °C., then 4.0 g (58 mmoles) of finely grounded sodium nitrite was put in the cold sulfuric acid in small portions while continuous stirring. Into this mixture, 9.0 g (50 mmoles) of 2,6-dinitroaniline in 100 ml warm glacial acetic acid was adaded slowly while continuous stirring. Temperature of the mixture in the flask should not exceed 40 °C. A limpid solution was formed at the end of the reaction.

Solution (B). Into a 250 ml erlenmayer flask was put 80 ml of conc. hydrobromic acid (d = 1.49) and 14.2 g (50 mmoles) of cuprous bromide and heated up to get a clear but slightly coloured solution. In order to discharge its color a little copper bronze (very fine copper powder) was added into the hot solution, then flask was stoppered and cooled down to room temperature.

#### AN IMPROVED METHOD OF SYNTHESIS OF 2,6...

Colution (A) (diazonium solution) was porured immediaately into the solution (B) and mixed thoroughly. It let stand for about 2 hours until nitrogen evolution was stopped, then heated up to 80 °C. Homogenious material was poured in a 250-300 ml ice cold water. So formed precipitate was filtered out by means of a Büchner funnel, washed with 50 ml of saturated sodium carbonate solution then with 100 ml of water. Crude product was dried in a vacuum dessicator overnight. Crude and dry material was dissolved in 100 ml of warm benzene, shaked with conc. sulfuric acid (three times, each 5 ml), dried over anhydrous sodium sulfate, evaporated down to about 20 ml, into this contentrated solution, 50-60 ml of light pertoleum (b.p. 90-140 °C) was added, heated over 80 °C, then let stand to crystallize. Solid crystalline material was filtered and dried, 6.6 g (30 mmoles) of product (yield 60 %) was obtained. Melting poind is 106-106.5 °C (uncorr.), pale green long needles. After recrystallization from cyclohexane, melting point rised to 107 °C. (Reported value is 107 °C [4])

In order to transform it to 2,6-dinitroaniline, small amount of material was treated with conc. ammonia, so formed substance crytallized from ethanol and melted at 139 °C., (Reported 139 °C [2]). No depression was observed melting point an admix ture of this material and an authentic sample.

#### C. TÜZÜN AND B. ERK

#### REFERENCES

[1] L. H. Welsch, J. Amer, chem. Soc., 63, 3276 (1941)

[2] F. D. Gunstone and S. H. Tucker, J. Appl. Chem., 2, 204 (1952)

[3] W. Borsche, Liebigs Ann. chem., 303, 1 (1898)

[4] G. Körner, R. A. L. 23, 281 (1914); G. Körner, *ibid.*, 23, 469 (1914)

[5] R. E. Parker and T O. Read, J. chem. Soc., [London] 3149 (1962)

[6] H. H. Hudgson and J. Walker, J. chem. Soc., [London] 1620 (1933)

[7] H. Lindmann and W. Wessel, Ber, dtsch. chem. Ges., 58, 122 (1925)

[8] H. P. Schultz, Organic Syntheses, 31, 45 (1951)

#### ÖZET

Bu makalede, 2,6-dinitrobrom benzen elde etmek için, şimdiye kadar mevcut olan metodlardan hem işlem hem de verim bakımından daha uygun bir metodun geliştirildiği açıklanmıştır.

## Prix de l'abonnement annul 1967:

Turquie : 15 TL ; Etranger : 30 TL. Prix de ce numéro : 5 TL (paurla vente en Turquie). Prière be s'adresser pour l'abonnement à : Fen Fakültesi Dekanlığı Ankara Turquie.

Ankara Üniversitesi Basımevi - 1968