

## Anatomical Investigation of the Flexor Retinaculum Covering the Tarsal Tunnel in Formaldehyde-Fixed Cadavers

Formaldehit Fikse Kadavralarda Tarsal Tüneli Kaplayan Retinaculum Flexorum'un Anatomik Olarak İncelenmesi

Hilal AKDEMİR AKTAŞ<sup>1</sup>

 0000-0002-7353-8069

Mine FARIMAZ<sup>2</sup>

 0000-0002-9621-1616

Sinem AKKAŞOĞLU<sup>3</sup>

 0000-0002-3371-4734

Zeynep Bengisu KAYA<sup>4</sup>

 0000-0001-9713-8732

<sup>1</sup>Department of Anatomy, Hacettepe University Faculty of Medicine, Ankara, Türkiye

<sup>2</sup>Department of Anatomy, Ufuk University Faculty of Medicine, Ankara, Türkiye

<sup>3</sup>Department of Anatomy, Yıldırım Beyazıt University Faculty of Medicine, Ankara, Türkiye

<sup>4</sup>Department of Histology and Embryology, Hacettepe University Faculty of Medicine, Ankara, Türkiye

Corresponding Author

Sorumlu Yazar

Hilal AKDEMİR AKTAŞ  
hakdemir06@hotmail.com

Received / Geliş Tarihi : 19.07.2023

Accepted / Kabul Tarihi : 08.11.2023

Available Online /

Çevrimiçi Yayın Tarihi : 28.11.2023

### ABSTRACT

**Aim:** The flexor retinaculum lies between the medial malleolus of the tibia and the medial process of the calcaneus. It converts grooves on the tibia and calcaneus into the tarsal tunnel. The aim of this study was to analyze the morphometry, the course, and the shape of the flexor retinaculum covering the tarsal tunnel in formaldehyde-fixed cadavers.

**Material and Methods:** Six lower extremities of four formaldehyde-fixed cadavers (four right sides, and 2 left sides) were examined to evaluate the morphometry of the flexor retinaculum. The cadavers were two females and two males with an age range of 60-89 years. A digital caliper (150 mm) and a light microscope were used for measuring parameters. The central length, proximal, midpoint, and distal width, thickness, course, and shape of the flexor retinaculum were examined in this study.

**Results:** The mean central length of the flexor retinaculum was found 42.26±5.18 mm. The mean proximal, midpoint, and distal width of the flexor retinaculum were 29.29±7.29 mm, 29.92±3.66 mm, and 29.76±8.13 mm, respectively. The mean of the thickness was measured at 234.94 µm. The flexor retinaculum coursed vertically in four extremities and coursed obliquely in two extremities. The shape of the retinaculum was triangular in five extremities and quadrangular in only one extremity.

**Conclusion:** The morphometric data obtained from this study can help surgeons during the operations of the tarsal tunnel syndrome. To our knowledge, the width and course of the flexor retinaculum were examined for the first time in this study.

**Keywords:** Flexor retinaculum; ankle joint; tarsal tunnel syndrome; morphometry.

### ÖZ

**Amaç:** Retinaculum flexorum, tibia'nın malleolus medialis'i ile calcaneus'un processus medialis'i arasında uzanır. Retinaculum flexorum, tibia ve calcaneus üzerindeki olukları tarsal tünele dönüştürür. Bu çalışmanın amacı, formaldehit fikse kadavralarda tarsal tüneli kaplayan retinaculum flexorum'un morfolometrisini, seyrini ve şeklini incelemektir.

**Gereç ve Yöntemler:** Dört formaldehit fikse kadavraya ait olan altı adet alt ekstremitte (dört sağ taraf ve iki sol taraf), retinaculum flexorum morfolometrisini değerlendirmek için incelendi. Yaş aralığı 60-89 yıl arasında olan kadavraların ikisi kadın ve ikisi ise erkek idi. Parametrelerin ölçümü için bir dijital kumpas (150 mm) ve bir ışık mikroskobu kullanıldı. Bu çalışmada retinaculum flexorum'un santral uzunluğu, proksimal, orta nokta ve distal genişliği ile kalınlığı, seyri ve şekli incelendi.

**Bulgular:** Retinaculum flexorum'un ortalama santral uzunluğu 42,26±5,18 mm olarak bulundu. Retinaculum flexorum'un proksimal, orta nokta ve distal ortalama genişliği ise sırasıyla 29,29±7,29 mm, 29,92±3,66 mm ve 29,76±8,13 mm olarak ölçüldü. Retinaculum flexorum'un kalınlığı ortalama olarak 234,94 µm olarak bulundu. Retinaculum flexorum'un seyri, dört ekstremitede dikey ve iki ekstremitede ise oblik olarak bulundu. Retinaculum'un şekli beş ekstremitede üçgen ve sadece bir ekstremitede ise dörtgen idi.

**Sonuç:** Bu çalışmadan elde edilen morfolometrik veriler tarsal tünel sendromu ameliyatları sırasında cerrahlara yardımcı olacaktır. Bildiğimiz kadarıyla retinaculum flexorum'un genişliği ve seyri ilk kez bu çalışmada incelenmiştir.

**Anahtar kelimeler:** Retinaculum flexorum; articulatio talocruralis; tarsal tünel sendromu; morfolometri.

Presented as a poster at the Joint Summer Meeting of the British and European Associations of Clinical Anatomists on 4th-7th July 2017 (July 4-7, 2017; University of Warwick, Coventry, United Kingdom).

## INTRODUCTION

The flexor retinaculum lies between the medial malleolus of the tibia and the medial process of the calcaneus bone. Proximally, there is no obvious boundary between its border and the deep fascia of the leg (1-4). Distally, its border is continuous with the plantar aponeurosis. Fibres of the abductor hallucis muscle are attached to the distal border of the flexor retinaculum. The flexor retinaculum converts grooves on the tibia and calcaneus into the tarsal tunnel (2). The structures pass through the tarsal tunnel from medial to lateral are the tibialis posterior muscle, flexor digitorum longus muscle, posterior tibial artery/vein, tibial nerve, and flexor hallucis longus muscle (2,5). The main function of the flexor retinaculum is to prevent dislocation of the flexor digitorum longus and the tibialis posterior tendons over the medial malleolus edge during ankle joint movements (6).

The tibial nerve may be compressed at the level of the tarsal tunnel as the nerve passes under the flexor retinaculum (2,7,8). This pathologic nerve entrapment is called "tarsal tunnel syndrome" (4,9). This syndrome was initially described by Kopell and Thompson in 1960 (10). The tibial nerve compression can occur by trauma, repetitive stress, external compression by osseous prominences, edema, perineural fibrosis, pseudoaneurysms, accessory muscles, ganglion cysts, and tumors (5,7,8,11-16). The most common symptoms of tarsal tunnel syndrome are burning, tingling, and shooting pain along the heel and medial aspect of the ankle joint (5,11,17).

The flexor retinaculum is a thin structure composed of three layers: the inner one is a smooth layer to enable gliding; a thick middle layer that contains collagen bundles, fibroblasts, and elastin fibers supports; and the outer layer that contains vascular channels covers the other two layers (1,18). This retinaculum is a broad, narrow collagen structure that reinforces the crural fascia inferiorly and posteriorly (18).

The aim of this study was to analyze the morphometry, the course, and the shape of the flexor retinaculum covering the tarsal tunnel in formaldehyde-fixed cadavers.

## MATERIAL AND METHODS

Seven lower extremities of four formaldehyde-fixed cadavers were dissected carefully to evaluate the morphometry of the flexor retinaculum. In one extremity, the borders of the flexor retinaculum could not be distinguished from the crural fascia, and this extremity was excluded from the study. The cadavers included in this study were two females and two males with an age range of 60-89 years. Six lower extremities (four right, and two left sides) were examined for this study. All lower extremities were free from pathology, trauma, surgical incision, or deformity. Dissections were made in the gross anatomy dissection laboratory of Hacettepe University.

Ethical approval for this study was obtained from the ethics committee of our institution (June 20, 2023; 11-36). The study was conducted following the Declaration of Helsinki.

A digital caliper (150 mm) was used for measuring the length and width of the flexor retinaculum. Before each measurement, correction of the caliper was done. The light microscope was used for measuring the thickness. The parameters evaluated in this study were as follows: i) the central length (Figure 1), ii) the proximal, iii) the midpoint, iv) the distal width (Figure 2), v) the thickness (Figure 3), vi) the course, and vii) the shape of the flexor retinaculum.

## Statistical Analysis

Descriptive statistics analyses were performed using the IBM SPSS Statistics v.23.0 (IBM Corp. Released 2015. IBM SPSS Statistics for Windows, Version 23.0. Armonk, NY: IBM Corp.) program. The descriptive statistics of parameters were summarized as the mean, standard deviation, minimum, and maximum values.

## RESULTS


Six formaldehyde-fixed lower extremities (four right sides, and two left sides) were examined to evaluate the morphometry of the flexor retinaculum. It was difficult to identify the proximal and distal borders of the flexor retinaculum since the flexor retinaculum was a contiguity with the deep crural fascia. However, fine and careful dissection was performed starting from the middle part of the leg. Skin and crural fascia were dissected slowly. During fascia dissection, it was observed that the flexor retinaculum was thicker than the fascia on the medial side of the ankle joint. After the borders of the flexor retinaculum were determined by the decision of three anatomists, measurements were done. In one extremity, the borders of the flexor retinaculum could not be distinguished from the crural fascia, so this extremity was excluded from the study.

The mean central length of the flexor retinaculum was found  $42.26 \pm 5.18$  mm in general. The mean proximal, midpoint, and distal width of the flexor retinaculum were measured at  $29.29 \pm 7.29$  mm,  $29.92 \pm 3.66$  mm, and  $29.76 \pm 8.13$  mm, respectively. The thickness of the flexor retinaculum was measured from different regions using with light microscope and its mean value was found to be  $234.94$  (min-max:  $225.60-241.95$ )  $\mu\text{m}$ . Measurements of the flexor retinaculum were summarized in Table 1.


After measuring the length, width, and thickness of the flexor retinaculum, we examined the course and shape of the retinaculum. The flexor retinaculum coursed vertically in four extremities and coursed obliquely in two extremities. The shape of the retinaculum was found to be triangular in five extremities and quadrangular in only one extremity.

**Table 1.** Morphometric measurements of the flexor retinaculum


Flexor Retinaculum Measurements	Right Side (mm)	Left Side (mm)	General (mm)
Central Length (AB)	43.34 $\pm$ 2.94	40.09 $\pm$ 9.69	42.26 $\pm$ 5.18
Proximal Width (CD)	30.18 $\pm$ 9.19	27.52 $\pm$ 1.63	29.29 $\pm$ 7.29
Midpoint Width (EF)	31.07 $\pm$ 1.42	27.61 $\pm$ 6.70	29.92 $\pm$ 3.66
Distal Width (GH)	29.40 $\pm$ 7.08	30.49 $\pm$ 13.35	29.76 $\pm$ 8.13



**Figure 1.** The central length of the flexor retinaculum (AB)



**Figure 2.** The proximal (CD), midpoint (EF), and distal width (GH) of the flexor retinaculum



**Figure 3.** The thickness of the flexor retinaculum

## DISCUSSION

The flexor retinaculum is placed on the medial side of the ankle joint and encloses the tarsal tunnel. It has a roughly triangular shape and extends from the medial malleolus of the tibial bone to the posterosuperior aspect of the calcaneus (1).

Mattos et al. (17) dissected 40 lower extremities, but only 9 specimens showed a denser consistency of flexor retinaculum. They measured the mean length of the flexor

retinaculum  $51.9$  (min-max:  $43-62$ ) mm in 9 specimens. They found that the flexor retinaculum was an undistinguished extension of the crural fascia in 31 specimens. El Shazly et al. (7) dissected 12 intact adult lower limb specimens (seven left feet specimens, five right feet specimens) and they measured the length of the flexor retinaculum  $29.58 \pm 1.88$  (min-max:  $26-32$ ) mm. In our study, we found the central length of the flexor retinaculum  $42.26 \pm 5.18$  mm, higher than El Shazly et al.'s (7) study, but lower than Mattos et al.'s (17) study. The difference between our result and the literature was thought to be due to ethnic differences. These ethnic differences should be taken into consideration in surgical interventions to the medial side of the ankle joint.

Numkarunarunrote et al. (1) evaluated the flexor retinaculum on 10 fresh foot and ankle specimens using 1.5-T with magnetic resonance imaging (MRI). While they measured the thickness of the flexor retinaculum as  $0.9$  (min-max:  $0.7-1.0$ ) mm, they could not evaluate the shape of the flexor retinaculum in their study because of its very thin structure. Stecco et al. (6) analyzed MRI images of 7 voluntary subjects, 17 subjects with ankle sprain and 3 amputated legs. They measured the thickness of the flexor retinaculum as  $1.15 \pm 0.16$  mm around the Achilles tendon and as  $1.4 \pm 0.22$  mm on the tarsal tunnel. El Shazly et al. (7) performed an ultrasonographic study on 10 patients (11 feet) and 14 normal volunteers (28 feet) to examine the flexor retinaculum. They measured the thickness of the flexor retinaculum at  $0.81 \pm 0.09$  mm in the patients group and at  $0.64 \pm 0.04$  mm in the healthy subjects group. They found that there was a statistically significant difference in the thickness of the retinaculum between these two groups. In the present study, we measured the thickness of the flexor retinaculum as  $234.94 \mu\text{m}$  ( $0.23$  mm), lower than the other studies in the literature. This difference may be because of the use of different examination techniques. The other studies in the literature (1,6,7) used MRI and ultrasonographic methods to measure the thickness. However, we performed cadaveric dissections and measured the thickness using a light microscope.

The shape of the flexor retinaculum was described as roughly triangular in most studies in the literature (1,18). In our study, we found the shape of the flexor retinaculum triangular in most cadavers, which was consistent with the literature.

The structure of the lower extremity is generally affected by the body's characteristics such as height/weight and body type, but in our laboratory these properties of cadavers are unknown. Because of this, we couldn't evaluate these parameters. This is the limitation of our study. Maybe, further studies will be planned to evaluate these properties.

## CONCLUSION

The flexor retinaculum is an important structure for the stable ankle joint. To our knowledge, the width and course of the flexor retinaculum were examined for the first time in our study. The morphometric data obtained from this study can help surgeons during the operations of the tarsal tunnel syndrome. The results of our study should serve as a foundation for future investigations dealing with pathologic conditions of the flexor retinaculum.

**Ethics Committee Approval:** The study was approved by the Non-invasive Clinical Research Ethics Committee of Hacettepe University (20.06.2023, 11-36).

**Conflict of Interest:** None declared by the authors.

**Financial Disclosure:** None declared by the authors.

**Acknowledgments:** We would like to thank the cadaver donors without whom such research would not be possible.

**Author Contributions:** Idea/Concept: HAA, MF; Design: HAA, SA; Data Collection/Processing: HAA, MF, SA, ZBK; Analysis/Interpretation: HAA, MF, ZBK; Literature Review: HAA, SA; Drafting/Writing: HAA; Critical Review: MF, SA.

## REFERENCES

1. Numkarunarunrote N, Malik A, Aguiar RO, Trudell DJ, Resnick D. Retinacula of the foot and ankle: MRI with anatomic correlation in cadavers. *AJR Am J Roentgenol.* 2007;188(4):W348-54.
2. Standring S. *Gray's anatomy e-book: the anatomical basis of clinical practice.* Elsevier; 2021.
3. Demondion X, Canella C, Moraux A, Cohen M, Bry R, Cotten A. Retinacular disorders of the ankle and foot. *Semin Musculoskelet Radiol.* 2010;14(3):281-91.
4. Lau JT, Daniels TR. Tarsal tunnel syndrome: a review of the literature. *Foot Ankle Int.* 1999;20(3):201-9.
5. Ferkel E, Davis WH, Ellington JK. Entrapment neuropathies of the foot and ankle. *Clin Sports Med.* 2015;34(4):791-801.
6. Stecco C, Macchi V, Porzionato A, Morra A, Parenti A, Stecco A, et al. The ankle retinacula: morphological evidence of the proprioceptive role of the fascial system. *Cells Tissues Organs.* 2010;192(3):200-10.
7. El Shazly O, El Shazly A, Desouky A, El Zohiery AK, Sakr HM: Anatomical bases of endoscopic tarsal tunnel release: anatomical and ultra-sonographic study with a preliminary clinical report. *Surg Radiol Anat.* 2011;33(10):929-36.
8. Cansü CE, Özturan K, Yücel İ. Bilateral tarsal tunnel syndrome due to bilateral lipoma: a case report. *Duzce Med J.* 2010;12(3):65-7. Turkish.
9. McSweeney SC, Cichero M: Tarsal tunnel syndrome- A narrative literature review. *Foot (Edinb).* 2015;25(4):244-50.
10. Kopell HP, Thompson WA. Peripheral entrapment neuropathies of the lower extremity. *N Engl J Med.* 1960;262:56-60.
11. Singh G, Kumar VP. Neuroanatomical basis for the tarsal tunnel syndrome. *Foot Ankle Int.* 2012;33(6):513-8.
12. Ahmad M, Tsang K, Mackenney PJ, Adedapo AO. Tarsal tunnel syndrome: A literature review. *Foot Ankle Surg.* 2012;18(3):149-52.
13. Doneddu PE, Coraci D, Loreti C, Piccinini G, Padua L. Tarsal tunnel syndrome: still more opinions than evidence. *Status of the art. Neurol Sci.* 2017;38(10):1735-9.
14. Park SE, Kim JC, Ji JH, Kim YY, Lee HH, Jeong JJ. Post-traumatic pseudoaneurysm of the medial plantar artery combined with tarsal tunnel syndrome: two case reports. *Arch Orthop Trauma Surg.* 2013;133(3):357-60.
15. Molloy AP, Lyons R, Bergin D, Kearns SR. Flexor digitorum accessorius causing tarsal tunnel syndrome in a paediatric patient: a case report and review of the literature. *Foot Ankle Surg.* 2015;21(2):e48-50.
16. Deleu PA, Bevernage BD, Birch I, Maldague P, Gombault V, Leemrijse T. Anatomical characteristics of the flexor digitorum accessorius longus muscle and their relevance to tarsal tunnel syndrome: a systematic review. *J Am Podiatr Med Assoc.* 2015;105(4):344-55.
17. Mattos I, Ubillus HA, Campos G, Soares S, Azam MT, Oliva XM, et al. Anatomy of the tibial nerve in relation to the tarsal tunnel: A cadaveric study. *Foot Ankle Surg.* 2022;28(8):1415-20.
18. Szaro P, Ghali Gataa K, Polaczek M, Ciszek B. The flexor retinaculum connects the surrounding structures into the medial ankle complex. *Appl Sci.* 2020;10(22):7972.