

	<b>SAKARYA UNIVERSITY</b> <b>JOURNAL OF SCIENCE</b>		 <b>SAKARYA</b> <b>UNIVERSITY</b>
	e-ISSN: 2147-835X <a href="http://www.saujs.sakarya.edu.tr">http://www.saujs.sakarya.edu.tr</a>		
	<u>Received</u> 19-06-2018 <u>Accepted</u> 05-09-2018	<u>Doi</u> 10.16984/saufenbilder.434801	

## AW(k)-type Salkowski Curves in the Euclidean 3-Space $IE^3$

İlim KİŞİ\*

### ABSTRACT

We deal with AW(k)-type ( $k = 1, 2,$  and  $3$ ) Salkowski (anti-Salkowski) curves with constant  $\kappa \neq 0$  ( $\tau \neq 0$ ) in the Euclidean 3-space. We show that there is no AW(1)-type Salkowski curve and AW(1)-type anti-Salkowski curve in  $IE^3$ . Also, we handle weak AW(2)-type and weak AW(3)-type Salkowski (anti-Salkowski) curves. Also, we show that there is no weak AW(2)-type Salkowski curve in  $IE^3$ .

**Keywords:** AW(k)-type, Salkowski curve

### 1. INTRODUCTION

In study [1], AW(k)-type curves and submanifolds were defined by Arslan and West. Thereafter, many works related to this topic were handled by so many authors. In [2,3], the authors gave some features of the AW(k)-type curves in  $IE^m$ . In [4], the authors considered AW(k)-type ( $k=1,2,$  and  $3$ ) surfaces and curves. They gave some examples of surfaces and curves that satisfy AW(k)-type situations as well. In [5,6], the authors studied these types of curves with the parallel transport frame in Euclidean spaces  $IE^3$  and  $IE^4$ . In [7], Yoon studied these types of curves in the Lie group  $G$ . Also, the same author characterized AW(k)-type general helices in  $G$ .

The term "helix" is used in other sciences apart from mathematics because of its properties and applicability. Helices arise in DNA molecules, structures of proteins, and carbon nano tubes, and the like. [8,9]. Also, helices are used in fractal geometry, e.g. hyper helices [10]. Moreover, helices are used for the design of highways or kinematic motion simulations [11]. In the sense of

geometry, a helix is a kind of curve having a non-zero constant curvature and a non-zero constant torsion [12,13]. This curve is called as W-curve by F. Klein and S. Lie in [14].

A regular curve having constant Frenet curvature ratios is a ccr-curve [15]. In [16], authors give a characterization of these curves in  $IE^m$ . In that study, authors show that every W-curve is a ccr-curve. As is well-known, generalized helices in  $IE^3$  are characterized by the fact that the quotient  $\frac{\tau}{\kappa}$  is constant. It is in this sense that ccr-curves are generalization to  $IE^m$  of generalized helices in  $IE^3$ .

Salkowski curves (anti-Salkowski curves), having constant curvature (having constant torsion), were introduced by Salkowski in 1909 in [17]. Thereafter, in [18,19], author studied non-lightlike Salkowski curves in  $IE_1^3$ . In [20], the authors investigated Salkowski type Mannheim curves in  $IE^3$ . In [21], the author characterized the

---

\* Corresponding Author

Salkowski curve whose principal normal vector and a fixed line constitute a constant angle.

This article is arranged as follows: In section 2, some basic concepts of curves in  $IE^3$  are given and the AW(k)-type curve concept is presented. In sections 3 and 4, AW(k)-type Salkowski curves and AW(k)-type anti-Salkowski curves are handled respectively.

## 2. BASIC CONCEPTS

Let  $\gamma = \gamma(s) : I \rightarrow IE^3$  be a curve parametrized with the arc length function  $s$  in the Euclidean space  $IE^3$ . If the derivatives  $\gamma'(s), \gamma''(s)$ , and  $\gamma'''(s)$  of  $\gamma$  are linearly independent and  $\gamma'(s), \gamma''(s), \gamma'''(s), \gamma^{(iv)}(s)$  are linearly dependent for all  $s \in I$ , then  $\gamma$  is a Frenet curve of osculating order 3. For each curve of osculating order 3, we can correlate an orthonormal 3-frame  $\{T, N, B\}$  called as Frenet frame of the curve  $\gamma$  along  $\gamma$  ( $\gamma'(s) = T(s)$ ) and functions  $\kappa, \tau : I \rightarrow IR$  called as the Frenet curvatures of the curve  $\gamma$ . Then the famous Frenet frame formula of  $\gamma$  is given as follows:

$$\begin{bmatrix} T' \\ N' \\ B' \end{bmatrix} = \begin{bmatrix} 0 & \kappa & 0 \\ -\kappa & 0 & \tau \\ 0 & -\tau & 0 \end{bmatrix} \begin{bmatrix} T \\ N \\ B \end{bmatrix}$$

[22].

Now, we introduce AW(k)-type Frenet curves.

**Proposition 2.1.** Let  $\gamma$  be a Frenet curve of osculating order 3 in  $IE^3$ . Thus, one can conclude:

$$\begin{aligned} \gamma'(s) &= T(s), \\ \gamma''(s) &= T'(s) = \kappa(s)N(s), \\ \gamma'''(s) &= -\kappa^2(s)T(s) + \kappa'(s)N(s) + \kappa(s)\tau(s)B(s), \\ \gamma^{(iv)}(s) &= -3\kappa(s)\kappa'(s)T(s) \\ &\quad + \{\kappa''(s) - \kappa^3(s) - \kappa(s)\tau^2(s)\}N(s) \\ &\quad + \{2\kappa'(s)\tau(s) + \kappa(s)\tau'(s)\}B(s). \end{aligned}$$

[2].

**Notation 2.2.** Let us write

$$\begin{aligned} N_1(s) &= \kappa(s)N(s), \\ N_2(s) &= \kappa'(s)N(s) + \kappa(s)\tau(s)B(s), \\ N_3(s) &= \{\kappa''(s) - \kappa^3(s) - \kappa(s)\tau^2(s)\}N(s) \\ &\quad + \{2\kappa'(s)\tau(s) + \kappa(s)\tau'(s)\}B(s). \end{aligned} \tag{1}$$

[2].

**Definition 2.3.** Frenet curves of osculating order 3 are

i) of type weak AW(2) if they enable

$$N_3(s) = \langle N_3(s), N_2^*(s) \rangle N_2^*(s), \tag{2}$$

ii) of type weak AW(3) if they enable

$$N_3(s) = \langle N_3(s), N_1^*(s) \rangle N_1^*(s), \tag{3}$$

where

$$\begin{aligned} N_1^*(s) &= \frac{N_1(s)}{\|N_1(s)\|} = N(s), \\ N_2^*(s) &= \frac{N_2(s) - \langle N_2(s), N_1^*(s) \rangle N_1^*(s)}{\|N_2(s) - \langle N_2(s), N_1^*(s) \rangle N_1^*(s)\|} = B(s) \end{aligned} \tag{4}$$

[2].

**Definition 2.4.** Frenet curves of osculating order 3 are

i) of type AW(1) if they enable

$$N_3(s) = 0, \tag{5}$$

ii) of type AW(2) if they enable

$$\|N_2(s)\|^2 N_3(s) = \langle N_3(s), N_2(s) \rangle N_2(s) \tag{6}$$

iii) of type AW(3) if they enable

$$\|N_1(s)\|^2 N_3(s) = \langle N_3(s), N_1(s) \rangle N_1(s) \tag{7}$$

[2].

## 3. AW(k)-TYPE SALKOWSKI CURVES IN $IE^3$

Here, we handle AW(k)-type Salkowski curves in  $IE^3$ .

Let  $\gamma$  be a Salkowski curve parametrized with the arc length function, and  $\{T, N, B\}$  be the Frenet frame of the curve in  $IE^3$ . Since  $\gamma$  is a Salkowski curve, the curvature  $\kappa$  of the curve is a non-zero constant. Thus, the equations (1) become

$$\begin{aligned} N_1(s) &= \kappa N(s), \\ N_2(s) &= \kappa\tau(s)B(s), \\ N_3(s) &= \{-\kappa^3 - \kappa\tau^2(s)\}N(s) + \{\kappa\tau'(s)\}B(s). \end{aligned} \tag{8}$$

From Definition 2.3, we have the following theorems:

**Theorem 3.1.** There is no weak AW(2)-type Salkowski curve with constant  $\kappa \neq 0$  in  $IE^3$ .

**Proof.** Let  $\gamma$  be a Salkowski curve which is parametrized by the arc length function and given with constant  $\kappa \neq 0$  in  $IE^3$ . From the equations (2), (4) and (8), we get  $-\kappa(\kappa^2 + \tau^2) = 0$ , which is a contradiction. Thus, there is no weak AW(2)-type Salkowski curve with constant  $\kappa \neq 0$  in  $IE^3$ .

**Theorem 3.2.** Let  $\gamma$  be a Salkowski curve which is parametrized by the arc length function and given with constant  $\kappa \neq 0$  in  $IE^3$ . If  $\gamma$  is of type weak AW(3),  $\gamma$  is a W-curve.

**Proof.** Let  $\gamma$  be a unit speed Salkowski curve with constant  $\kappa \neq 0$  and  $\gamma$  is of type weak AW(3) in  $IE^3$ . From the equations (3), (4) and (8), we get  $\kappa\tau' = 0$ . Since  $\kappa \neq 0$ ,  $\tau' = 0$ , i.e.  $\tau$  is a constant. Hence,  $\gamma$  is a W-curve.

From Definition 2.4, we have the following theorems:

**Theorem 3.3.** There is no AW(1)-type Salkowski curve with constant  $\kappa \neq 0$  in  $IE^3$ .

**Proof.** Let  $\gamma$  be a Salkowski curve which is parametrized by the arc length function and given with constant  $\kappa \neq 0$  in  $IE^3$ . From the equations (5) and (8), we obtain  $-\kappa(\kappa^2 + \tau^2) = 0$  and  $\kappa\tau' = 0$ . Since  $\kappa \neq 0$ , we get  $\tau' = 0$ , i.e.  $\tau$  is a constant. Considering  $\tau$  is a constant in  $-\kappa(\kappa^2 + \tau^2) = 0$ , we get a contradiction. Thus, there is no AW(1)-type Salkowski curve in  $IE^3$ .

**Theorem 3.4.** Let  $\gamma$  be a Salkowski curve which is parametrized by the arc length function and given with constant  $\kappa \neq 0$  in  $IE^3$ . If  $\gamma$  is of type AW(2), then  $\gamma$  is a circle.

**Proof.** Let  $\gamma$  be a unit speed Salkowski curve with constant  $\kappa \neq 0$  and  $\gamma$  is of type AW(2). Using the equations (6) and (8), we obtain  $-\kappa^3\tau^2(\kappa^2 + \tau^2) = 0$ . Since  $\kappa \neq 0$ , we get  $\tau = 0$ , which means that  $\gamma$  is a circle.

**Theorem 3.5.** Let  $\gamma$  be a Salkowski curve which is parametrized by the arc length function and given with constant  $\kappa \neq 0$  in  $IE^3$ . If  $\gamma$  is of type AW(3), then  $\gamma$  is a W-curve.

**Proof.** Let  $\gamma$  be a unit speed Salkowski curve with constant  $\kappa \neq 0$  and  $\gamma$  is of type AW(3). Using the equations (7) and (8), we obtain  $\kappa^3\tau' = 0$ . Since  $\kappa \neq 0$ , we get  $\tau' = 0$ , i.e.  $\tau$  is a constant. Thus,  $\gamma$  is a W-curve.

#### 4. AW(k)-TYPE ANTI-SALKOWSKI CURVES IN $IE^3$

Here, we handle AW(k)-type anti-Salkowski curves in  $IE^3$ .

Let  $\gamma$  be a unit speed anti-Salkowski curve, and  $\{T, N, B\}$  be Frenet frame of the curve  $\gamma$  in  $IE^3$ . Since  $\gamma$  is an anti-Salkowski curve with a non-zero constant torsion, the equations (1) become

$$\begin{aligned} N_1(s) &= \kappa(s)N(s), \\ N_2(s) &= \kappa'(s)N(s) + \kappa(s)\tau B(s), \\ N_3(s) &= \{\kappa''(s) - \kappa^3(s) - \kappa(s)\tau^2\}N(s) \\ &\quad + \{2\kappa'(s)\tau\}B(s). \end{aligned} \tag{9}$$

From Definition 2.3, we have Theorem 4.1 and Theorem 4.2:

**Theorem 4.1.** Let  $\gamma$  be an anti-Salkowski curve which is parametrized by the arc length function and given with constant  $\tau \neq 0$  in  $IE^3$ . If  $\gamma$  is of type weak AW(2), the differential equation

$$\kappa''(s) - \kappa^3(s) - \kappa(s)\tau^2 = 0$$

with the curvatures of  $\gamma$  holds.

**Proof.** Let  $\gamma$  be a unit speed anti-Salkowski curve with constant  $\tau \neq 0$  and  $\gamma$  is of type weak AW(2) in  $IE^3$ . From the equations (2), (4) and (9), we get the solution.

**Theorem 4.2.** Let  $\gamma$  be an anti-Salkowski curve which is parametrized by the arc length function and given with constant  $\tau \neq 0$  in  $IE^3$ . If  $\gamma$  is of type weak AW(3),  $\gamma$  is a W-curve.

**Proof.** Let  $\gamma$  be a unit speed anti-Salkowski curve with constant  $\tau \neq 0$  and  $\gamma$  is of type weak AW(3) in  $IE^3$ . From the equations (3), (4) and (9), we get  $2\kappa'\tau = 0$ . Since  $\tau \neq 0$ ,  $\kappa' = 0$ , i.e.  $\kappa$  is a constant. Hence,  $\gamma$  is a W-curve.

From Definition 2.4, we have the following theorems:

**Theorem 4.3.** There is no AW(1)-type anti-Salkowski curve with constant  $\tau \neq 0$  in  $IE^3$ .

**Proof.** Let  $\gamma$  be an anti-Salkowski curve which is parametrized by the arc length function and given with constant  $\tau \neq 0$  in  $IE^3$ . From the equations (5) and (9), we obtain  $\kappa'' - \kappa^3 - \kappa\tau^2 = 0$  and  $2\kappa'\tau = 0$ . Since  $\tau \neq 0$ ,  $\kappa' = 0$ , i.e.  $\kappa$  is a constant. Considering  $\kappa$  is a constant in  $\kappa'' - \kappa^3 - \kappa\tau^2 = 0$ , we get a contradiction. Thus, there is no AW(1)-type anti-Salkowski curve with constant  $\tau \neq 0$  in  $IE^3$ .

**Theorem 4.4.** Let  $\gamma$  be an anti-Salkowski curve which is parametrized by the arc length function and given with constant  $\tau \neq 0$  in  $IE^3$ . If  $\gamma$  is of type AW(2), then the differential equation  $2(\kappa'(s))^2 = \kappa''(s)\kappa(s) - \kappa^4(s) - \kappa^2(s)\tau^2 = 0$

with the curvatures of  $\gamma$  holds.

**Proof.** Let  $\gamma$  be a unit speed anti-Salkowski curve with constant  $\tau \neq 0$  and  $\gamma$  is of type AW(2). Using the equations (6) and (9), we get

$$\|N_2\|^2 N_3 = ((\kappa')^2 + \kappa^2\tau^2) \begin{pmatrix} (\kappa'' - \kappa^3 - \kappa\tau^2)N \\ + 2\kappa'\tau B \end{pmatrix}$$

and

$$\langle N_3, N_2 \rangle N_2 = \kappa'(\kappa'' - \kappa^3 + \kappa\tau^2)(\kappa'N + \kappa\tau B).$$

From the definition of AW(2)-type, we get

$$((\kappa')^2 + \kappa^2\tau^2)(\kappa'' - \kappa^3 - \kappa\tau^2)$$

$$= (\kappa')^2(\kappa'' - \kappa^3 + \kappa\tau^2)$$

and

$$2\kappa'\tau((\kappa')^2 + \kappa^2\tau^2) = \kappa\kappa'\tau(\kappa'' - \kappa^3 + \kappa\tau^2),$$

which completes the proof.

**Theorem 4.5.** Let  $\gamma$  be an anti-Salkowski curve which is parametrized by the arc length function and given with constant  $\tau \neq 0$  in  $IE^3$ . If  $\gamma$  is of type AW(3), then  $\gamma$  is a W-curve.

**Proof.** Let  $\gamma$  be a unit speed anti-Salkowski curve with constant  $\tau \neq 0$  and  $\gamma$  is of type AW(3). Using the equations (7) and (9), we obtain  $2\kappa^2\kappa'\tau = 0$ . Since  $\kappa \neq 0$  and  $\tau \neq 0$ , we get  $\kappa' = 0$ , i.e.  $\kappa$  is a constant. Thus,  $\gamma$  is a W-curve.

## REFERENCES

- [1] K. Arslan and A. West, "Product submanifolds with pointwise 3-planar normal sections," *Glasgow Math. J.*, vol.37, pp. 73-81, 1995.
- [2] K. Arslan and C. Özgür, "Curves and surfaces of AW(k) type," *Geometry and topology of Submanifolds IX, World Scientific*, 21-26, 1997.
- [3] C. Özgür and F. Gezgin, "On some curves of AW(k)-type," *Differential Geometry-Dynamical Systems*, vol. 7, pp. 74.80, 2005.
- [4] B. Kılıç and K. Arslan, "On curves and surfaces of AW(k)-type," *BAÜ Fen Bil. Enst. Dergisi*, vol. 6, no. 1, pp. 52-61, 2004.
- [5] I. Kişi, S. Büyükkütük, Deepmala, and G. Öztürk, "AW(k)-type curves according to parallel transport frame in Euclidean space  $IE^4$ ," *Facta Universitatis, Series: Mathematics and Informatics*, vol. 31, no. 4, pp. 885-905, 2016.

- [6] I. Kişi and G. Öztürk, "AW(k)-type curves according to the Bishop frame," arXiv:1305.3381v1 [math.DG], 2013.
- [7] D. W. Yoon, "General helices of Aw(k)-type in the Lie group," *J. Appl. Math.*, pp.1-10, 2012.
- [8] N. Chouaieb, A. Goriely, and J.H. Maddocks, "Helices," *PANS*, 103, 9398.9403, 2006.
- [9] A. A. Lucas and P. Lambin, "Diffraction by DNA, carbon nanotubes and other helical nanostructures," *Rep. Prog. Phys.*, vol. 68, 1181.1249, 2005.
- [10] C. D. Toledo-Suarez, "On the arithmetic of fractal dimension using hyperhelices," *Chaos Solitons and Fractals*, vol. 39, pp. 342.349, 2009.
- [11] X. Yang, "High accuracy approximation of helices by quintic curve," *Comput. Aided Geometric Design*, vol. 20, pp. 303.317, 2003.
- [12] A. Gray, "Modern differential geometry of curves and surface," *CRS Press, Inc.*, 1993.
- [13] H. Gluck, "Higher curvatures of curves in Euclidean space," *Amer. Math. Monthly*, vol. 73, pp. 699-704, 1966.
- [14] F. Klein and S. Lie, "Über diejenigen ebenen kurven welche durch ein geschlossenes system von einfach unendlich vielen vertauschbaren lin-earen transformationen in sich übergehen," *Math. Ann.*, vol. 4, pp. 50-84, 1871.
- [15] J. Monterde, "Curves with constant curvature ratios," *Bulletin of Mexican Mathematic Society*, vol. 13, pp. 177-186, 2007.
- [16] G. Öztürk, K. Arslan, and H.H. Hacisalihoğlu, "A characterization of ccr-curves in  $\mathbb{R}^m$ ," *Proc. Estonian Acad. Sciences*, vol. 57, pp. 217-224, 2008.
- [17] E. Salkowski, "Zur transformation von raumkurven," *Math. Ann.*, vol. 66, pp. 517-557, 1909.
- [18] A.T. Ali, "Spacelike Salkowski and anti-Salkowski curves with spacelike principal normal in Minkowski 3-space," *Int. J. Open Problems Comp. Math.*, vol. 2, pp. 451.460, 2009.
- [19] A.T. Ali, "Timelike Salkowski and anti-Salkowski curves in Minkowski 3-space," *J. Adv. Res. Dyn. Cont. Syst.*, vol. 2, pp. 17.26, 2010.
- [20] F. Kaymaz and F. K. Aksoyak, "Some special curves and Mannheim curves in three dimensional Euclidean space," *Mathematical Sciences and applications E-Notes*, vol. 5, no. 1, pp. 34-39, 2017.
- [21] J. Monterde, "Salkowski curves revisited: A family of curves with constant curvature and non-constant torsion," *Computer Aided Geometric Design*, vol. 26, no. 3, pp. 271-278, 2009.
- [22] M. P. Do Carmo, "Differential geometry of curves and surfaces", *Prentice Hall, Englewood Cliffs, N. J.* 1976.