

A Preliminary Study on Determination of Insect Fauna of İnkumu and its Surrounding Area (Bartın, Turkey)

İnkumu ve Çevresinin (Bartın, Türkiye) Böcek Faunasının Tespit Edilmesi Üzerine Bir Ön Çalışma

Research Article

Osman Sert and Mahmut Kabalak

Hacettepe University, Faculty of Science, Department of Biology, Ankara, Turkey

ABSTRACT

In the studies for the determination of insect fauna of İnkumu and its surrounding area, 202 species belonging to 138 genera, 53 families and 11 orders have been detected. List of detected orders, families and species are given.

Key Words

İnkumu, Bartın, Insect, Fauna.

ÖZET

İnkumu ve çevresinin böcek faunasının belirlenmesi için yapılan çalışmalar 11 takım, 53 familyadan 138 cinsle bağlı 202 tür tespit edilmiştir. Tespit edilen takımların, familyaların ve türlerin listesi verilmiştir.

Anahtar Kelimeler

İnkumu, Bartın, Böcek, Fauna

Article History: Received Jan 12, 2013; Revised Jan 25, 2013; Accepted Feb 10, 2013; Available Online: May 08, 2013.

Correspondence to: Mahmut Kabalak, Hacettepe University, Faculty of Science, Department of Biology, Ankara, Turkey

Tel: +90 312 297 62 49

Fax: +90 312 299 20 28

E-Mail: mahmut@hacettepe.edu.tr

INTRODUCTION

İnkumu is situated at Northwest of Central County of Bartın Province. Bartın is surrounded by mountains which are below 2000 m. Mountains are arduous and rocky towards seashores. Keçikırın hill, which is 1619 m, is the highest point of Bartın. The most significant mountains are Aladağ, Kocadağ, Karadağ, Kayaardı, Karasu and Arıt. Terrain of Bartın province is deeply fragmented by Bartın river and its branches. There are narrow and deep valleys at broad parts of river and between deep walls of mountains. There are more flat plains at centrum than rest of province. Uluayla, Zoni, Ardış (Gezen) and Kokurdan are important plateaus of Bartın. According to diversity of trees, other plants and wild animals, forests of Bartın are the most interesting and richest forests of Turkey. Forests of Bartın are composed of broad-leaved and coniferous trees. Characteristic trees of seashores up to 600 m are oak, beech and hornbeam trees. There are beech, chestnut, firs and pine trees at inner parts of seashores and after 1500 m and there are walnut, chestnut and hazelnut plantations at seashores [1].

MATERIAL AND METHOD

Two ways were applied to detect insect fauna of İnkumu. First way is collecting insect species by using different collecting methods and second way is detecting species of this area from previous studies of different researchers. Species were collected by hand, insect nets and aspirators between 2003 and 2006. Specimens of species were put in collection. Species were determined by comparing with previously determined museum species and different studies of other researchers [2-9]. There is only a study, which is study of Lodos et al. [10] form Western Blacksea region. Species, which are given from literature, are mentioned with "Lit.".

RESULTS AND DISCUSSION

Vegetation and topography properties of İnkumu and its surroundings areas exhibit that its diversity of insect fauna may be rich. This study is preliminary study and it is not possible to say present list of insect fauna does not represent

whole area's insect fauna. In order to represent whole insect fauna of research area long-term studies are important. Species of research area, which were collected and taken from literature, are given in table.1.

As a result of this study, 145 species belonging to 126 genera, 50 families and 11 order were collected from research area. Five species of determined species were also reported by Lodos et al. [10] "Lit.". In addition to that, 40 species are added to collected species, which were given from Bartın province in present literature [10]. Although 202 genera and species are given from research area, more species can be collected by long-term studies. Most of genera and species were determined from order Coleoptera (77 genera, 125 species). It is followed by other orders, which are Lepidoptera (23 genera, 27 species), Hemiptera (20 genera, 22 species), Hymenoptera (6 genera, 13 species), Orthoptera (4 genera, 6 species), Odonata (2 genera, 3 species), Diptera (2 genera, 2 species), Mantodea, Dermaptera, Homoptera, Neuroptera (1 genera each, 1 species each).

During field studies, we recognized that people, who live intertwiningly with nature in villages near İnkumu, do not have enough information about insects. As a result of information lackness about differentiating insects from closely related arthropod groups as spiders, crabs and scorpions, there is a common fear about poisoning for native people. This kind of studies will be useful to tell information to people about insects and functioning of nature.

ACKNOWLEDGEMENTS

We would like to thank Biologist Nazlı Yanbuloğlu for her efforts in field studies and preparing the insects for collectional purposes, Research Assistant Senem Özdemir and Research Assistant Burcu Şabanoğlu for their efforts in preparing the insects for collectional purposes, Ass. Prof. Dr. Hüseyin Özdikmen (Cerambycidae and Chrysomelidae), Assoc. Prof. Dr. A. Murat Aytekin (Apidae), Dr. Yasemin Güler (Megachilidae), Dr. Fatih Dikmen (Halictidae), Assoc. Dr. Hasan Sevgili (Orthoptera), Bachelor student Esra Ada (Odonata), Research Assistant Neslihan Kocatepe

Table 1. Determined insect orders, families and species list of İnkumu and its surrounding area.

Collecting localities	Name of Collector
Ordo: ODONATA	
Family: Platycnemididae	
<i>Platycnemis pennipes</i> (Pallas, 1771)	Between Arit-Darıören Arit river side 12.VII.2003
<i>Platycnemis keruellei</i> (Martin, 1909)	Between Arit-Darıören Arit river side 12.VII.2003
Family: Coenagrionidae	
<i>Ischnura pumilio</i> (Charpentier, 1825)	Boğazköy exit 11.VII.2003
Ordo: ORTHOPTERA	
Family: Acrididae	
<i>Acrotelus</i> sp.	Boduma env. 11.VII.2003
<i>Oedipoda miniata</i> (Pallas, 1771)	İnkumu 24.IX.2003
<i>Oedipoda corulegens corulegens</i> (Linnaeus, 1758)	Karasu-I 23.IX.2003
<i>Sphingonotus pilosus</i> (Schrank , 1801)	Bartın river Yenikışla 11.VII.2003
<i>Sphingonotus rubescens</i> (Walker, 1870)	Dökümeli env. 12.VII.2006
Family: Tettigonidae	
<i>Platycleis intermedia</i> (Serville, 1839)	Boduma env. 11.VII.2003
Ordo: MANTODEA	
Family: Mantidae	
<i>Mantis religiosa</i> Linneaus, 1758	Karasu 23.IX.2003
Ordo: DERMAPTERA	
Family: Forficulidae	
<i>Forficula</i> sp.	Ahatlar 11.VI.2006;İnkumu 12.VI.2006
Ordo: HEMIPTERA	
Family: Alydidae	
<i>Alydus</i> sp.	Between Arit and Darıören Arit river side 12.VII.2003
Family: Coreidae	
<i>Coreus marginatus</i> (Linnaeus, 1758)	Potbaşı 26.VI.2004; Bus station env. 10.VI.2006; Kaman bridge 11.VI.2006; Güzelcehisar 12. VI.2006
<i>Corizus hyoscyami</i> (Linnaeus, 1758)	Bus station env. 10.VI.2006
<i>Dicranocleptes agilis</i> (Scopoli, 1763)	Yenikışla entrance 11.VII.2003; Yeniköy entrance 10.VI.2006
Family: Gerridae	
<i>Gerris</i> sp.	Yenikışla entrance Boğazköy 10.VI.2006
Family: Lygaeidae	
<i>Rhynchosciara vulgaris</i> (Schilling, 1829)	Kozcağız between Haneri and Hasankadi 13.VII.2003
<i>Piocoris erythrocephalus</i> (Lepetier & Serville, 1825)	Ellibaş village 10.VI.2006; Yenikışla entrance Boğazköy 10.VI.2006
Family: Miridae	
<i>Brachycoleus</i> sp.	Ellibaş village 10.VI.2006
<i>Deraeocoris</i> sp.	Arit river road 12.VI.2006
<i>Stenodema</i> sp.	13 km to Uluyayla Ulus 12.VI.2006
Family: Pentatomidae	
<i>Aelia</i> sp.	İnkumu 10.VI.2006
<i>Carpocoris</i> sp.	13 km to Uluyayla Ulus 12.VI.2006
<i>Carpocoris pudicus</i> (Poda, 1761)	Arit river side 12.VII.2003; Ulukaya village Ulus 12.VII.2003
<i>Dolycoris baccarum</i> (Linnaeus, 1758)	Yenikışla entrance, 11.VII.2003; Potbaşı 12.VII.2003; Between Arit and Darıören Arit river side 12.VII.2003; Ellibaş village 10.VI.2006
<i>Eurydema ventralis</i> (Herting, 1971)	İnkumu 26.VI.2004
<i>Eurydema oleraceum</i> (Linnaeus, 1758)	Külli, Ulus road 10.VI.2006
<i>Eysarcoris aeneus</i> (Scopoli)	Ellibaş village 10.VI.2006
<i>Palomena prasina</i> (Linnaeus, 1761)	İnkumu 25. 09.2003; Ellibaş village 10.VI.2006
<i>Stagonomus</i> sp.	Between Arit and Darıören Arit river side 12.VII.2003
Family: Plataspidae	
<i>Captasoma scutellatum</i>	Yenikışla entrance 11.VII.2003; Güzelcehisar road, 12.VI.2006;İnkumu 10.VI.2006
Family: Pyrrhocoridae	
<i>Pyrrhocoris apterus</i> (Linnaeus, 1758)	İnkumu 12.VII.2003;İnkumu 25. 09.2003;Bus station env. 10.VI.2006
Family: Scutelleridae	
<i>Graphosoma lineatum</i> (Linnaeus, 1758)	Kaşbaşı village 12.VII.2003
Ordo: HOMOPTERA	
Family: Cercopidae	
<i>Cercopis intermedia</i> Kirschbaum, 1868	Bartın Bus station env. 10.VI.2006; Ahatlar 11.VI.2006; Karasu 23.IX.2003; Yenikışla entrance 12.VI.2006;
Ordo: NEUROPTERA	Gökurmak-Ulus road 12.VI.2006
Family: Chrysopidae	
<i>Chrysopa</i> sp.	13 km to Uluyayla Ulus 12.VI.2006
Ordo: COLEOPTERA	
Subordo: Adephaga	
Family: Carabidae	
<i>Carabus scabrosus</i> Olivier, 1795	Central Province 12.VII.2003
<i>Harpalus affinis</i> (Schrank, 1781)	Between Arit and Darıören Arit river side 12.VII.2003
<i>Harpalus neglectus</i> Serville , 1821	Between Bartın and Kozcağız Bakioğlu 12.VII.2003

<i>Pseudeophanus rufipes</i> (DeGeer, 1774)	Between Bartın and Kozcağız Bakıoğlu 12.VII.2003; Kaşbaşı village 12.VII.2003	O. Sert – M. Kabalak
<i>Sphodristocarabus</i> sp.	İnkumu 17.IV.2004; H.U. Hidrology Research Centre Garden	O. Sert – M. Kabalak
Subordo: Polyphaga		
Family: Anobiidae		
<i>Anobius</i> sp.	Boğazköy exit 11.VII.2003	O. Sert – M. Kabalak
Family: Anthicidae		
<i>Leptaleus</i> sp.	Arit road 12.VI.2006	O. Sert – M. Kabalak
<i>Notoxus</i> sp.	Gökirmak-Ulus road 12.VI.2006	O. Sert – M. Kabalak
Family: Apionidae		
<i>Apion dispar</i> Germar, 1817	Ulus 29.V.1980	Lodos et al. 2003. "Lit."
<i>Apion frumentarium</i> (Linneaus, 1758)	Kaşbaşı village 12.VII.2003	O. Sert - M. Kabalak
<i>Apion gyllenhalii</i> Kirby, 1808	Uluslararası 29.V.1980	Lodos et al. 2003. "Lit."
<i>Apion holosericeum</i> Gyllenhal, 1833	Central Province 29.V.1980	Lodos et al. 2003. "Lit."
<i>Apion melliloti</i> Kirby, 1808	Uluslararası 17.VII.1979	Lodos et al. 2003. "Lit."
<i>Apion ottonis</i> (Wagner, 1914)	Amasra 01.VI.1980	Lodos et al. 2003. "Lit."
<i>Apion penetrans</i> Germar, 1817	Kurucasile 02.VI.1980	Lodos et al. 2003. "Lit."
<i>Apion sicardi</i> Desbrochers, 1893	Kurucasile 01.VI.1980	Lodos et al. 2003. "Lit."
<i>Apion trifolii</i> Linneaus, 1768	Central Province 01.VI.1980	Lodos et al. 2003. "Lit."
<i>Apion viciae</i> (Paykull, 1800)	Central Province 31.V.1980	Lodos et al. 2003. "Lit."
Family: Bruchidae		
<i>Bruchus</i> sp.	Ahatlar 11.VI.2006	O. Sert – M. Kabalak
<i>Bruchidius</i> sp.	Yenikışla entrance 10.VI.2006; Ulus road-Külli 12.VI.2006	O. Sert – M. Kabalak
<i>Spermaphagus</i> sp.	Ellibaşvillage 10.VI.2006; 3km to Güzelcehisar 12.VI.2006	O. Sert – M. Kabalak
Family: Cantharidae		
<i>Cantharis livida</i> Linneaus, 1758	Kozcağız between Hanyeri and Hasankadı 13.VII.2003	O. Sert – M. Kabalak
<i>Cantharis</i> sp. (Linneaus, 1758)	İnkumu 26.VI.2004	O. Sert – M. Kabalak
Family: Cerambycidae		
<i>Stenopteris rufis</i> Linnaeus, 1767	Külli, Ulus road, 12.VI.2006	O. Sert – M. Kabalak
<i>Stenurella bifasciata</i> (Müller, 1776)	3 km to Güzelcehisar 12.VI.2006	O. Sert – M. Kabalak
<i>Stenurella septempunctata</i> (Fabricius, 1792)	Döklimağ env., 12.VII.2003; Kaman Bridge, 11. VII.2006; 3 km to Güzelcehisar 12.VI.2006	O. Sert – M. Kabalak
Family: Chrysomelidae		
<i>Altica</i> sp.	Potbaşı Env., 12.VII.2003	O. Sert – M. Kabalak
<i>Cassida murraea</i> Linnaeus, 1767	Gökirmak-Ulus road 12.VI.2006	O. Sert – M. Kabalak
<i>Cassida viridis</i> (Linnaeus, 1758)	İnkumu, 26.IV.2004	O. Sert – M. Kabalak
<i>Crepidodera</i> sp.	Arit road 12.VI.2006	O. Sert – M. Kabalak
<i>Chrysolina herbacea</i> (Duftschmid, 1825)	Yeni Kışla entrance 10.VI.2006; Külli Ulus road 12.VI.2006	O. Sert – M. Kabalak
<i>Cryptocephalus bilineatus</i> (Linnaeus, 1776)	İnkumu, 26.VI.2004	O. Sert – M. Kabalak
<i>Cryptocephalus concolor</i> Suffrian, 1847	Ellibaşvillage 10.VI.2006; Yenikışla entrance 10.VI.2006; Ulus road-Külli, 12.VI.2006; 13 km to Uluayyla Ulus 12.VI.2006	O. Sert – M. Kabalak
<i>Cryptocephalus connexus</i> Olivier, 1807	Kozcağız between Hanyeri and Hasankadı 13.VII.2003; İnkumu, 26.VI.2004, 10.VI.2006	O. Sert – M. Kabalak
<i>Cryptocephalus moraei</i> (Linnaeus, 1758)	Güzelcehisar Road, 12.VI.2006	O. Sert – M. Kabalak
<i>Cryptocephalus ocellatus</i> Drapiez, 1819	Kaman Bridge 11.VI.2006	O. Sert – M. Kabalak
<i>Cryptocephalus octacosmus</i> Bedel, 1891	Gökirmak env. 12.VI.2006	O. Sert – M. Kabalak
<i>Hypocassida subferruginea</i> (Schrank, 1776)	Bartın Bus station env. 10.VI.2006	O. Sert – M. Kabalak
<i>Gastrophysa polygoni</i> (Linnaeus, 1758)	Boğazköy 23. 09.2003; İnkumu, 26.VI.2004	O. Sert – M. Kabalak
<i>Pachybrachys fimbriolatus</i> Suffrian, 1848	Bartın Bus station env. 10.VI.2006; Arit 12.VI.2006; Güzelcehisar 12.VI.2006	O. Sert – M. Kabalak
<i>Pachybrachys hieroglyphicus</i> (Laicharting, 1781)	Bartın Bus station env. 12.VI.2006	O. Sert – M. Kabalak
<i>Smaragdina</i> sp.	Bartın Bus station env. 10.VI.2006; Ellibaşvillage 10.VI.2006	O. Sert – M. Kabalak
Family: Cleridae		
<i>Trichodes</i> sp.	Kaşbaşı village 12.VII.2003; Ulus road Külli 12.VI.2006	O. Sert – M. Kabalak
Family: Coccinellidae		
<i>Adalia bipunctata</i> (Linnaeus, 1758)	Potbaşı env. 12.VII.2003	O. Sert – M. Kabalak
<i>Coccinella septempunctata</i> Linnaeus, 1758	Bartın Bus station env. 10.VI.2006; Ulus Gökirmak env. 12.VI.2006	O. Sert – M. Kabalak
<i>Exochomus nigromaculatus</i> (Goeze, 1777)	Yenikışla, Boğazköy 11.VII.2003; İnkumu 24.IX.2003; Yenikışla entrance 10.VI.2006	O. Sert – M. Kabalak
<i>Theo vigintiduopunctata</i> Olivier 1807	İnkumu 12.VI.2006; Ulus road Külli 12.VI.2006	O. Sert – M. Kabalak
Family: Curculionidae		
<i>Anthonomus baudueri</i> Desbrochers, 1868	Central Province 31.V.1980	Lodos et al. 2003. "Lit."
<i>Anthonomus rubi</i> (Herbst, 1795)	Central Province 31.V.1980; Aydoğmuş villageroad, 11.VI.2006	Lodos et al. 2003. "Lit.", O. Sert – M. Kabalak
<i>Arthrostenus fullo</i> Boheman, 1836	Central Province 31.V.1980	Lodos et al. 2003. "Lit."
<i>Bangasternus orientalis</i> (Capiomont, 1873)	Bartın Bus station env. 22.V.2005	O. Sert – M. Kabalak
<i>Ceuthorhynchus assimilis</i> (Paykull 1800)	İnkumu 21.V.2005; H.U. Hidrology Research Centre Garden	O. Sert – M. Kabalak
<i>Ceuthorhynchus picitarsis</i> Gyllenhal, 1837	Amasra 01.VI.1980	Lodos et al. 2003. "Lit."
<i>Cionellus gibbifrons</i> (Kiesenwetter, 1851)	İnkumu 22.V.2005.	O. Sert – M. Kabalak

<i>Cionus tuberculosus</i> (Scopoli, 1763)	Kuruçâşile 02.VI.1980; Bus station env. 21.VI.2006	Lodos et al. 2003. "Lit."; O. Sert – M. Kabalak
<i>Chlorophanus viridis</i> (Linnaeus, 1758)	Bus station env. 10.VI.2006	O. Sert – M. Kabalak
<i>Cleonis piger</i> Scopoli, 1763	13 km to Uluyayla Ulus 12.VI.2006	O. Sert – M. Kabalak
<i>Coeloides ruber</i> (Marsham, 1802)	Kuruçâşile 02.VI.1980	Lodos et al. 2003. "Lit."
<i>Curculio glandium</i> Marsham, 1802	Amasra 01.VI.1980	Lodos et al. 2003. "Lit."
<i>Curculio nucum</i> Linnaeus, 1758	Kuruçâşile 02.VI.1980	Lodos et al. 2003. "Lit."
<i>Curculio venosus</i> (Gravenhorst, 1807)	Central Province 31.V.1980	Lodos et al. 2003. "Lit."
<i>Dorytomus longimanus</i> (Forster, 1771)	İnkumu 21.V.2005; H.U. Hidrology Research Centre Garden	O. Sert – M. Kabalak
<i>Gymnetron pascuorum</i> (Gyllenhal, 1813)	İnkumu 24.VI.2004	O. Sert – M. Kabalak
<i>Hypera variabilis</i> Herbst, 1795	Kuruçâşile 02.VI.1980	Lodos et al. 2003. "Lit."
<i>Larinus minutus</i> Gyllenhal, 1835	Bartın Bus station env. 22.V.2005	O. Sert – M. Kabalak
<i>Larinus turbinatus</i> (Gyllenhal, 1836)	Döklimağ env. 12.VII.2003; İnkumu, 21.V.2005	O. Sert – M. Kabalak
<i>Lixus cardui</i> Olivier 1807	Ulus 30.V.1980, Ulus road-Külli 12.VI.2006	Lodos et al. 2003. "Lit."; O. Sert – M. Kabalak
<i>Lixus myagri</i> Olivier, 1807	Kuruçâşile 02.VI.1980	Lodos et al. 2003. "Lit."
<i>Magdalis ruficornis</i> (Linnaeus, 1758)	Central Province 31.V.1980	Lodos et al. 2003. "Lit."
<i>Miarus monticola</i> Petri, 1912	Kuruçâşile 02.VI.1980	Lodos et al. 2003. "Lit."
<i>Nanophyes</i> sp.	İnkumu 21.V.2005; H.U. Hidrology Research Centre Garden	O. Sert – M. Kabalak
<i>Rhynonchus pericarpius</i> (Linnaeus, 1758)	Bartın, 22.V.2005	O. Sert – M. Kabalak
<i>Rhynchaenus alni</i> (Linnaeus, 1758)	Ulus 29.V.1980	Lodos et al. 2003. "Lit."
<i>Rhynchaenus fagi</i> (Linnaeus, 1758)	Ulus 17.VII.1979	Lodos et al. 2003. "Lit."
<i>Otiorhynchus annulipes</i> Apfelbeck 1932	Central Province 31.V.1980	Lodos et al. 2003. "Lit."
<i>Otiorhynchus aurifer</i> (Bohomen, 1843)	Kuruçâşile 02.VI.1980	Lodos et al. 2003. "Lit."
<i>Otiorhynchus crataegi</i> Germar, 1824	Ulus 29.V.1980	Lodos et al. 2003. "Lit."
<i>Otiorhynchus rugosostriatus</i> (Goeze, 1777)	Kuruçâşile 02.VI.1980	Lodos et al. 2003. "Lit."
<i>Otiorhynchus sulcatus</i> (Fabricius, 1775)	Kuruçâşile 02.VI.1980	Lodos et al. 2003. "Lit."
<i>Otiorhynchus turca</i> Boheman, 1843	Central Province 17.VII.1979	Lodos et al. 2003. "Lit."
<i>Phyllobius canus</i> Gyllenhal, 1834	Ulus 29.V.1980	Lodos et al. 2003. "Lit."
<i>Phyllobius longipilis</i> Boheman, 1843	Ulus 29.V.1980	Lodos et al. 2003. "Lit."
<i>Polydrusus bodemeyeri</i> Reitter 1908	Central Province 31.V.1980	Lodos et al. 2003. "Lit."
<i>Polydrusus mollis</i> (Stroem 1768)	Ulus 29.V.1980	Lodos et al. 2003. "Lit."
<i>Polydrusus rufulus</i> Hochhut, 1847	Ulus 29.V.1980	Lodos et al. 2003. "Lit."
<i>Polydrusus sparsus</i> Gyllenhal, 1834	Ulus 29.V.1980	Lodos et al. 2003. "Lit."
<i>Sitona cylindricollis</i> (Fahraeus, 1840)	Central Province 31.V.1980	Lodos et al. 2003. "Lit."
<i>Sitona humeralis</i> Stephens, 1831	Kuruçâşile 02.VI.1980	Lodos et al. 2003. "Lit."
<i>Sitona lineata</i> (Linnaeus, 1758)	Central Province 17.VII.1979	Lodos et al. 2003. "Lit."
<i>Sitona lineellus</i> (Bonsdorff, 1785)	Central Province 17.VII.1979	Lodos et al. 2003. "Lit."
<i>Sitona longulus</i> Gyllenhal, 1834	Central Province 31.V.1980; İnkumu 26.VI.2004	Lodos et al. 2003. "Lit." O. Sert – M. Kabalak
<i>Sitona puncticollis</i> Stephens, 1831	Central Province 17.VII.1979	Lodos et al. 2003. "Lit."
<i>Sitona tibialis</i> Herbst, 1795	Central Province 31.V.1980	Lodos et al. 2003. "Lit."
<i>Tychius breviusculus</i> Desbrochers 1873	Yenikışla entrance 10.VI.2006	O. Sert – M. Kabalak
<i>Tychius hirtellus</i> Tournier 1873	Güzelcehisar 22.V.2005; İnkumu H.U. Hidrology Research Centre, Garden 21.V.2005; 22.V.2005.	O. Sert – M. Kabalak
<i>Tychius</i> sp.	İnkumu H.U. Hidrology Research Centre, Garden, 22.V.2005.	O. Sert – M. Kabalak
Family: Dasytiidae		
<i>Danacea</i> sp.	İnkumu 13.VII.2003, 26.VI.2004; Güzelcehisar 12.VI.2006	O. Sert – M. Kabalak
Family: Dryopidae		
<i>Dryops</i> sp.	Potbaşı Env. 12.VII.2003	O. Sert – M. Kabalak
Family: Elateridae		
<i>Adrastus anatolicus</i> Reitter, 1901	Kaşbaşı village 12.VII.2003; Boğazköy exit 11.VII.2006; Döklimağ env. 12.VII.2006	O. Sert – M. Kabalak
<i>Agriontes sputator</i> (Linnaeus, 1758)	İnkumu 21.V.2005	O. Sert – M. Kabalak
<i>Dicronychus obscuripennis</i> (Pic, 1899)	İnkumu 26.VI.2004, 21.V.2005	O. Sert – M. Kabalak
<i>Drasterius bimaculatus</i> (Rossi, 1790)	İnkumu 21.V.2005	O. Sert – M. Kabalak
<i>Quasimus minutissimus</i> (Germar, 1817)	Güzelcehisar crossroad env. 22.V.2005	O. Sert – M. Kabalak
Family: Lagriidae		
<i>Lagria</i> sp.	Yenikışla Boğazköy, 11.VII.2003	O. Sert – M. Kabalak
Family: Malachiidae		
<i>Malachius aeneus</i> (Linnaeus, 1758)	İnkumu 12.VI.2006	O. Sert – M. Kabalak
<i>Malachius bipustulatus</i> (Linnaeus, 1758)	Bodura env. Ulus 10.VI.2006; 13 km to Uluyayla Ulus 12.VI.2006	O. Sert – M. Kabalak
Family: Nitidulidae		
<i>Meligethes</i> sp.	Between Bartın and Kozçağız Bakıoğlu Güney stream 13.VII.2003; Arıt road 12.VI.2006	O. Sert – M. Kabalak
Family: Oedemeridae		
<i>Anogcodes</i> sp.	Ellibaşvillage 10.VI.2006	O. Sert – M. Kabalak
<i>Oedemera femorata</i> (Scopoli, 1763)	İnkumu 13.VII.2003, 26.VI.2004; Güzelcehisar 12.VI.2006	O. Sert – M. Kabalak
<i>Oedemera lurida</i> (Marsham 1802)	Arıt river side 12.VII.2003; Ulukaya village Ulus 12.VII.2003; İnkumu, 26.VI.2004	O. Sert – M. Kabalak
Family: Rhynchitidae		
<i>Deporaus betulae</i> (Linnaeus, 1758)	Arıt river side 12.VII.2003	O. Sert – M. Kabalak
Family: Scarabaeidae		
<i>Anomalus vitis</i> (Fabricius, 1775)	Yenikışla entrance 10.VI.2006	O. Sert – M. Kabalak
<i>Aphodius fimetarius</i> (Linnaeus, 1758)	Arıt river side 12.VII.2003; Ulukaya village Ulus 12.VII.2003	O. Sert – M. Kabalak

<i>Cetonia</i> sp.	İnkumu, 26.IV.2004	O. Sert - M. Kabalak
<i>Caccobius schreberi</i> (Linnaeus 1758)	Art river side 12.VII.2003	O. Sert - M. Kabalak
<i>Euoniticellus fulvus</i> (Goeze 1777)	Between Art-Darıören Art river side 12.VII.2003	O. Sert - M. Kabalak
<i>Geotrupes</i> sp.	İnkumu 11.VII.2003	O. Sert - M. Kabalak
<i>Onthophagus coenobita</i> (Herbst, 1783)	Art river side 12.VII.2003	O. Sert - M. Kabalak
<i>Onthophagus gibbosus</i> (Scriba, 1790)	Art river side 12.VII.2003; Ulukaya village Ulus, 12.VII.2003	O. Sert - M. Kabalak
<i>Onthophagus furcatus</i> (Fabricius 1781)	Art river side 12.VII.2003	O. Sert - M. Kabalak
<i>Onthophagus taurus</i> (Schreber, 1759)	Between Art-Darıören Art river side 12.VII.2003; Ulukaya village Ulus 12.VII.2003	O. Sert - M. Kabalak
<i>Polyphylla fullo</i> (Linnaeus, 1758)	Central County 12. VII.2003	O. Sert - M. Kabalak
<i>Protaetia angustata angustata</i> (Germar, 1817)	Boğazköy çıkış 11. VII.2003	O. Sert - M. Kabalak
<i>Phyllopertha lineolata</i> (Fischer von Waldheim, 1824)	Yenikışla entrance Boğazköy 10.VI.2006.	O. Sert - M. Kabalak
<i>Tropinota hirta</i> (Poda, 1761)	Bodrum env. 11.VII.2003	O. Sert - M. Kabalak
Ordo: DIPTERA		
Family: Asilidae		
<i>Dysmachus</i> sp.	Potbaşı env. 12.VII.2003	O. Sert - M. Kabalak
Family: Sarcophagidae		
<i>Sarcophaga</i> sp.	Güzelcehisar crossroad env. 12.VI.2006	O. Sert - M. Kabalak
Ordo: HYMENOPTERA		
Family: Apidae		
<i>Bombus (Megabombus) lucorum</i> (Linnaeus, 1761)	Ulukaya village Ulus 12. VII.2003	O. Sert - M. Kabalak
<i>Bombus (s.str.) terrestris</i> (Linnaeus, 1758)	Art river side 12.VII.2003; Kaman Bridge 10.VI.2006	O. Sert - M. Kabalak
Family: Halictidae		
<i>Evyaleus marginatus</i> (Brulle, 1832)	Bartın 14.05.05	O. Sert - M. Kabalak
<i>Evlaues laticeps</i> (Packer, 1893)	Yenikışla 11.VII.03; Bartın - Kozağız arası Bakıoğlu Güneyderesi 13.VII.03	O. Sert - M. Kabalak
<i>Evlaeus</i> sp.	Ulus 17.IV.2004	O. Sert - M. Kabalak
<i>Halictus maculatus</i> Smith, 1848	Bartın 14.05.05	O. Sert - M. Kabalak
<i>Halictus rubicundus</i> (Christ, 1791)	Yenikışla Bartın river 11.VII.03	O. Sert - M. Kabalak
<i>Halictus sexcinctus</i> (Fabricius, 1775)	Yenikışla Bartın river 11.VII.03	O. Sert - M. Kabalak
<i>Halictus</i> sp.	Between Bartın and Kozağız Bakıoğlu, 12.VII.2003	O. Sert - M. Kabalak
<i>Lasioglossum leucozonium</i> (Schrank, 1781)	Güzelcehisar road 3. km 12.VI.06	O. Sert - M. Kabalak
<i>Lasioglossum</i> sp.	Yenikışla 11. VII.2003; Ulukaya village Ulus 12. VII.2003	O. Sert - M. Kabalak
Family: Sphecidae		
<i>Ammophila sabulosa</i> Linnaeus, 1758	Yenikışla entrance 11.VII.2003	O. Sert - M. Kabalak
Family: Vespidae		
<i>Vespa vulgaris</i> (Linnaeus, 1758)	Ulus Ulukaya village 12.VII.2003	O. Sert - M. Kabalak
Ordo: LEPIDOPTERA		
Family: Arctiidae		
<i>Arctia villica</i> (Linnaeus, 1758)	Before Kurucasile road Kalaycı village 11.VI.2006; Güzelcehisar road 12.VI.2006	O. Sert - M. Kabalak
Family: Hesperiidae		
<i>Ochlodes venatus</i> (Bremer & Gray, 1853)	Bartın Bus station env. 10.VI.2006	O. Sert - M. Kabalak
<i>Thymelicus acteon</i> (Rottemburg, 1775)	Before Kurucasile road Kalaycı village 11.VI.2006; Güzelcehisar road 12.VI.2006	O. Sert - M. Kabalak
Family: Nymphalidae		
<i>Anthocaris cardaminensis</i> (Linnaeus, 1758)	Artçıca Çivarı 18.IV.2004	O. Sert - M. Kabalak
<i>Argynnis pandora</i> ([Dennis & Schiffermüller],1775)	Karasu 23.IX.2003	O. Sert - M. Kabalak
<i>Vanessa atalanta</i> (Linnaeus, 1758)	Ulus road Külli env. 12.VI.2006	O. Sert - M. Kabalak
<i>Vanessa cardui</i> (Linnaeus, 1758)	İnkumu, 24. 09.2003	O. Sert - M. Kabalak
<i>Limenitis reducta</i> (Staudinger, 1901)	Ulus road Külli 12.VI.2006	O. Sert - M. Kabalak
<i>Melitaea cinxia</i> (Linnaeus, 1758)	3 km to Güzelcehisar 12.VI.2006	O. Sert - M. Kabalak
Family: Lycaenidae		
<i>Aricia agestis</i> Schiffermüller, 1775	Kaşbaşı village 12.VII.2003; Ulukaya village Bartın Ulusarası 12.VI.2006	O. Sert - M. Kabalak
<i>Lycaena phlaeas</i> (Linnaeus, 1761)	Before Kurucasile road Kalaycı village 11.VI.2006	O. Sert - M. Kabalak
<i>Lycaena alciphron</i> (Rottemburg, 1775)	Ulus road-Külli 12.VI.2006	O. Sert - M. Kabalak
<i>Polymmatius thersites</i> Cantener,1938	Boğazköy 23.IX.2003, 24.IX.2003	O. Sert - M. Kabalak
<i>Satyrus</i> sp.	Ulus road Külli 12.VI.2006	O. Sert - M. Kabalak
Family: Papilionidae		
<i>Iphiclus podalirius</i> (Linnaeus, 1758)	Ulus 17. 04.2004	O. Sert - M. Kabalak

Family: Pieridae*Colias crocea* (Fourcroy, 1885)*Gonepteryx rhamni* (Linnaeus, 1758)*Leptida sinapsis* (Linnaeus, 1758)*Pieris brassicae* (Linnaeus, 1758)*Pieris napi* (Linnaeus, 1758)*Pieris rapae* (Linnaeus, 1758)

Uluslararası Külli 12.VI.2006

O. Sert – M. Kabalak

Karasu 23.IX.2003

O. Sert – M. Kabalak

Potbaşı 26.VI.2004

O. Sert – M. Kabalak

Güzelcehisar 12.VI.2006

O. Sert – M. Kabalak

İnkumu 24.09.2003

O. Sert – M. Kabalak

Kaşbaşı village 12.VII.2003; Potbaşı

26.VI.2004; Karasu 23.IX.2003; Ulus road-

Külli 12.VI.2006; Güzelcehisar 12.VI.2006

O. Sert, M. Kabalak

Family: Satyridae*Coenonympha pamphilus* (Linnaeus, 1758)*Maniola jurtina* (Linnaeus, 1758)*Melanargia galathea* (Linnaeus, 1758)

Bartın Bus station env. 10.VI.2006

O. Sert – M. Kabalak

İnkumu 24.09.2003

O. Sert – M. Kabalak

3 km to Güzelcehisar 12.VI.2006

O. Sert – M. Kabalak

Family: Sphingidae*Herse convolvuli* (Linnaeus, 1758)*Macroglossum stellatarum* Linnaeus, 1758*Pararge aegeria* (Linnaeus, 1758)

İnkumu 24.09.2003

O. Sert – M. Kabalak

Ulukaya village between Bartın and Ulus 12.

O. Sert – M. Kabalak

Karasu 23.IX.2003

O. Sert – M. Kabalak

(Carabidae) and Msc. Student Özgür Şahiner (Scarabaeidae) for identification of families given in parenthesis, Prof. Dr. Neşe Çağatay and Prof. Dr. Selim S. Çağlar for letting us for using their personal collections, Assoc. Dr. Selma Seven Çalışkan for previously identified collection which we used as comparison material. We also would like to thank to Scientific Research Unit of Hacettepe University for supporting this study with a project.

REFERENCES

1. <http://www.bartin.gov.tr/modules.php?name=Content&pa=showpage&pid=8>
2. İ. Aslan, B. Gruev, H. Özbek, Preliminary Review of the Subfamily Alticinae (Coleoptera, Chrysomelidae) in Turkey, Turkish J. Zool., 23 (1999) 373.
3. İ. Aslan, H. Özbek, Faunistic and Systematic Studies on the Subfamily Chrysomeliniae (Coleoptera, Chrysomelidae) in Artvin, Erzincan and Erzurum Provinces of Turkey, Turkish J. Zool., 23 (1999) 751.
4. A. Gök, Faunistic studies on the species Pachybrachis Chevrolat and Cryptocephalus Geoffroy (Coleoptera, Chrysomelidae, Cryptocephalinae) of Dedeğöl Mountains (Isparta). Turkish Journal of Zoology, 26 (1) (2002) 31.
5. N. Lodos, 1989 Türkiye Entomolojisi IV. Genel Uygulamalı ve Faunistik. E.Ü Ziraat Fakültesi Yayınları No: 493, Ofset Basımevi, Bornova, İzmir, 1989.
6. T. R. E. Southwood, D. Leston, Land and Water Bugs of The British Isles. Frederick Warne and Co. Ltd. London and Newyork, 1959.
7. P. Whalley, R. Lewington, 1999. The Mitchell Beazley Pocket Guide to butterflies of Britain and Europa, 168 pp.
8. O. Sert, 1995. Taxonomic studies on the family Curculionidae (Coleoptera) of Central Anatolian Region. PhD. Thesis, Hacettepe University. Ankara, 184 pp.
9. M. Kabalak, 2010. Systematic researches on the family Elateridae (Coleoptera) of Central Anatolian Region. PhD. Thesis, Hacettepe University. Ankara, 280 pp.
10. N. Lodos, F. Önder, E. Pehlivan, R. Atalay, E. Erkin, Y. Karsavuran, S. Tezcan, S. Aksoy, 2003. Faunistic Studies on Curculionidae (Coleoptera) of Western Black Sea, Central Anatolia and Mediterranean Regions of Turkey. Meta Basım, Bornova, Izmir.