

- for vascular tissue engineering. *Biotechnology and Bioengineering*, 2010. 105(3): p. 645-654.
17. Ali, D., et al., Permeability and fluid flow-induced wall shear stress in bone scaffolds with TPMS and lattice architectures: A CFD analysis. *European Journal of Mechanics-B/Fluids*, 2020. 79: p. 376-385.
 18. Huber, D., et al., Hydrodynamics in Cell Studies. *Chemical reviews*, 2018. 118(4): p. 2042-2079.
 19. Shelby, J.P., et al., A microfluidic model for single-cell capillary obstruction by *Plasmodium falciparum*-infected erythrocytes. *Proceedings of the National Academy of Sciences*, 2003. 100(25): p. 14618-14622.
 20. Korin, N., et al., Design of well and groove microchannel bioreactors for cell culture. *Biotechnology and Bioengineering*, 2009. 102(4): p. 1222-1230.
 21. Coluccio, M.L., et al., Microfluidic platforms for cell cultures and investigations. *Microelectronic Engineering*, 2019. 208: p. 14-28.
 22. Marimuthu, M. and S. Kim, Continuous oxygen supply in pumpless micro-bioreactor based on microfluidics. *BioChip Journal*, 2015. 9(1): p. 1-9.
 23. Byun, C.K., et al., Pumps for microfluidic cell culture. *Electrophoresis*, 2014. 35(2-3): p. 245-57.
 24. Kendall, K. and A.D. Roberts, van der Waals forces influencing adhesion of cells. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 2015. 370(1661): p. 20140078.
 25. Bao, F., et al., Numerical Study of Nanoparticle Deposition in a Gaseous Microchannel under the Influence of Various Forces. 2021. 12(1).
 26. Liu, Z., et al., Cell Seeding Process Experiment and Simulation on Three-Dimensional Polyhedron and Cross-Link Design Scaffolds. *Frontiers in Bioengineering and Biotechnology*, 2020. 8(104).
 27. Olivares, A.L. and D. Lacroix, Simulation of Cell Seeding Within a Three-Dimensional Porous Scaffold: A Fluid-Particle Analysis. *Tissue Engineering Part C-Methods*, 2012. 18(8): p. 624-631.
 28. Robu, A., A. Neagu, and L. Stoicu-Tivadar, Cell seeding in porous engineering scaffolds studied by Monte Carlo simulations. *Stud Health Technol Inform*, 2011. 169: p. 84-86.
 29. Campos Marin, A. and D. Lacroix, Computational Simulation of Cell Seeding in a Tissue Engineering Scaffold, in *Multiscale Mechanobiology in Tissue Engineering*, D. Lacroix, et al., Editors. 2019, Springer Singapore: Singapore. p. 81-104.
 30. Lee, H., et al., Computational hydrodynamics for enhanced tracheal bioreactor design and tracheal segment graft recellularization. *Scientific Reports*, 2020. 10(1): p. 1187.
 31. Marin, A.C., et al., Particle tracking velocimetry and computational fluid dynamics study of cell seeding within a 3D porous scaffold. *Journal of the Mechanical Behavior of Biomedical Materials*, 2017. 75(Supplement C): p. 463-469.
 32. Ali, D., Effect of scaffold architecture on cell seeding efficiency: A discrete phase model CFD analysis. *Computers in biology and medicine*, 2019. 109: p. 62-69.
 33. Natu, R. and R. Martinez-Duarte, Numerical Model of Streaming DEP for Stem Cell Sorting. *Micromachines*, 2016. 7(12): p. 217.
 34. Sun, J., et al., Size-based hydrodynamic rare tumor cell separation in curved microfluidic channels. *Biomicrofluidics*, 2013. 7, 11802 DOI: 10.1063/1.4774311.
 35. Cámara-Torres, M., et al., Improving cell distribution on 3D additive manufactured scaffolds through engineered seeding media density and viscosity. *Acta Biomaterialia*, 2020. 101: p. 183-195.
 36. Ge, J., et al., The size of mesenchymal stem cells is a significant cause of vascular obstructions and stroke. *Stem Cell Rev Rep*, 2014. 10(2): p. 295-303.
 37. Vossenber, P., et al., Darcian permeability constant as indicator for shear stresses in regular scaffold systems for tissue engineering. *Biomechanics and Modeling in Mechanobiology*, 2009. 8(6): p. 499.
 38. Xue, X., et al., Analysis of fluid separation in microfluidic T-channels. *Applied Mathematical Modelling*, 2012. 36(2): p. 743-755.
 39. Ali, D. and S. Sun, Computational fluid dynamics study of the effects of surface roughness on permeability and fluid flow-induced wall shear stress in scaffolds. *Annals of biomedical engineering*, 2018. 46(12): p. 2023-2035.
 40. Morsy, S.A. and A.J. Alexander, An investigation of particle trajectories in two-phase flow systems. *Journal of Fluid Mechanics*, 1972. 55(2): p. 193-208.
 41. Morsy, S.A. and A.J. Alexander, An investigation of particle trajectories in two-phase flow systems. *Journal of Fluid Mechanics*, 1972. 55(2): p. 193-208.
 42. Del Giudice, F., et al., Particle alignment in a viscoelastic liquid flowing in a square-shaped microchannel. *Lab on a Chip*, 2013. 13(21): p. 4263-4271.
 43. Yun, H., K. Kim, and W.G. Lee, Effect of a dual inlet channel on cell loading in microfluidics. *Biomicrofluidics*, 2014. 8(6): p. 066501-066501.
 44. Kang, D.-H., K. Kim, and Y.-J. Kim, An anti-clogging method for improving the performance and lifespan of blood plasma separation devices in real-time and continuous microfluidic systems. *Scientific Reports*, 2018. 8(1): p. 17015.
 45. Couzon, C., A. Duperray, and C. Verdier, Critical stresses for cancer cell detachment in microchannels. *Eur Biophys J*, 2009. 38(8): p. 1035-47.