

Compliance With Ethical Standards

Conflict of Interest

The author declares that there is no conflict of interest.

Ethical Approval

For this type of study, formal consent is not required.

References

- Bang, K., Kim, J., Lee, S. I., & Choi, H. (2016). Hydrodynamic role of longitudinal dorsal ridges in a leatherback turtle swimming. *Scientific Reports*, 6, 34283. <https://doi.org/10.1038/srep34283>
- Battista, N. A. (2020). Swimming through parameter subspaces of a simple anguilliform swimmer. *Integrative and Comparative Biology*, 60(5), 1221–1235, <https://doi.org/10.1093/icb/icaa130>
- Borazjani, I. (2008). Numerical simulations of fluid-structure interaction problems in biological flows. [Ph.D. Thesis. University of Minnesota].
- Chen, J. H., Li, S. S., & Nguyen, V. T. (2012). The effect of leading edge protuberances on the performance of small aspect ratio foils. *Proceedings of the 15th International Symposium on Flow Visualization*, Belarus, pp. 1-16.
- Copmpagno, L., Dando, M., & Fowler, S. (2005). *Sharks of the world* (1st ed.). Princeton University Press.
- Domel, A. G., Saadat, M., Weaver, J. C., Haj-Hariri, H., Bertoldi, K., & Lauder, G. V. (2018). Shark skin-inspired designs that improve aerodynamic performance. *Journal of Royal Society Interface*, 15, 1-9. <https://doi.org/10.1098/rsif.2017.0828>
- Fish, F. E., Schreiber, C. M., Moored, K. W., Liu, G., Dong, H., & Bart-Smith, H. (2016). Hydrodynamic performance of aquatic flapping: efficiency of underwater flight in the manta. *Aerospace Journal*, 3(20), 1-24. <https://doi.org/10.3390/aerospace3030020>
- Gaylord, M. K., Blades, E. L., & Parsons, G. R. (2020). A hydrodynamics assessment of the hammerhead shark cephalofoil. *Scientific Reports*, 10, 14495. <https://doi.org/10.1038/s41598-020-71472-2>
- Houghton, E. L., Carpenter, P. W., Collicott, S. H., & Valentine, D. T. (2015). *Aerodynamics for Engineering Students* (Seventh Edition). Elsevier Ltd. Publication.
- Kajiura, S. M., Forni, J. B., & Summers, A. P. (2003). Maneuvering in juvenile carcharhinid and sphyrid sharks: the role of the hammerhead shark cephalofoil. *Zoology*, 106, 19–28. <https://doi.org/10.1078/0944-2006-00086>
- Kajiura, S. M., Forni, J. B., & Summers, A. P. (2005). Olfactory morphology of carcharhinid and sphyrid sharks: Does the cephalofoil confer a sensory advantage?. *Journal of Morphology*, 264, 253-263. <https://doi.org/10.1002/jmor.10208>
- Ketchum, J. T., Hearn, A., Klimley, A. P., Espinoza, E., Peñaherrera, C., & Largier, J. L. (2014). Seasonal changes in movements and habitat preferences of the scalloped hammerhead shark (*Sphyrna lewini*) while refuging near an oceanic island. *Marine Biology*, 161, 755–767. <https://doi.org/10.1007/s00227-013-2375-5>
- Kuznar, Sh. (2017). Morphological variation in olfactory, optic, and electrosensory structure of juvenile scalloped hammerhead sharks (*Sphyrna lewini*) [Master Thesis. Purdue University].
- Lam, C. K. G., & Bremhorst, K. A. (1981). A modified form of the $k - \epsilon$ model for predicting wall turbulence. *Journal of Fluid Engineering*, 103, 456–460. <https://doi.org/10.1115/1.3240815>
- Lowry, J. G., & Polhamus, E. C. (1957). *A method for predicting lift increments due to flap deflection at low angles of attack in incompressible flow*. Report, University of North Texas Libraries.
- McComb, D. M., Tricas, T. C., & Kajiura, S. M. (2009). Enhanced visual fields in hammerhead sharks. *Journal of Experimental Biology*, 212, 4010-4018. <https://doi.org/10.1242/jeb.032615>
- Miklosovic, D. S., Murray, M. M., Howle, L. E., & Fish, F. E. (2004). Leading-edge tubercles delay stall on humpback whale (*Megaptera novaeangliae*) flippers. *Physics of Fluids*, 16, 39-42. <https://doi.org/10.1063/1.1688341>
- Miles, J. G., & Battista, N. A. (2019). Naut your everyday jellyfish model: exploring how tentacles and oral arms impact locomotion. *Fluids Journal*, 4(169), 1-43. <https://doi.org/10.3390/fluids4030169>
- Payne, N. L., Iosilevskii, G., Barnett, A., Fischer, C., Graham, R. T., Gleiss, A. C., & Watanabe, Y. Y. (2016). Great hammerhead sharks swim on their side to reduce transports costs. *Nature Communication*, 7(12289), 1-5. <https://doi.org/10.1038/ncomms12289>

- Royer, M., Maloney, K., Meyer, C., Cardona, E., Payne, N., Whittingham, K., Silva, G., Blandino, C., & Holland, K. (2020). Scalloped hammerhead sharks swim on their side with diel shifts in roll magnitude and periodicity. *Animal Biotelemetry*, 8, 11. <https://doi.org/10.1186/s40317-020-00196-x>
- Sobachkin, A., & Dumnov, G. (2013). Numerical basis of CAD-Embedded CFD. *Proceedings of the NAFEMS World Congress, Austria*, pp. 1-19.
- Taheri, A. (2018a). Lagrangian coherent structure analysis of jellyfish swimming using immersed boundary FSI simulations. *Journal of Mechanical and Civil Engineering*, 15(1), 69-74. <https://doi.org/10.9790/1684-1501046974>
- Taheri, A. (2018b). A meta-model for tubercle design of wing planforms inspired by humpback whale flippers. *International Journal of Aerospace and Mechanical Engineering*, 12(3), 315-328. <https://doi.org/10.5281/zenodo.1317268>
- Taheri, A. (2018c). On the hydrodynamic effects of humpback whale's ventral pleats. *American Journal of Fluid Dynamics*, 8(2), 47-62. <https://doi.org/10.5923/j.ajfd.20180802.02>
- Taheri, A. (2020). Hydrodynamic impacts of prominent longitudinal ridges on the 'whale shark' swimming. *Research in Zoology*, 10(1), 18-30. <https://doi.org/10.5923/j.zoology.20201001.03>
- Taheri, A. (2021a). *Fluid dynamics and bio-propulsion of animal swimming in nature: Bionics* (1st ed.). Arshadan Publication.
- Taheri, A. (2021b). Lagrangian flow skeletons captured in the wake of a swimming nematode *C. elegans* using an immersed boundary fluid-structure interaction approach. *International Journal of Bioengineering and Life Sciences*, 15(7), 71-78.
- Taheri, A. (2021c). Hydrodynamic analysis of bionic chimerical wing planforms inspired by manta ray eidonomy. *Indonesian Journal of Engineering and Science*, 2(3), 11-28. <https://doi.org/10.51630/ijes.v2i3.25>