

The Turkish Journal of Occupational / Environmental Medicine and Safety

Web: http://www.turjoem.com

ISSN: 2149-4711

P100. INVESTIGATION OF HEAVY METALS IN SOME FOUNDATION PRODUCTS IN TURKEY

Onur ERDEM, Kenan Can TOK, Eyüp ÇIRAK, Serdar ÇETINKAYA, Cemal AKAY, Zeliha KAYAALTI

Department of Pharmaceutical Toxicology, Gulhane Military Medical Academy, Ankara, Turkey Department of Forensic Toxicology, Institute of Forensic Sciences, Ankara University, Ankara, Turkey

There are many kinds of cosmetics are being used for many years. Cosmetics which applied to the skin surface can pass into the systemic circulation depending on the components inside and which may cause systemic exposure. Thus, the possible toxic effects associated with the use of these products are considered to be decisive of components of cosmetics. The most important of these components are toxic heavy metals which originated from production as inevitable impurities and/or contaminations. The most important heavy metals for cosmetics are lead (Pb), cobalt (Co), chromium (Cr), nickel (Ni), cadmium (Cd), antimony (Sb) and arsenic (As). The aim of this study we carried out investigation of 52 foundation sample which obtained from 15 different brands. In our study, levels of Pb, Co, Cr, Ni, Cd, Sb and As was measured using the method of graphite furnace atomic absorption spectroscopy (GFAAS). Our results show that levels of As, Cd, Pb and Sb of samples are well below limits which set out in current regulations. However, the amount of Cr in all analyzed samples was found to be above the limit which highlighted in the literature in view of allergic reactions. Respectively three and two samples are only determined that exceed the limit values in terms of Co and Ni. As a result, it can be stated that examined foundations are safe to use in terms of heavy metals except for Cr. However, it would be useful to repeat similar studies with specific intervals for the safe use of these products.

* kcantok@gmail.com