

# The Role of Silicon under Biotic and Abiotic Stress Conditions

İlkay YAVAŞ<sup>1\*</sup>, Aydın ÜNAY<sup>2</sup>

<sup>1</sup>Adnan Menderes University, Koçarlı Vocational School, Depatment of Plant and Animal Production, Çakmar-Aydın, TURKEY <sup>2</sup>Adnan Menderes University, Faculty of Agriculture, Department of Field Crops, Aydın, TURKEY

<b>Received:</b> 23.03.2017	Accepted: 05.06.2017
-----------------------------	----------------------

\*Corresponding Author: iyavas@adu.edu.tr

**Abstract:** Biotic and abiotic stress factors can adversely affect the agricultural productivity leading to physiological and biochemical damage to crops. Therefore, the most effective way is to increase the resistance to stresses. Silicon plays a role in reducing the effects of abiotic and biotic stresses (drought, salt stress, disease and insect stress etc.) on plants. Silicon is accumulated in the cell walls and intercellular spaces and thus it has beneficial effects on disease infestations in especially small grains. The application of silicon may reduce the effects of environmental stresses on plants while making effective use of plant nutrients such as nitrogen and phosphorous. Also, silicon may reduce the toxic effects of heavy metals in soil. It may protect the foliage and increase light uptake and reduce respiration. Therefore, in this review, we discussed the effects of silicon on abiotic stresses in especially field crops.

Keywords: Biotic stress, drought, resistance, salt stress, silicon

## 1. Introduction

It was emphasized that the second most abundant mineral in earth's crust is silicon in terms of quantity (Mcginnity, 2015) (Figure 1) and it is mostly in Si(OH)4 form. However, silicon is not grouped as an active mineral for plant growth. Although silicon limitation does not affect the plant growth, silicon application increases yield on many crops. For example, calcium and silicon foliar fertilizer is advantageous for sugar beet production and shows benefits in terms of biological and sugar yields (Artyszak et al., 2014).

Silicon has increased yield by 22% in potato (Luz et al., 2008), 30% in rice and 45% in sugarcane (Kingston, 2008) and increased doses lead to improvement in leaf structure (Luz et al., 2008). The application of silicon in canola improved yield and oil content and reduced pesticide and fungicide usage (Lynch, 2008). Silicon plays an important role in strengthening the cell walls of the plants and enhances resistance to both pests and diseases in wheat, rice, maize and vegetable crops (Laing and Adandonon, 2008).

Silicon can play an important role in overcoming the effects of various environmental stresses (Figure 2). It reduces manganese (Mn), cadmium (Cd), arsenic (As), aluminum (Al), zinc (Zn) and phosphorus (P) deficiency and, increases the resistance to lodging, diseases and insects. Besides, silicon increases plant resistance to abiotic stresses, such as drought and salt stress.

The positive effects of silicon on plant growth, development, yield and disease resistance are observed in both monocots and dicots. Silicon application influences the nutrient content of sunflower by increasing the accumulation of both macro and micro nutrients (Savić and Marjanović-Jeromela, 2013).

In relation to plant structure, it was explained by Taiz and Zeiger (2002) that silicon is found at different concentrations within plant tissue and it improves growth and fertility of plants. Primarily, silicon is founded in the endoplasmic reticulum, cell walls (Raven, 2003) and intercellular spaces. As an easily understandable mechanism, it has important role in the support of cell walls by



Figure 1. Elements in the earth's crust (Modified from Sharma, 2016)



Figure 2. Benefical effects of silicon [Modified from Mcginnity (2015)]

forming complexes with polyphenols. Moreover, silicone reduces the adverse toxic effects of heavy metals. After silicon application, leaves would stand up and benefit from sunlight more efficiently. So, plant performs better photosynthesis and more production (Ding et al., 2007).

Silicon stored in the bulliform cells and dumbbell cells improves the strength and rigidity

of cell wall, and accordingly increases the resistance of rice to diseases, pests, and lodging (Epstein, 1999; Jones, 2012). Especially bulliform cell are located near the midrib on grass leaf such as rice. The cell group affects leaf folding and, leaves are less exposed to sunlight during drought (Mauseth, 2017).

Currie and Perry (2007) stated that silicon as an organically dynamic component activating natural

defense mechanism and, reviewed the transport of the silicon in plants such as rice, known as silicon accumulator. Two different silicon mechanisms were emphasized. These are low affinity transporter which is responsible for the uptake of silicic acid from the soil to the root cortical cells and, second transporter which is responsible for xylem loading via passive diffusion (Ma, 2004).

# 2. Biotic Stresses

Silicon controls fungal diseases of monocots, such as rice and other grasses. The effect of silicon on some important Graminae species are shown in Table 1. Curvularia, Helminthosporium, and Fusarium are associated with grain discoloration. grain weights increased The and grain discoloration reduced by silicon applications (Korndörfer et al., 1999). At the same time, it reduced crop susceptibility to stem borer, leaf hopper and spider mites because of storing beneath the leaf cuticle and acts as a barrier. This barrier limits fungus or insect penetration. Other researchers explained that silicon improved pest and disease resistance of plants via enhancement of phenolic compounds, lignin and phytoalexins (Mcginnity, 2015; Pozza et al., 2015).

The application of silicon to cotton leads to reduced pathogen influence on the photosynthesis and antioxidative system (Curvelo et al., 2013). Additionally, silicon protects cotton against angular leaf spot, caused by *Xanthomonas citri* subsp. *malvacearum* which is the major bacterial disease of cotton (Oliveira et al., 2012).

## 3. Abiotic Stresses

#### 3.1. Silicon and drought stress

The beneficial effects of silicon are mostly on abiotic stresses such as drought (Ma, 2004). Wheats treated with silicon fertilizer grown in drought conditions displayed higher stomatal conductance, relative water content, and water potential than drought stressed plants without silicon application. Silicon enhances root resistance to drought and promotes faster root growth (Mcginnity, 2015). Silicon film reduces water loss via decrease in the width of stomatal pores and decreases transpiration (Meena et al., 2014). A sufficient silicon application is essential to enhance water stress resistance by improving uptake of major elements (Guntzer et al., 2012). In upland rice, it was reported that application of silicon reduces the proline content and enhances the peroxidase activity (Mauad et al., 2016). In plants grown under drought stress conditions, added silicon causes higher fresh weight, dry weight and leaf soluble protein. Also, silicon increases soluble sugar content (Ding et al., 2007).

## 3.2. Silicon and salt stress

In many review and research articles, it was emphasized that water status of leaf and water-use efficiency of crops are increased by silicon application in many salt-stressed plants (Coşkun et al., 2016). Silicon application can improve antioxidant activities such as SOD (superoxide dismutase), APX (ascorbate peroxidase), DHAR (dehydroascorbate), GPX (guaiacol peroxidase), CAT (catalase) and GR (glutathione reductase) under salt stressed conditions. When the effects of silicon on cereals evaluated in terms of abiotic stress, application of silicon enhances plant growth in wheat under salt stress conditions (Ali et al., 2013). Silicon application causes greater adaptation (Ahmed et al., 2013) and, it alleviates salt stress, enhances chlorophyll content and photosynthetic activity in salt-stressed maize (Moussa, 2006).

Although reports on the effects of silicon on dicots are very few, it was shown that silicon was effective to prevent salt stress in sunflower (Ali et al., 2013). The effect was attributed to an increased antioxidant activity (Moghadam Ali et al., 2013). Silicon may improve growth and physiological characteristics of cowpea and kidney bean under salt stress (Amador et al., 2005).

#### 3.3. Silicon and other stress factors

Silicon can remove the negative effects of other stresses including physical stresses (high temperature, freezing, drought, lodging, radiation, irradiation, UV) and chemical stresses (salt, nutrient imbalance, metal toxicity) in *Borago* officinalis L. (Shahnaz et al., 2011 and reviews,

Table 1. The effects of Si on crops and diseases (Romero et al., 2011; Meena et al., 2014; Mcginnity, 2015)

Crop	Disease
Wheat	Septoria nodorum, Erysiphe graminis, Blumeria graminis, Phaeosphaeria nodorum and
	Mycosphaerella graminicola, Oculimacula yallundae
Corn	Pythium aphanidermatum, Fusarium moniliforme
Rice	Magnaporthe grisea, Leptosphaeria salvinii, Fusarium, Cochliobolus miyabeanus
Cowpea	Uromyces phaeseoli typia Arth.
Pea	Mycosphaerella pinodes
Sugarcane	Puccinia melanocephala, Leptosphaeria sacchari, Phyllosticta sp. (anamorph)

Türkiye Tarımsal Araştırmalar Dergisi - Turkish Journal of Agricultural Research 4(2): 204-209

Mcginnity, 2015; Sahebi et al., 2015). Also, silicon application in Salvia is efficient in diminishing the injury caused by heat stress (Soundararajan et al., 2014). Probably, because of the strengthening effects on cell wall. Silicon has indicated a significant effect on lodging especially in rice, wheat and barley by enhancing the amount of light and photosynthesis (Mitani and Ma, 2005; Fallah, 2012; Salman et al., 2012; Mcginnity, 2015; Dorairaj et al., 2017). Some researchers reported a highly significant role of supplied silicon in enhancing the biosynthesis of phenolic compounds under UV-B stress. The result of experiments showed that silicon application was significant in alleviating the adverse effects of UV-B. Significant advances have been made in alleviating the effects of UV-B by exogenous silicon application on soybean, wheat and maize (Yao et al., 2011; Malčovská et al., 2014; Shen et al., 2014).

Silicon affects the uptake of cadmium, copper and zinc (Liang et al., 2007). The silicon concentration in the higher pH reduced Cd uptake by plants (Chen et al., 2000). Moreover, silicon application reduced the apoplastic Mn levels in cowpea (Horst et al., 1999). The most significant effects of silicon on metal toxicity are by reducing Cd and copper (Cu) uptake and root-to-shoot translocation by increasing metal adsorption and Zn and Mn uptake (Rizwan, 2012). It was revealed that silicon reduced Cd uptake by the plants as well as decreased shoot to grain translocation of Cd (Adrees et al., 2015).

#### 4. Conclusion

Silicon has numerous functions on plant physiology, and its most significant effects are focused on cell wall. The presence of silicon in the cell wall increases their strength, resistance to salinity, drought tolerance, and photosynthetic activity. It supports root and foliage growth and leads to prevention of oxidative stress by antioxidant enzymes. Exogenous application of silicon was effective in mitigating several responses of biotic and abiotic stress damages by improving the plant water uptake and transport. The other important role of silicon in reducing the adverse effects of stress may be by improving soil conditions. Therefore, silicon could be used as a growth regulator to improve plant growth and resistance under stress conditions. There is need for applied research to evaluate water use efficiency and drought tolerance and resistance to disease and insects on more crops.

### References

- Adrees, M., Ali, S., Rizwan, M., Rehman, M.Z., Ibrahim, M., Abbas, F., Farid, M., Qayyum, M.F., Irshad, M.K., 2015. Mechanisms of silicon-mediated alleviation of heavy metal toxicity in plants: A review. *Ecotoxicology and Environmental Safety*, 119: 186-197.
- Ahmed, M., Kamran, A., Asif, M., Qadeer, U., Ahmed, Z.I., Goyal, A., 2013. Silicon priming: a potential source to impart abiotic stress tolerance in wheat: A review. *Australian Journal of Crop Science*, 7(4): 484-491.
- Ali, M.A.M., Ramezani, A., Far, S.M., Sadat, K.A., Moradi-Ghahderijani, M., Jamian, S.S., 2013. Application of silicon ameliorates salinity stress in sunflower (*Helianthus annuus* L.) plants. *International Journal of Agriculture and Crop Sciences*, 6: 1367-1372.
- Amador, B.M., Yamada, S., Yamaguchi, T., Hernández, J.L.G., Aguilar, R.L., Diéguez, E.T., Kaya, C., Serrano, N.Y. Á., 2005. Effects of silicon on growth, physiological development, mineral nutrition and their relation to NaCl tolerance in two legume species. *Third Conference "Silicon in Agriculture"*, 22-26 October, Uberlandia, Brazil, pp. 123.
- Artyszak, A., Gozdowski, D., Kucińska, K., 2014. The effect of foliar fertilization with marine calcite in sugar beet. *Plant Soil and Environment*, 60(9): 413-417.
- Chen, H.M., Zheng, C.R., Tu, C., Shen, Z.G., 2000. Chemical methods and phytoremediation of soil contaminated with heavy metals. *Chemosphere*, 41(1-2): 229-234.
- Coşkun, D., Britto, D.T., Huynh, W.Q., Kronzucker, H.J., 2016. The role of silicon in higher plants under salinity and drought stress. *Frontiers in Plant Science*, 7: 1072.
- Currie, H.A., Perry, C.C., 2007. Silica in plants: Biological, biochemical and chemical studies. *Annals of Botany*, 100(7): 1383-1389.
- Curvelo, C.R.S., Rodrigues, F.A., Pereira, L.F., Silva, L.C., Da Matta, F.M., Berger, P.G., 2013. Leaf gas exchange and oxidative stress on cotton plants supplied with silicon and infected by *Ramularia areola. Bragantia*, 72(4): 346-359.
- Ding, Y.F., Liang, Y.C., Zhu, J., 2007. Effects of silicon on plant growth,photosynthetic parameters and soluble sugar content in leaves of wheat under drought stress. *Journal of Plant Nutrition and Fertilizer*, 13(3): 471-478.
- Dorairaj, D., Ismail, M.R., Sinniah, U.R., Ban, T.K., 2017. Influence of silicon on growth, yield, and lodging resistance of MR219, a lowland rice of Malaysia. *Journal of Plant Nutrition*, 40(8).
- Epstein, E., 1999. Silicon. Annual Review of Plant Physiology and Plant Molecular Biology, 50: 641-644.

- Fallah, A., 2012. Silicon effect on lodging parameters of rice plants under hydroponic culture. *International Journal of AgriScience*, 2(7): 630-634.
- Guntzer, F., Keller, C., Meunier, J.D., 2012. Benefits of plant silicon for crops: a review. Agronmy for Sustainable Development, 32(1): 201-213.
- Horst, W.J., Fecht, M., Naumann, A., Wissemeier, A.H., Maier, P., 1999. Physiology of manganese toxicity and tolerance in *Vigna unguiculata* (L.) Walp. *Journal of Plant Nutrition and Soil Science*, 162: 263-274.
- Jones, J.B.Jr., 2012. Plant Nutrition and Soil Fertility Manual. Second Edition. CRC Press Taylor&Francis Group.
- Kingston, G., 2008. Silicon fertilisers-Requirements and field experiences. In: *Silicon in Agriculture 4th International Conference*, 31 October, Port Edward, South Africa, pp. 52.
- Korndörfer, G.K., Datnoff, L.E., Corrêa, G.F., 1999. Influence of silicon on grain discoloration and upland rice grown on four savanna soils of Brazil. *Journal of Plant Nutrition*, 22(1): 93-102.
- Laing, M., Adandonon, A., 2005. Silicon and insect management-review. In: GH Korndörfer (Ed.), *Proceedings of the III Silicon in Agriculture Conference*, 22-26 October, Minas Gerais: Federal University of Uberlândia, Brazil, pp. 41-50.
- Liang, Y.C., Sun, W.C., Zhu, Y.G., Christie, P., 2007. Mechanisms of silicon mediated alleviation of abiotic stresses in higher plants: A review. *Environmental Pollution*, 147(2): 422-428.
- Luz, J.M.Q., Rodrigues, C.R., Goncalves, M.V., Coelho, L., 2008. The effect of silicate on potatoes in Minas Gerais, Brazil. *IV Silicon in Agriculture Conference*, 31 October, Universidade Federal de Uberlandia, Amazonas 4C 127 Uberlandia, Brazil, pp. 67.
- Lynch, M., 2008. Silicates in contemporary Australian farming: A 20 Year Review. *IV Silicon in Agriculture Conference*, 31 October, South Africa, North Coast Testing Services, Bellingen NSW 2454, Australia, pp. 49.
- Ma, J.F., 2004. Role of silicon in enhancing the resistance of plants to biotic and abiotic stresses. *Soil Science and Plant Nutrition*, 50(1): 11-18.
- Malčovská, S.M., Dučaiová, Z., Bačkor, M., 2014. Impact of silicon on maize seedlings exposed to short-term UV-B irradiation. *Biologia*, 69(10): 1349-1355.
- Mauad, M., Crusciol, C.A.C., Nascente, A.S., Filho, H.G., Lima, G.P.P., 2016. Effects of silicon and drought stress on biochemical characteristics of leaves of upland rice cultivars. *Revista Ciência Agronomica*, 47(3): 532-539.
- Mauseth, J.D., 2017. Plant Anatomy Laboratory Micrograps of Plant Cells and Tissues, with Explonatory Text. http://www.sbs.utexas.edu/ mauseth/weblab/ (Date of Access: 20.03.2017).
- Mcginnity, P., 2015. Silicon and its role in crop production. PHD thesis. http://planttuff.com/wp-

content/uploads/2015/12/silicon-agricultureiiterature-rvw-1.pdf (Date of Access: 20.03.2017).

- Meena, V.D., Dotaniya, M.L., Coumar, V., Rajendiran, S., Kundu, S., Rao, A.S., 2014. A case for silicon fertilization to improve crop yields in tropical soils. *Proceedings of the National. Academy of Sciences, India Section. B: Biological Sciences*, 84(3): 505-518.
- Mitani, N., Ma, J.F., 2005. Uptake system of silicon in different plant species. Journal of Experimental Botany, 56(414): 1255-1261.
- Moghadam Ali, M.A., Ramezani, A., Mansuri Far, S., Sadat Asilan, K., Moradi-Gahderijani, M., Sadat Jamian, S., 2013. Application of silicon ameliorates salinity stress in sunflower (*Helianthus annuus* L.) plants. *International Journal of Agriculture and Crop Sciences*, 6(20): 1367-1372.
- Moussa, H.R., 2006. Influence of exogenous application of silicon on physiological response of salt-stressed maize (Zea mays L.). International Journal of Agriculture and Biology, 8(2): 293-297.
- Oliveira, J.C., Albuquerque, G.M.R., Mariano, R.L.R., Gondim, D.M.F., Oliveira, J.T.A., Souza, E.B., 2012. Reduction of the severity of angular leaf spot of cotton mediated by silicon. *Journal of Plant Pathology*, 94(2): 297-304.
- Pozza, E.A., Pozza, A.A.A., Dos Santos Botelho, D.M., 2015. Silicon in plant disease control. *Revista Ceres Vicosa*, 62(3): 323-331.
- Raven, J.A., 2003. Cycling silicon-the role of accumulation in plants. *New Phytologist*, 158(3): 419-430.
- Rizwan, M., 2012. Silicon-mediated heavy-metal tolerance in durum wheat: Evidences of combined effects at the plant and soil levels. These pour obtenir le grade de Docteur d'Aix-Marseille universite, Faculté des Sciences et Techniques, Discipline: Géosciences de l'Environnement, France. (www.theses.fr/2012AIXM4335/abes) (Date of Access: 20.03.2017).
- Romero, A., Munévar, F., Cayón, G., 2011. Silicon and plant diseases: A review. Agronomía Colombiana, 29(3): 473-480.
- Sahebi, M., Hanafi, M.M., Nor Akmar, A.S., Rafii, M.Y., Azizi, P., Tengoua, F.F., Azwa, J.N.M., Shabanimofrad, M., 2015. Importance of silicon and mechanisms of Biosilica formation in plants. *BioMed Research International*, Article ID 396010, 16 pages.
- Salman, D., Morteza, S., Dariush, Z., Nasiri, A., Reza, Y., Ehsan, G.D., Ali Reza, N.N., 2012. Application of nitrogen and silicon rates on morphological and chemical lodging related characteristics in rice (*Oryza sativa* L.) at North of Iran. *Journal of Agricultural Science*, 4(6): 12-18.
- Savić, J., Marjanović-Jeromela, A., 2013. Effect of silicon on sunflower growth and nutrient accumulation under low boron supply. *Helia*, 36: 61-68.
- Shahnaz, G., Shekoofeh, E., Kourosh, D., Moohamadbagher, B., 2011. Interactive effects of

silicon and aluminum on the malondialdehyde (MDA), proline, protein and phenolic compounds in Borago officinalis L. *Journal of Medicinal Plants Research*, 5(24): 5818-5827.

- Sharma, R., 2016. Role of Silicon in Alleviating Biotic and Abiotic Stresses in Plants. (http://www.slideshare.net/Rakeshsarma7/role-of-silicon-inalleviating-biotic-and-abiotic-stresses-in-plants-59485514) (Date of Access: 20.03.2017).
- Shen, X., Li, Z., Duan, L., Eneji, A.E., Li, J., 2014. Silicon mitigates ultraviolet-B radiation stress on soybean by enhancing chlorophyll and photosynthesis and reducing transpiration. *Journal* of *Plant Nutrition*, 37(6): 837-849.
- Soundararajan, P., Sivanesan, I., Jana, S., Jeong, B.R., 2014. Influence of silicon supplementation on the growth and tolerance to high temperature in Salvia splendens. *Horticulture, Environment, and Biotechnology*, 55(4): 271-279.
- Taiz, L., Zeiger, E., 2002. Plant Physiology. 3rd Edition. Sinauer Associates Inc., Sunderland, MA, USA, p. 291.
- Yao, X., Chu, J., Cai, K., Liu, L., Shi, J., Geng, W., 2011. Silicon improves the tolerance of wheat seedlings to ultraviolet-B stress. *Biological Trace Element Research*, 143(1): 507-517.