MEDICAL RECORDS-International Medical Journal



The Effects of Muscular Strength and Biochemical Parameters on Mallampati Classification in Elite Athletes and Non-athletes

Description of the second s

¹Kırşehir Ahi Evran University, Faculty of Medicine, Department of Anesthesiology and Reanimation, Kırşehir, Türkiye
 ²Kırşehir Ahi Evran University, Faculty of Medicine, Department of Anatomy, Kırşehir, Türkiye
 ³Kırşehir Ahi Evran University, Health Sciences Institute, Department of Physical Therapy and Rehabilitation, Kırşehir, Türkiye
 ⁴Ondokuz Mayıs University, Faculty of Medicine, Department of Anatomy, Samsun, Türkiye

Content of this journal is licensed under a Creative Commons Attribution-NonCommercial-NonDerivatives 4.0 International License



Abstract

Aim: This study aimed to undertake an anthropometric assessment and to compare the muscular strength of elite athletes with that of a control group to predict Mallampati classification.

Material and Method: The study group consisted of elite track athletes, and the control group consisted of volunteers with similar characteristics. Anthropometric measurements of the hand, fingers, and wrist were made; handgrip strength and the pinch strength of the fingers were also measured. A serum biochemical analysis was then performed. Participants were divided into two groups: those with Modified Mallampati Scores (MMS) I and II, and those with III and IV. A partial correlation test was used to examine the correlations of the variables according to the MMS groups.

Results: The study included 32 elite athletes and 42 volunteer participants. Serum Na level, fingertip to root digit 3 (FTR3), and FTR4 were significantly lower in males in MMS groups 3-4. Among all cases, wrist extension angle (WEA) was found to be significantly lower in MMS group 3-4. However, hand breadth at thumb (HBT), hand depth radial (HDR), breadth at the first joint of digit 2 (BFJD2), pinch strength of thumb (PST), and PSLF were significantly higher in MMS groups 3-4. Among these variables, HBT, BFJD2, PST, and PSLF were significantly higher in elite athletes, but HDR was similar between the study groups. MMS groups showed the highest correlation with the pinch strength of the thumb.

Conclusion: The pinch strength of the thumb and little finger was determined as the most important predictors for the MMS group rather than the handgrip strength (HGS).

Keywords: Modified Mallampati scores, handgrip strength, anthropometric measurements, elite athletes, difficult airway

INTRODUCTION

The unanticipated difficult airway is one of the worst scenarios in practice in anesthesia and reanimation due to potentially life-threatening events during anesthesia or acute airway management (1,2). A failed airway attempt is associated with several morbidity and mortality. Various office methods were suggested to use predicting the risk of the difficult airway in clinical evaluation before anesthesia intervention, but the accuracy and benefits of these remain unclear. Leading and well-studied tests included the Mallampati test, the modified Mallampati test, the Wilson risk score, the Cormack-Lehane test, thyromental distance, sternomental distance, mouth opening test, upper lip bite test, or any combination of these (1,3). A difficult airway means difficult facemask ventilation, difficult laryngoscopy, difficult tracheal intubation, and failed intubation. Unfortunately, all of these investigated index tests had relatively low sensitivities with high variability according to the current meta-analysis (2,4).

Although there have been significant developments and innovations with respect to airway management, such as video laryngoscopee and flexible fiberoptic intubation, difficult or failed intubation incidents are neither predictable norpreventable nor preventable (1). In addition to the physiological and metabolic characteristics of the case, the anthropometric evaluation of the airway and the associated factors that change anatomy affect airway management (5). Apart from the direct upper

CITATION

Erbesler ZA, Ulcay T, Gurses OA, Uzun A. The Effects of Muscular Strength and Biochemical Parameters on Mallampati Classification in Elite Athletes and Non-athletes. Med Records. 2024;6(3):518-27. DOI:1037990/medr.1518418

Received: 18.07.2024 Accepted: 14.08.2024 Published: 18.09.2024 Corresponding Author: Omer Alperen Gurses, Kırşehir Ahi Evran University, Health Sciences Institute, Department of Physical Therapy and Rehabilitation, Kırşehir, Türkiye E-mail: omeralperengurses@gmail.com

airway anatomy, individual characteristics such as age, gender, rare syndromes, and body mass index (BMI) that will indirectly affect this anatomy can make standard airway evaluation methods useless in some cases (6,7). Therefore, new diagnostic methods with higher sensitivity and specificity continue to be investigated (8,9). Lee et al. showed an inconsistency between the two most commonly used classificationsin obesity, Mallampati and Cormack-Lehane grades, and they indicate additional approaches or classification systems for the prediction of airway screening (8). Except for the head, neck, and upper airway, the relationship of some obesity-related anthropometric measurements with Mallampati scores has been previously studied (10). Weight and height are important parameters in the preoperative evaluation and these parameters differ significantly in elite athletes compared to the general population. Lean body mass, total muscle mass, and muscle strength are the most important features that can affect the airway and anesthesia intervention (11). Peck et al. (12) compared the risk for sleep-disordersbetween football linemen and other types of athletes and they detected a higher Mallampati index in the linemen group (2.2±0.8 vs 1.1±0.3). But, American football players are a specific group of athletes and the increased BMI is remarkable in this group (13). Track or endurance athletes have a higher lean body mass (muscle) so, it can be thought that Mallampati scores will be lower, or that the risk of a difficult airway may be lower (14). The negative effect of sarcopenia or the lossof muscle strength his seenin airway disease, andin chronic obstructive pulmonary diseases (15,16). Handgrip strength (HGS) is a standardized measure for assessing overall muscle strength and has been associated with restricted airflow in lung diseases (17). It can be predicted that airway management in track or endurance athletes will be simpler, but there are no studies in the existing literature on airway assessment or sleep disorders based on anthropometric measurements or muscle strength. This study aimed to conductanthropometric assessment and to compare the muscular strength of elite athletes with that of the control group via Mallampati classification.

MATERIAL AND METHOD

Ethical Approval and Participants

An observational study was designed. The study was conducted in the Department of Anesthesiology, Faculty of Medicine, Ahi Evran University. Institutional ethics committee approval was obtained (2023-06/41). After written informed consent was obtained, 100 participants were enrolled in the study. The study group consisted of elite track athletes, while the control group consisted of volunteers with similar characteristics.

Eligibility Criteria

Elite athletes between the ages of 18-22 and volunteer participants in the same age range, of similar height and weight were included in the study. Participants with an inability to sit, macroglossia, a short frenulum, recent surgery of the head and neck, patients with severe cardiorespiratory disorders, patients with a dental prosthesis, or those who refused or were unable to give informed consent, were excluded from the study.

Outcome Parameters

In anthropometrics measurements height and weight were measured without shoes or heavy clothing to the nearest centimeter and 100 g, respectively. BMI was calculated as body weight in kilograms divided by height squared in meters. HGS tests were performed with a JAMAR[®] branded hand dynamometer to assess muscle power. Patients were placed seated on a chair with their hands were placed on a table. Their arms were held in a 90-degree flexion, parallel to the floor. Measurements of the dominant hand were then taken three times at 1-minute intervals. The average of three measurements was taken as the "low muscle strength", which was below 15 kg for males and 10 kg for females.

The modified Mallampati score (MMS; 1 to 4) was made by a single anesthetist with 5 years' clinical experience. The patients were divided into two groups: one group for MMS classes 1 and 2, and another group for MMS classes 3 and 4.

Hand anthropometric and muscle strength measurements (mm and kg) were as follows (18-21): hand length (HL), hand breadth at thumb (HBT), hand grip strength (HGS), wrist thickness, dorsal volar diameter (WTDVD), hand circumference (HC), wrist circumference (WC), hand depth radial (HDR), hand depth ulnar (HDU), fist circumference (FC), breadth/depth of digits 1 to 5 at the first and second joint (BFJD1-5, DFJD1-5, BSJD1-5, DSJD1-5), height of digits 1 to 5 (H1-5), palmar height of 1 to 4 (PH1-5), fingertip to root digit 1 to 5 (FTR1-5), total Length of digit 1 to 5 (TL1-5), span length of thumb-Index/middle/ring/little (SLTI-TM-TR-TL), pinch strength of thumb/index/middle/ ring/little fingers (PST-M-R-LF), wrist radial abduction angle (WRAA), wrist ulnar abduction angle (WRAA), wrist flexion angle (WFA), wrist extension angle (WEA), thumb metatarsophalangeal flexion angle (TMFFA), and thumb interphalangeal flexion angle (TIFFA).

Laboratory Tests

Venous blood samples were collected for analysis after anthropometric measurements. Atomic absorption spectrometry and enzymatic / colorimetric methods were used for the serum biochemical analysis;copper (Cu, mg/dl), potassium (K, mEq/L), alanine aminotransferase (ALT, IU/L), aspartate aminotransferase (AST, IU/L), creatine kinase (CK, IU/L), high density lipoprotein (HDL, mg/dL), low density lipoprotein (LDL, mg/dL) lactate dehydrogenase (LDH, IU/L), triglyceride (TRIG, mg/dL), zinc (Zn, mg/dL), magnesium (Mg, mg/dL), iron (Fe, ug/ dL), sodium (Na, mEq/L), and calcium (Ca, mg/dL).

Statistical Analysis

SPSS25.0 and Modeler 18.0 (IBM Corporation, Armonk, New York, United States) programs were used in the analysis

of the variables. The conformity of the data to the normal distribution was evaluated with the Shapiro-Wilk Francia test, while the homogeneity of variance was evaluated with the Levene test. Participants were divided into two groups, those with Mallampati scores I and II, and those with III and IV. The Independent-Sample t-test was expressed with Bootstrap results in the comparison of normally distributed quantitative variables according to Mallampati groups. and the Mann-Whitney U test was expressed with Monte Carlo results in the analysis of non-normally distributed variables. Pearson Chi-square and Fisher exact tests, and the Monte Carlo Simulation technique were used to compare the Mallampati groups with each other according to gender and study groups. After controlling for the gender and study groups of the variables, the Partial Correlation test was used to examine the correlations of the variables according to the Mallampati score. For finding and estimating the variable with the highest significance of the Mallampati groups, supervised machine learning methods, Logistic regression, Support vector machine, Random forest, K-nearest neighbor algorithm, Simple (Naïve) Bayes Classification, C5 algorithm from decision trees and Neural network (Multilaver Perceptron-Radial) Basis was used. The results of the Neural Network (Multilayer Perceptron) analysis, which is the most successful model among these methods, were used. Gradient descent was used for the optimization algorithm, hyperbolic tangent was used as the hidden layer activation function, and Softmax was used as the output layer activation function. While guantitative variables were expressed as mean (standard deviation) and Median (Minimum-Maximum) in the tables, categorical variables were shown as n (%). The variables were analyzed at a 95%-confidence level and a p-value of less than 0.05 was considered significant.

RESULTS

The study included 32 (43.2%) elite athletes and 42 (56.8%) volunteer participants. Thirty-eight (51.4) of the participants were male. MMS was found to be MMS=1 in 31 (41.9) participants, MMS=2 in 22 (29.7%) participants, and MMS=3 in 20 (27.0%) participants. HGS was 37.5±12.6 kg in MMS 1 group, 44.2±15.0 kg in MMS group 2, and 45.5±12.9 kg in MMS group 3 (p=0.077). While WEA (0.010) was found to be significantly lower in MMS groups 3-4 in women, WC (0.049), HDR (0.021), PSLF (0.046) and TIFFA (0.004) were significantly higher. In males BMI (0.036) was found to be significantly higher in MMS groups 3-4, while Na (0.010), BSJD4 (0.030), H2 (0.049), FTR2 (0.030), FTR3 (0.022) and FTR4 (0.030) were significantly lower. Among all cases, WEA (0.010) was found to be significantly lower in MMS groups 3-4. Otherwise, BMI (0.021), HBT (0.049), FC (0.043), WC (0.013), HDR (0.010), BFJD2 (0.030), PST (0.003), PSLF (0.016) and TIFFA were significantly higher in MMS groups 3-4. Among these variables, HBT (<0.001), FC (0.002), WC (0.001), BFJD2 (0.001), PST (<0.001), and PSLF (<0.001) were significantly higher in elite athletes, but WEA (0.537), HDR (0.416) and TIFFA (0.528) were similar between study groups. All of the comparisons are given in Table 1. In addition, MMS groups showed the highest correlation with the pinch strength of the thumb (r=0.392, p=0.001, Table 2). According to the Multilayer Perceptron analysis, the most important factor for MMS groups in females was PSLF (100%), in males, fingertip to root digit 3 (FTR3) (100%) and among all participants, HBT (100%). According to this model, the variable with the lowest significance in the estimation of Mallampati in women, men or in total was determined as the study group (elite athlete vs. control, Table 3).

Table 2. The orde	er of importa	ance of the va	riables in MMS	estimation, by g	ender and i	in total (%)			
	То	tal			Female			Male	
Variables		Importance (%)	Variables	Impo	ortance (%)	Variables	Impo	rtance (%)
HBT		100.0		PSLF		100.0	FTR3	-	100.0
WC		81.1		TIFFA		81.6	Na		96.5
PST		77.2		HDR 77.2		CSJD4		91.8	
WEA	74.8			WEA 63.2		H2		87.1	
BFJD2		61.6		WC 13.6		13.6	FTR2		85.4
PSLF		55.2		Study group 9.9		BMI	45.7		
HDR	35.4						FTR4		11.4
Gender	15.5					Study group		6.1	
Study group		14.3							
Mallampati					Predicte	d			
Manampau	1+11	III+IV	Correct (%)	1+11	III+IV	Correct (%)	1+11	III+IV	Correct (%)
1+11	50	3	94%	28	1	97%	18	6	75%
III+IV	1	20	95%	1	6	86%	5	9	64%
Total	69 %	31%	95 %	81 %	19%	94%	61%	39%	71%

HBT: hand breadth at thumb, WC: wrist circumference, PST: pinch strength of thumb, WEA: wrist extension angle, BFJD2: breadth at the first joint of digit 2, PSLF: pinch strength of little finger, HDR: hand depth radial, TIFFA: thumb interphalangeal flexion angle, FTR3: fingertip to root digit 3, CSJD4: circumference at the second joint of digit 4, H2: height 2, FTR2: Fingertip to root digit 2, BMI: body mass index, FTR4: fingertip to root digit 4

Neural Network (Multilayer Perceptron), Hidden layer activation function: Hyperbolic tangent output layer activaction function: Softmax, Dependent Variable: Mallampati

(+11) n (%) let - e) 7 (24.1) ht 1.65 (0.05) 173.23 (6.32) 20 (19-22) 173.23 (6.32) 74.85 (4.93) 20 (19-22) 173.23 (6.32) 173.23 (6.502) 0.78 (0.57-1.11) 0.93 (0.65-1.90) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.65-1.90) 142.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 15 (9-43) 15 (9-43) 15 (9-43) 15 (9-43) 70 (43-727)	 P 0.999^f 0.784^t 0.784^t 0.883^t 0.883^t 0.883^t 0.345^u 0.345^u 0.345^u 0.640^t 0.640^t 0.516^u 0.216^u 	n (% or Me	(III+IV) (III+IV) - - 9 (64.3) 9 (64.3) 1.74 (1.65-1.85) 83.86 (7.45) 83.86 (7.45) 28.05 (22.82-33.75) 28.05 (22.82-33.75) 28.05 (22.82-33.75) 28.05 (22.82-33.75) 28.05 (22.82-33.75) 53.52 (172.63-198.99) 87.69 (4.02) 53.52 (5.44)	P - - 0.746° 0.244 ^u 0.713t 0.036 ^u 0.473 ^u	(I+II) n (%) 24 (45.3) 21 ^(30 6)		٩
n (%) 7 (24.1) 7 (24.1) Mean (SD.) or Medi 1.65 (0.05) 59.06 (6.68) 59.06 (6.68) 59.06 (6.68) 200 (19-22) 173.23 (6.32) 20 (19-22) 173.23 (6.32) 20 (19-22) 173.23 (6.33) 20 (19-22) 173.23 (6.33) 22.4.90 (16.65-54.60) 1.50 (0.56) 1.50 (0.56) 1.50 (0.56) 1.42.50 (88.50-300) 2946.81 (97.52) 1.26.75 (57.88-382.75) 1.7 (10-42) 1.5 (9-43) 1.5 (9-43) 1.5 (9-43) 1.5 (9-43) 1.5 (9-30) 2.0 (43-727)		Š Į	 - 9 (64.3) dian (min-max) 1.74 (1.65-1.85) 83.86 (7.45) 28.05 (22.82-33.75) 28.05 (22.82-33.75) 20 (18-26) 185.52 (172.63-198.99) 87.69 (4.02) 53.52 (5.44) 	- 0.746° 0.244 ^u 0.713¹ 0.036 ^u			
7 (24.1) Mean (SD.) or Medi 1.65 (0.05) 59.06 (6.68) 59.06 (6.68) 20.98 (18.78-29.72) 20.098 (18.78-29.72) 20.019-22) 173.23 (6.32) 74.85 (4.93) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 24.90 (16.65-54.60) 1.50 (0.56) 1.42.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 15 (9-43) 70 (43-727) 70 (43-727)		Je Je	- 9 (64.3) dian (min-max) 1.74 (1.65-1.85) 83.86 (7.45) 28.05 (22.82-33.75) 28.05 (22.82-33.75) 20 (18-26) 185.52 (172.63-198.99) 87.69 (4.02) 53.52 (5.44)	- 0.746° 0.244 ^u 0.713⁺ 0.036 ^u 0.473 ^u	24 (45.3) 21 (30 6)		
7 (24.1) Mean (SD.) or Medi 1.65 (0.05) 59.06 (6.68) 20.98 (18.78-29.72) 20.019-22) 173.23 (6.32) 74.85 (4.93) 20.019-22) 173.23 (6.32) 74.85 (4.93) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 24.90 (16.65-54.60) 1.50 (0.56) 1.42.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 15 (9-43) 70 (43-727) 70 (43-727)		Je	9 (64.3) dian (min-max) 1.74 (1.65-1.85) 83.86 (7.45) 28.05 (22.82-33.75) 20 (18-26) 185.52 (172.63-198.99) 87.69 (4.02) 53.52 (5.44)	0.746° 0.244 ^u 0.713t 0.71 3t 0.71 3t	71 (30 6)	14 (66.7)	0.125°
Mean (SD.) or Medi 1.65 (0.05) 59.06 (6.68) 20.98 (18.78-29.72) 20.19-22) 173.23 (6.32) 74.85 (4.93) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 28.68 (5.02) 0.78 (0.56) 142.50 (88.50-300) 24.90 (16.65-54.60) 1.50 (0.56) 142.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 126.75 (57.88-382.75) 152.90 (28.08) 70 (43-727) 70 (43-727)		Je	Jian (min-max) 1.74 (1.65-1.85) 83.86 (7.45) 28.05 (22.82-33.75) 20 (18-26) 185.52 (172.63-198.99) 87.69 (4.02) 53.52 (5.44)	0.244 ^u 0.713 ^t 0.036^u 0.473 ^u	(0.00) 17	11 (52.4)	0.436°
1.65 (0.05) 59.06 (6.68) 20.98 (18.78-29.72) 20 (19-22) 173.23 (6.32) 74.85 (4.93) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 24.90 (16.65-54.60) 1.50 (0.56) 142.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 152.90 (28.08) 70 (43-727)			1.74 (1.65-1.85) 83.86 (7.45) 28.05 (22.82-33.75) 20 (18-26) 185.52 (172.63-198.99) 87.69 (4.02) 53.52 (5.44)	0.244 ^u 0.713 ^t 0.036^u 0.473 ^u	Mean (SD.) or Median (min-max)	edian (min-max)	
59.06 (6.68) 20.98 (18.78-29.72) 20 (19-22) 173.23 (6.32) 74.85 (4.93) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 0.93 (0.63-1.90) 24.90 (16.65-54.60) 1.50 (0.56) 1.50 (0.56) 1.42.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 152.90 (28.08) 70 (43-727)			83.86 (7.45) 28.05 (22.82-33.75) 20 (18-26) 185.52 (172.63-198.99) 87.69 (4.02) 53.52 (5.44)	0.713 ^t 0.036 ^u 0.473 ^u	1.68 (1.52-1.94)	1.70 (1.62-1.85)	0.501
20.98 (18.78-29.72) 20 (19-22) 173.23 (6.32) 74.85 (4.93) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 24.90 (16.65-54.60) 1.50 (0.56) 1.50 (0.56) 142.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 126.75 (57.88-382.75) 15 (9-43) 15 (9-43) 15 (9-43)			28.05 (22.82-33.75) 20 (18-26) 185.52 (172.63-198.99) 87.69 (4.02) 53.52 (5.44)	0.036 ^u 0.473 ^u	64.20 (44-129)	78.10 (47-98.70)	0.052
20 (19-22) 173.23 (6.32) 74.85 (4.93) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 24.90 (16.65-54.60) 1.50 (0.56) 142.50 (88.50-300) 2946.81 (97.52) 142.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 126.75 (57.88-382.75) 15 (9-43) 15 (9-43) 15 (9-43)			20 (18-26) 185.52 (172.63-198.99) 87.69 (4.02) 53.52 (5.44)	0.473 ^u	22.27 (18.78-43.10)	25.50 (17.47-33.75)	0.021 ^u
173.23 (6.32) 74.85 (4.93) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 24.90 (16.65-54.60) 1.50 (0.56) 142.50 (88.50-300) 2946.81 (97.52) 142.50 (88.300) 2946.81 (97.52) 17 (10-42) 15 (9-43) 15 (9-43) 15 (9-43) 15 (9-43)			185.52 (172.63-198.99) 87.69 (4.02) 53.52 (5.44)		20 (18-27)	20 (18-26)	0.281
74.85 (4.93) 28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 24.90 (16.65-54.60) 1.50 (0.56) 142.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 15 (9-43) 70 (43-727)		87.34 (5.18) 54.36 (5.84) 0.84 (0.51-1.92)	87.69 (4.02) 53.52 (5.44)	0.100	177.62 (157.02-201.58)	181.92 (156.82-198.99)	0.532
28.68 (5.02) 0.78 (0.57-1.11) 0.93 (0.63-1.90) 24.90 (16.65-54.60) 1.50 (0.56) 142.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 15 (9-43) 152.90 (28.08) 70 (43-727)		54.36 (5.84) 0.84 (0.51-1.92)	53.52 (5.44)	0.812 ^t	80.50 (8.02)	83.76 (7.29)	0.049 ^t
0.78 (0.57-1.11) 0.93 (0.63-1.90) 24.90 (16.65-54.60) 1.50 (0.56) 142.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 15 (9-43) 152.90 (28.08) 70 (43-727)		0.84 (0.51-1.92)		0.634 ^t	34.90 (19.60-72.10)	50.30 (23.40-67)	0.173
0.93 (0.63-1.90) 24.90 (16.65-54.60) 1.50 (0.56) 142.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 152.90 (28.08) 70 (43-727)			0.90 (0.54-1.84)	0.292	0.81 (0.51-1.92)	0.88 (0.54-1.84)	0.567
24.90 (16.65-54.60) 1.50 (0.56) 142.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 15 (9-43) 70 (43-727) 20 (20.00)	17) 0.608⊍	0.78 (0.57-1.09)	0.80 (0.36-1.08)	0.985	0.84 (0.57-1.90)	0.87 (0.36-1.17)	0.913 ^u
1.50 (0.56) 142.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 152.90 (28.08) 70 (43-727)	8.95) 0.636	26.73 (4)	26.69 (2.82)	0.970 ^t	26 (16.65-54.60)	25.80 (20.85-30.75)	0.879
142.50 (88.50-300) 2946.81 (97.52) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 152.90 (28.08) 70 (43-727)	0.810 ^t	1.89 (0.47)	2.01 (0.60)	0.475 ^t	1.67 (0.55)	1.86 (0.59)	0.218 ^t
2946.81 (97.52) 126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 152.90 (28.08) 70 (43-727)	48) 0.874 ^u	241 (115-264)	234 (105-260)	0.522 ^u	165 (88.50-300)	174 (93-260)	n197.0
126.75 (57.88-382.75) 17 (10-42) 15 (9-43) 152.90 (28.08) 70 (43-727)	.54) 0.560 ^t	2927.47 (83.92)	2862.76 (84.85)	0.010	2938.05 (91.27)	2880.76 (108.64)	0.059
17 (10-42) 15 (9-43) 152.90 (28.08) 70 (43-727)	147) 0.121 [⊾]	113.19 (26.87)	120.58 (25.88)	0.396 ^t	121 (57.88-382.75)	120.75 (46.63-182)	0.550
15 (9-43) 152.90 (28.08) 70 (43-727)	0.623	22.33 (5.04)	20.79 (5)	0.317 ^t	18 (10-42)	18 (10-29)	0.721 ^u
152.90 (28.08) 70 (43-727)	0.541	20 (12-61)	17.50 (10-53)	0.375	16 (9-61)	17 (7-53)	0.945
70 (43-727)	'8) 0.450 ^t	131 (90-241)	128.50 (109-206)	0.895 ^u	140 (90-241)	137 (109-206)	0.739
	ı, 0.977 ^u	119 (61-437)	113 (79-648)	0.216 ^u	102 (43-727)	102 (46-772)	0.727
HUL ou (39.90-80.40) o. 1.00 (42.00-80.30)	6.30) 0.931 ^u	53.95 (32-70.70)	55.75 (33.20-68)	0.982⊍	55.85 (11.74)	56.05 (12.73)	0.941 ^t
LDL 97.68 (26.43) 83.93 (13.01)	1) 0.070 ^t	88.78 (30.58)	90.39 (22.29)	0.871 ^t	93.65 (28.45)	88.24 (19.58)	0.356t
LDH 155 (120-325) 148 (120-346)	i6) 0.744 ^u	189 (127-391)	145.50 (133-268)	0.145 ^u	157 (120-391)	147 (120-346)	0.237 ^u
TRIG 78 (34-271) 96 (47-143)	t) 0.537 ^u	69 (50-232)	71 (64-452)	0.268 ^u	73 (34-271)	76 (47-452)	0.155 ^u
WTDVD 51.91 (48.91-77) 53.06 (44.74-58.04)	8.04) 0.994	58.21 (51.23-67.72)	58.92 (52.58-63.58)	0.693 ^u	54.23 (48.91-77)	57.70 (44.74-63.58)	0.101
HC 73.19 (4.56) 73.57 (5.16)	() 0.900 ^t	83.50 (21-94)	85 (79-92)	0.957 ^u	79 (21-94)	81 (65-92)	0.096
WC 77.62 (6.30) 80.86 (3.13)	() 0.049 ^t	90.50 (22.50-107)	90 (72-106)	0.971⊍	82 (22.50-107)	87 (72-106)	0.089
FC 94 (64-107) 94 (88-110)) 0.567 ^u	109 (27-124)	110.50 (102-123)	0.730	99 (27-124)	107 (88-123)	0.043 ^u

Table 1. M	Table 1. Multi-layered comparison of variables by study group (control and	variables by study group	(control an	id elite athlete) and gender					
	Fer	Female	1	Má	Male	4	To	Total	1
	(11+1)	(VI+III)	م	(+)	(VI+III)	٩	(11+1)	(VI+III)	م
	Mean (SD.) or M	Mean (SD.) or Median (min-max)		Mean (SD.) or Mo	Mean (SD.) or Median (min-max)		Mean (SD.) or M	Mean (SD.) or Median (min-max)	
WC2	61 (54-69)	63 (59-71)	0.401 ^u	70 (17.50-83)	71.50 (64-78)	0.240	63 (17.50-83)	70 (59-78)	0.013"
NDH	24.64 (2)	25.13 (2.92)	0.750 ^t	29.47 (2.51)	28.56 (1.69)	0.178 ^t	26.82 (3.29)	27.42 (2.67)	0.455 ^t
HDR	41.68 (33.61-52.56)	47.33 (37.71-49.07)	0.021 ^u	51.93 (4.62)	53.38 (3.30)	0.307 ^t	46.57 (6.72)	51.01 (4.85)	0.010
BFJD1	17.91 (1.1.1)	17.81 (1.59)	0.850 ^t	20.95 (18.84-23.69)	20.73 (19.16-24.26)	0.549⊍	19.33 (1.97)	19.81 (1.97)	0.436 ^t
DFJD1	15.18 (1.02)	15.40 (1.36)	0.760 ^t	17.42 (1.32)	17.07 (1.27)	0.386 ^t	16.20 (1.61)	16.52 (1.50)	0.485 ^t
BFJD2	16.84 (12.54-19.09)	16.57 (14.96-20.08)	0.830⊍	19.04 (1.69)	19.48 (1.23)	0.376 ^t	17.85 (1.85)	18.69 (1.81)	0.030
DFJD2	14.87 (10.52-16.77)	15.48 (14.02-16.92)	0.484⊍	17.42 (1.27)	17 (0.95)	0.277 ^t	16.09 (1.72)	16.49 (1.24)	0.347 ^t
BSJD2	14.26 (13.09-15.79)	14.73 (13.09-17.23)	₀666.0	16.19 (1.07)	16.23 (1.02)	0.931 ^t	15.38 (13.09-17.96)	15.70 (13.09-18.17)	0.187 ^u
DSJD2	11.58 (1.29)	11.50 (1.50)	0.900 ^t	12.56 (11.49-15.23)	12.71 (9.93-14.80)	0.572 ^u	12.26 (1.43)	12.21 (1.31)	0.950 ^t
BFJD3	16.72 (0.94)	16.91 (1.88)	0.780 ^t	19.33 (1.13)	19.06 (1.06)	0.545 ^t	17.90 (1.66)	18.35 (1.69)	0.347 ^t
DFJD3	15.34 (0.98)	15.93 (1.38)	0.340 ^t	17.67 (1.61)	17.42 (0.94)	0.584 ^t	16.40 (1.74)	16.93 (1.29)	0.178 ^t
BSJD3	14.28 (0.90)	14.36 (1.60)	0.910	16.45 (0.93)	16.19 (0.93)	0.396 ^t	15.26 (1.42)	15.58 (1.45)	0.426 ^t
DSJD3	11.69 (1.28)	11.73 (1.61)	0.970	13.60 (1.16)	13.01 (0.82)	0.119	12.55 (1.55)	12.59 (1.27)	0.960 ^t
BFJD4	15.61 (0.76)	15.58 (1.42)	0.950t	18.22 (1.20)	18.23 (1.16)	0.990 ^t	16.79 (1.63)	17.34 (1.77)	0.218 ^t
DFJD4	14.37 (1.07)	14.65 (1.42)	0.710t	16.71 (1.18)	16.44 (1.23)	0.554 ^t	15.43 (1.62)	15.84 (1.53)	0.347 ^t
CFJD4	13.34 (9.49-15.32)	13.93 (12.16-16.13)	0.589⊍	15.25 (13.93-19.72)	15.41 (14.32-17.76)	0.588	14.49 (1.82)	14.94 (1.35)	0.287 ^t
BSJD4	10.63 (0.98)	10.76 (1.37)	0.850 ^t	12.43 (1.01)	11.88 (0.67)	0.030	11.45 (1.34)	11.50 (1.07)	0.911 ^t
BFJD5	13.94 (1.23)	13.68 (1.76)	0.670 ^t	15.64 (14.35-18.64)	15.92 (14.41-18.11)	0.450⊍	14.93 (1.63)	15.07 (1.63)	0.782 ^t
DFJD5	12.47 (0.91)	12.29 (1.09)	0.800 ^t	14.78 (1.17)	14.70 (1.31)	0.871 ^t	13.52 (1.55)	13.90 (1.68)	0.455 ^t
BSJD5	11.94 (0.73)	12.15 (1.18)	0.660 ^t	13.76 (11.23-17.06)	13.89 (13-16.24)	0.932	12.69 (9.96-17.06)	13.62 (10.55-16.24)	0.089⊍
DSJD5	9.44 (0.84)	9.54 (1.73)	0.890 ^t	11.34 (1.30)	11.16 (0.99)	0.634 ^t	9.93 (8.22-15.13)	10.99 (7.22-12.62)	0.193 ^u
H	81.34 (11.53)	76.66 (16.56)	0.450 ^t	79.78 (12.15)	74.95 (9.99)	0.198 ^t	80.63 (11.73)	75.52 (12.16)	0.129 ^t
H2	163.51 (6.81)	161.15 (13.84)	0.670 ^t	177.56 (9.54)	170.76 (7.55)	0.049 ^t	169.87 (10.73)	167.56 (10.77)	0.495 ^t
H3	173.37 (6.45)	173.74 (9.21)	0.930 ^t	189.77 (8.80)	185 (4.18)	0.079 ^t	180.80 (11.16)	181.25 (8.15)	0.881 ^t
H4	164.50 (7.53)	161.99 (9.43)	0.490 ^t	182.40 (161.41-192.39)	175.83 (165.72-183.75)	0.123 ^u	170.91 (11.09)	169.96 (9.08)	0.733 ^t
H5	134.07 (11.34)	129.68 (11.11)	0.360 ^t	147.78 (10.78)	144.18 (9.52)	0.267 ^t	140.28 (12.96)	139.34 (12.04)	0.772 ^t
ΓΗΠ	55.16 (4.25)	52.39 (8.27)	0.430 ^t	55.81 (40.20-69.96)	61.81 (47.93-78.60)	0.115 ^u	55.27 (5.60)	59.43 (11.47)	0.158 ^t
PH2	97.41 (4.07)	96.65 (7.54)	0.780 ^t	108.65 (95.62-155)	105.24 (98.28-111.09)	0.205	101.43 (88.45-155)	104.45 (85.77-111.09)	0.427 ^u
WC2: wris 2, DFJD2: first joint c circumfere	WC2: wrist circumference, HDU: hand depth ulnar, HDR: hand depth radial, BFJD1: breadth at the first joint of digit 1, DFJD1: depth at the first joint of digit 3, DFJD2: breadth at the first joint of digit 3, DFJD3: depth at the 2, DFJD2: depth at the first joint of digit 3, DFJD3: depth at the first joint of digit 3, BFJD3: breadth at the second joint of digit 4, DFJD4: depth at the first joint of digit 4, DFJD4: depth at the first joint of digit 4, DFJD4: depth at the second joint of digit 4, BSJD3: breadth at the second joint of digit 3, BFJD4: breadth at the first joint of digit 4, DFJD4: depth at the first joint of digit 4, CFJD4: depth at the second joint of digit 4, BSJD4: depth at the first joint of digit 4, BSJD4: breadth at the second joint of digit 4, BSJD4: breadth at the second joint of digit 4, BSJD5: breadth at the second joint of digit 5, BSJD5: breadth at the first joint of digit 5, BSJD5: breadth at the second joint of digit 5, BFJD5: breadth at the first joint of digit 5, DFJD5: breadth at the second joint of digit 4, BSJD4: breadth at the second joint of digit 4, BSJD4: breadth at the second joint of digit 4, BSJD5: breadth at the first joint of digit 5, DFJD5: breadth at the second joint of digit 4, BSJD5: breadth at the first joint of digit 5, DFJD5: breadth at the second joint of digit 4, BSJD5: breadth at the first joint of digit 5, DFJD5: breadth at the second joint of digit 4, BSJD6: breadth at the first joint of digit 5, DFJD5: breadth at the second joint of digit 4, BSJD4: breadth at the second joint of digit 4, BSJD5: breadth at the first joint of digit 5, DFJD5: breadth at the first joint of digit 5, DFJD5: breadth at the first joint of digit 5, DFJD5: breadth at the second joint of digit 4, BSJD6; B	d depth ulnar, HDR: hand o igit 2, BSJD2: breadth at t t the second joint of digit 3 t 4, BSJD4: breadth at the	lepth radia the second 3, DSJD3: d second joir	I, BFJD1: breadth at the fir: joint of digit 2, DSJD2: de epth at the second joint of t of digit 4, BFJD5: breadth	BFJD1: breadth at the first joint of digit 1, DFJD1: depth at the first joint of digit 1, BFJD2: breadth at the first joint of digit 2, DSJD2: depth at the second joint of digit 2, DFJD3: depth at the first joint of digit 3, DFJD3: depth at the pth at the second joint of digit 4, DFJD4: depth at the first joint of digit 4, CFJD4: of digit 4, BFJD5: breadth at the first joint of digit 4, CFJD4: of digit 4, BFJD5: breadth at the second joint of digit 5, BSJD5: breadth at the second joint of digit 5, BSJD5: breadth at the second joint of digit 5, DFJD5: breadth at the second joint of digit 5, DFJD5: breadth at the second by the second by the first joint of digit 5, DFJD5: breadth at the second by the second by the first joint of digit 5, DFJD5: breadth at the second by the second by the first joint of digit 5, DFJD5: breadth at the second by the second by the first joint of digit 5, DFJD5: breadth at the second by the second by the first joint of digit 5, DFJD5: breadth at the second by the second by the first joint of digit 5, DFJD5: breadth at the second by the first joint of digit 5, DFJD5: breadth at the second by the first joint of digit 5, DFJD5: breadth at the second by the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: breadth at the second by the first joint of digit 5, DFJD5: breadth at the second by the second by the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5; depth at the first joint of digit 5, DFJD5; depth at the first joint of digit 5, DFJD5; depth at the first joint of digit 5, DFJD5; depth at the first joint	depth at the digit 2, BF. the first joi	First joint of digit 1, BFJI JD3: breadth at the first j int of digit 4, DFJD4: dept toth at the first joint of dig	D2: breadth at the first joir loint of digit 3, DFJD3: dep th at the first joint of digit ι git 5, BSJD5: breadth at th	t of digit th at the I, CFJD4: e second
joint of dig	oint of digit 5, DSJD5: depth at the second joint of digit 5, H1: height1, H2:	econd joint of digit 5, H1: h	neight1, H2	: height2, H3: height3, H4:	height2, H3: height3, H4: height4, H5: height5, PH1: palmar height of 1, PH2: palmar height of 2	: palmar he	ight of 1, PH2: palmar he	ight of 2	

522

t: Independent t-test (Bootstrap), u: Mann-Whitney U test (Monte Carlo), f: Fisher exact test (Exact), c: Pearson Chi-square test (Monte Carlo, Exact)

P (I+II) 0.840' Nean (SD.) or 0.840' 107.69 (6.21) 0.840' 97.67 (82.56-196.80) 0.710' 68.45 (5.12) 0.710' 68.45 (5.12) 0.297' 74.79 (4.52) 0.940' 84.04 (72.64-91.45) 0.970' 76.39 (4.72) 0.970' 76.39 (4.72) 0.970' 75.33 (4.72) 0.970' 134.23 (6.10) 0.490' 182.75 (8.47)	(H-II) (III+IV) Mean (SD.) or Median (min-max) 7:69 (6.21) 106.79 (3.41) 82.56-196.80) 95.05 (87.62-103.57) 82.56-196.80) 95.05 (87.62-103.57) 75 (5.12) 66.08 (3.78) 77 (3.73) 71.37 (2.41) 77 (4.52) 71.37 (2.41) 79 (4.52) 71.37 (2.41) 77 (3.05) 73.07 (3.05) 59 (4.72) 73.07 (3.05) 57 (3.84) 61.06 (3.30) 1.23 (6.10) 134.09 (5.34) 2.75 (8.47) 178.89 (5.40) 2.75 (8.47) 178.89 (5.40)	p 0.673 ^t 0.533 ^u 0.149 ^t 0.030^t 0.030 ^t	(I+II) (III+IV) Mean (SD.) or Median (min-max) 104.06 (5. 102.38 (7.29) 104.06 (5. 90.65 (73.23-196.80) 93.25 (77.79- 64.03 (6.16) 64.54 (4.8)	(III+IV) dian (min-max)	<u>م</u>
107 97.67 (68 74 74 84.04 (76 62 13/	Median (min-max) 106.79 (3.41) 95.05 (87.62-103.57) 66.08 (3.78) 71.37 (2.41) 78.39 (73.01-80.83) 73.07 (3.05) 61.06 (3.30) 134.09 (5.34) 178.89 (5.40) 184.90 (6.76) 176.71 (6.48)	0.673' 0.533' 0.149' 0.030' 0.022'	Mean (SD.) or Me 102.38 (7.29) 90.65 (73.23-196.80) 64.03 (6.16)	dian (min-max)	
	106.79 (3.41) 95.05 (87.62-103.57) 66.08 (3.78) 71.37 (2.41) 78.39 (73.01-80.83) 73.07 (3.05) 61.06 (3.30) 134.09 (5.34) 178.89 (5.40) 184.90 (6.76)	0.673' 0.533' 0.149' 0.030' 0.022'	102.38 (7.29) 90.65 (73.23-196.80) 64.03 (6.16)		
	95.05 (87.62-103.57) 66.08 (3.78) 71.37 (2.41) 78.39 (73.01-80.83) 73.07 (3.05) 61.06 (3.30) 134.09 (5.34) 178.89 (5.40) 184.90 (6.76) 176.71 (6.48)	0.533 ^u 0.149 ^t 0.030^t 0.022 ^u	90.65 (73.23-196.80) 64.03 (6.16)	104.06 (5.88)	0.188
	66.08 (3.78) 71.37 (2.41) 78.39 (73.01-80.83) 73.07 (3.05) 61.06 (3.30) 134.09 (5.34) 178.89 (5.40) 184.90 (6.76) 176.71 (6.48)	0.149 ^t 0.030 ^t 0.022 ^u 0.030 ^t	64.03 (6.16)	93.25 (77.79-103.57)	0.495 ^u
	71.37 (2.41) 78.39 (73.01-80.83) 73.07 (3.05) 61.06 (3.30) 134.09 (5.34) 178.89 (5.40) 184.90 (6.76) 176.71 (6.48)	0.030 ^t 0.022 ^u 0.030 ^t		64.54 (4.83)	0.703 ^t
	78.39 (73.01-80.83) 73.07 (3.05) 61.06 (3.30) 134.09 (5.34) 178.89 (5.40) 184.90 (6.76) 176.71 (6.48)	0.022 ^u 0.030 ^t	71.82 (5.04)	71.12 (3.06)	0.455 ^t
	73.07 (3.05) 61.06 (3.30) 134.09 (5.34) 178.89 (5.40) 184.90 (6.76) 176.71 (6.48)	0.030	77.09 (65.36-91.45)	78.21 (69.74-80.83)	0.784
	61.06 (3.30) 134.09 (5.34) 178.89 (5.40) 184.90 (6.76) 176.71 (6.48)		72.90 (5.29)	72.07 (3.64)	0.337
	134.09 (5.34) 178.89 (5.40) 184.90 (6.76) 176.71 (6.48)	0.208 ^t	59.88 (4.36)	60.31 (4.02)	0.733
	178.89 (5.40) 184.90 (6.76) 176.71 (6.48)	0.960 ^t	128.81 (7.46)	131.44 (7.25)	0.079 ^t
	184.90 (6.76) 176.71 (6.48)	0.089 ^t	175.43 (10.24)	175.90 (8.23)	0.782 ^t
0.880 ^t 189.26 (9.56)	176.71 (6.48)	0.129	181.10 (10.92)	181.06 (9.51)	0.990 ^t
0.930 ^t 179.45 (9.45)		0.386 ^t	170.24 (151.57-190.96)	172.25 (147.50-190.01)	0.449⊍
0.790 ^t 155.30 (8.98)	153.97 (6.50)	0.634 ^t	148.36 (10.03)	149.88 (9.18)	0.495
0.240 ^t 134.85 (114.03-174.60)) 127.40 (114.14-155.25)	0.208	121.80 (91.06-174.60)	127.01 (99.96-155.25)	0.287 ^u
0.113" 177.59 (19.19)	168.55 (12.53)	0.079 ^t	159 (104.80-414.80)	164 (129.32-197.62)	0.335
0.160 ^t 194.12 (21.28)	185.82(13.98)	0.228 ^t	175.54 (141.11-247)	185.70 (140.97-208.96)	0.205 ^u
0.190 ^t 202.76 (16.99)	199.71 (10.05)	0.554 ^t	188.42 (148.29-233)	201.91 (157.07-212)	0.075 ^u
0.290 ^t 19.42 (6.68)	24.09 (7.42)	0.119	13.60 (2.40-29)	19.80 (7.70-35)	0.003
0.720 ^t 12.70 (4.60-22.70)	12.30 (9.10-22.30)	o.807⊍	7.90 (3.50-22.70)	10.70 (3.20-22.30)	0.078⊍
0.660 ^t 12.47 (4.15)	12.19 (4.17)	0.839	8.40 (2.50-21.70)	10.40 (1.20-17)	0.175
0.310 ^t 9.12 (4.14)	8.21 (2.21)	0.436 ^t	6.20 (1.70-19.60)	7.50 (2.30-11.60)	0.107 ^u
0.046 ^u 5.87 (2.34)	6.03 (1.98)	0.851 ^t	3.40 (1.20-10.70)	5.50 (2.50-9)	0.016"
0.860 ^t 32.50 (24-46)	39 (16-45)	0.362 ^u	31.45 (5.91)	32.79 (9.37)	0.594 ^t
0.746 ^u 40 (25-50)	43 (20-49)	0.983	40 (21-50)	40 (20-49)	0.886 ^u
0.886 ^u 69.55 (10.62)	76.22 (14.42)	0.168 ^t	65.08 (10.22)	70.43 (15.53)	0.139
0.010 ^t 70.75 (9.56)	67.53 (9.59)	0.386 ^t	74.75 (10.14)	67.40 (9.50)	0.010
0.469 ^u 60 (45-70)	62 (45-67)	0.895	60 (40-76)	60 (45-70)	0.312
0.004 ^u 85 (60-96)	84 (70-90)	0.831	80 (60-96)	85 (70-90)	0.013
< < < < < < < < < < < < < < < < <	SLIM149.16 (104.60-414.4.60)101.04 (12.92.4.2-164.7.0)0.113-9117.09 (19.1.9)SLIT165.58 (12.29)174.97 (17.38)0.160 ^t 194.12 (21.28)SLIT181.29 (13.21)190.26 (17.83)0.190 ^t 202.76 (16.99)PSIF7 (2.34)7.47 (2.79)0.290 ^t 194.2 (6.68)PSIF7 (2.34)7.47 (2.79)0.270 ^t 19.42 (6.68)PSIF7 (2.34)7.47 (2.79)0.720 ^t 19.42 (6.68)PSIF7 (2.34)7.47 (2.79)0.720 ^t 19.42 (6.68)PSIF5.07 (1.45)6.16 (2.54)0.310 ^t 9.12 (4.14)PSIF5.07 (1.45)6.16 (2.54)0.310 ^t 9.12 (4.14)PSIF3.007 (5.97)29.29 (6.37)0.660 ^t 32.50 (24-46)WRA30.07 (5.97)29.29 (6.37)0.860 ^t 32.50 (24-46)WRA33 (21-50)33 (21-50)0.060 ^t 32.50 (24-46)WRA33 (21-50)0.860 ^t 5.712 (10.62)WRA33 (21-50)0.860 ^t 5.72 (2.94)WFA56 (40-76)55 (50-70)0.860 ^t 56 (2.56)WFA55 (40-76)55 (50-70)0.469 ^t 60 (45-70)MFA55 (40-76)55 (50-70)0.4	Activation Transpondent ($232-7$ error) 117.39 (117.97 (17.38) 117.39 (117.97 (17.38) 117.39 (117.97 (17.38) 117.39 (117.97 (17.38) 117.39 (117.97 (17.38) 117.39 (117.97 (17.38) 117.39 (117.97 (17.38) 117.39 (17.97 (17.38) 117.39 (17.97 (17.38) 117.39 (17.97 (17.38) 117.39 (17.97 (17.38) 117.39 (17.97 (17.92) 117.39 ($17.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 117.307 ($117.70-23$) 1117.70 ($117.70-23$) 1117.70 ($117.70-23$) 1117.70 ($117.70-23$) 1117.70 ($117.70-23$) 1117.307	13:: 117.35 (19.19) 106.55 (15.39) 0.0079 60' 194.12 (21.28) 185.82 (13.98) 0.228' 90' 202.76 (16.99) 199.71 (10.05) 0.554' 90' 19.42 (6.68) 24.09 (7.42) 0.119' 20' 19.42 (6.68) 24.09 (7.42) 0.119' 20' 19.42 (6.68) 24.09 (7.42) 0.119' 20' 12.70 (4.60-22.70) 12.30 (9.10-22.30) 0.839' 60' 12.47 (4.15) 12.30 (9.10-22.30) 0.839' 10' 9.12 (4.14) 8.21 (2.21) 0.436' 46'' 5.87 (2.34) 6.03 (1.98) 0.851' 60' 32.50 (24-46) 39 (16-45) 0.362'' 46'' 40 (25-50) 43 (20-49) 0.363'' 36'' 69.55 (10.62) 76.22 (14.42) 0.168'' 10' 70.75 (9.56) 67.53 (9.59) 0.386'' 59'' 60 (45-70) 62 (45-67) 0.895''' 39''' 60 (45-70) 62 (45-67) 0.895''' 30''' 61 (70-90) 0.81''' 0.60'''''''''''''''''''''''''''''''''''	13: $117.39 (19.19)$ $106.53 (13.98)$ 0.019^{2} $139 (104.60-2414.60)$ 60' $194.12 (21.28)$ $185.82 (13.98)$ 0.228^{2} $175.54 (141.11-247)$ 90' $202.76 (16.99)$ $199.71 (10.05)$ 0.554^{4} $188.42 (148.29-233)$ 90' $19.42 (6.68)$ $24.09 (7.42)$ 0.119^{2} $13.60 (2.40-29)$ 20' $112.70 (4.60-22.70)$ $12.30 (9.10-22.30)$ 0.807^{4} $7.90 (3.50-22.70)$ 20' $12.47 (4.15)$ $12.30 (9.10-22.30)$ 0.807^{4} $7.90 (3.50-22.70)$ 10' $9.12 (4.14)$ $8.21 (2.21)$ 0.839^{2} $8.40 (2.50-21.70)$ 46' $5.87 (2.34)$ $6.03 (1.98)$ 0.867^{1} $3.40 (1.20-10.70)$ 46' $5.87 (2.34)$ $6.03 (1.98)$ 0.362^{2} $31.45 (5.91)$ 46' $5.87 (2.34)$ $6.03 (1.98)$ 0.362^{2} $31.46 (5.91)$ 46' $40 (25-50)$ $43 (20-49)$ 0.983^{2} $40 (21-50)$ 36' $69.55 (10.62)$ $76.22 (14.42)$ 0.168^{2} $65.08 (10.22)$ 36' $69.55 (10.62)$ $76.22 (14.42)$ 0.168^{2} $65.08 (10.22)$ 36' $69.55 (10.62)$ $76.22 (14.42)$ 0.168^{2} $66 (40-76)$ 36'' $69.55 (10.62)$ $67.53 (9.59)$ 0.168^{2} $74.75 (10.14)$ 39'' $60 (45-70)$ $62 (45-67)$ 0.895^{2} $60 (40-76)$ 39'' $60 (45-70)$ $62 (45-67)$ 0.895^{2} $60 (40-76)$ 39'' $60 (45-70)$ $62 (45-67)$ 0.891^{2} $60 (40-76)$ <	19.4.12 (21.28) 195.82(13.98) 0.0729 155.4(141.11-247) 19.4.12 (21.28) 185.82(13.98) 0.228* 175.54(141.11-247) 202.76 (16.99) 199.71 (10.05) 0.554* 188.42 (148.29-233) 19.4.2 (6.68) 24.09 (7.42) 0.119* 13.60 (2.40-29) 12.70 (4.60-22.70) 12.30 (9.10-22.30) 0.807* 7.90 (3.50-22.70) 12.70 (4.60-22.70) 12.19 (4.17) 0.839* 8.40 (2.50-21.70) 9.12 (4.14) 8.21 (2.21) 0.436* 6.20 (1.70-19.60) 9.12 (4.14) 8.21 (2.21) 0.436* 6.20 (1.70-19.60) 9.12 (4.14) 8.21 (2.21) 0.436* 6.20 (1.70-19.60) 9.12 (4.14) 8.21 (2.21) 0.436* 6.20 (1.70-19.60) 9.12 (4.14) 8.21 (2.21) 0.436* 6.20 (1.70-19.60) 9.12 (4.14) 8.21 (2.21) 0.851* 3.40 (1.20-10.70) 9.12 (4.14) 8.21 (2.21) 0.839* 4.0 (2.50-21.70) 9.12 (4.14) 8.21 (2.21) 0.851* 3.40 (1.20-10.70) 9.12 (4.14) 8.21 (2.24) 0.362* 31.45 (5.91) 9.12 (4.14) 3.250 (24-46) 3

DOI: 10.37990/medr.1518418

MallampatierpMallampatierpMallampatierpHeight0.2000.092HDU0.1360.254PH3-0.0910.448Weight0.0100.936HDR0.2460.037PH4-0.0570.635BMI0.1100.357BFJD1-0.0710.551FTR1-0.1290.281Age-0.0430.717DFJD1-0.0060.959FTR2-0.1710.150HL-0.1330.266BFJD20.0920.422FTR3-0.2310.073HBT0.0370.760DFJD20.0270.819FTR4-0.090.073HG0.0520.665BSJD20.0170.768FTR3-0.1490.819Cu0.0260.830DSJD2-0.1120.810TL1-0.0160.811Gu0.1020.393BFJD3-0.0580.630TL2-0.1490.211Mg-0.1250.296DFJD30.0690.641TL3-0.1570.181Fe0.0370.759BSJD3-0.0710.758TL4-0.1620.7130.181Ka-0.1290.813-0.0240.814TL4-0.1620.7130.814Fe0.337DFJD4-0.0240.840STL1-0.0310.9430.444Ca-0.1290.814-0.0140.731STL4-0.0530.6410.744Fe0.0360.		Table 3. Partial co	rrelation table of	f MMS groups	s with variables					
Weight0.0100.936HDR0.2460.037PH4-0.0570.635BMI0.1100.357BFJD1-0.0710.551FTR1-0.1290.281Age-0.0430.717DFJD1-0.0660.959FTR2-0.1710.150HL-0.1330.266BFJD20.0920.442FTR3-0.2130.073HBT0.0370.760DFJD20.0270.819FTR4-0.2090.078HGS-0.0520.665BSJD20.0370.758FTR5-0.0310.793Zn0.0250.833DSJD2-0.1120.351TL1-0.0160.891Cu0.1020.393BFJD3-0.0580.630TL2-0.1490.211Mg-0.1250.296DFJD30.0690.564TL3-0.1620.173K-0.0100.931DSJD3-0.0370.758TL4-0.1620.173K-0.0100.931DSJD3-0.0240.840SLT1-0.0930.436Ca-0.1290.281DFJD4-0.0240.840SLT1-0.0310.983AST-0.0480.687BSJD4-0.0130.915SLTM-0.0330.983AST-0.0500.674CSJD4-0.0170.398SLTL0.0390.746ChO20.0070.952BFJD5-0.0790.512PSIF0.3210.051ChO20.0700.5	I	Mallampati*	r	р	Mallampati ∗	r	р	Mallampati∗	r	р
BMI0.1100.357BFJD1-0.0710.551FTR1-0.1290.281Age-0.0430.717DFJD1-0.0060.959FTR2-0.1710.150HL-0.1330.266BFJD20.0920.442FTR3-0.2130.073HBT0.0370.760DFJD20.0270.819FTR4-0.2090.078HGS-0.0520.665BSJD20.0370.758FTR5-0.0310.793Zn0.0250.833DSJD2-0.1120.351TL1-0.0160.891Cu0.1020.393BFJD3-0.0580.630TL2-0.1490.211Mg-0.1250.296DFJD30.0690.564TL3-0.1620.173Fe0.0370.759BSJD3-0.0370.758TL5-0.0930.436Na-0.2460.037BFJD4-0.0240.840SLTI-0.1090.364Na-0.2460.037BFJD4-0.0170.398SLTM-0.0330.983AST-0.0480.687BSJD4-0.0170.398SLTM-0.0390.746CHO20.0070.52BFJD5-0.0870.466PST0.3920.001CK0.1060.376DFJD5-0.0790.512PSIF0.2310.652DL0.0160.376DFJD5-0.0230.049PSIF0.0360.938LDL0.1380.249 <th></th> <th>Height</th> <th>-0.200</th> <th>0.092</th> <th>HDU</th> <th>-0.136</th> <th>0.254</th> <th>PH3</th> <th>-0.091</th> <th>0.448</th>		Height	-0.200	0.092	HDU	-0.136	0.254	PH3	-0.091	0.448
Age-0.0430.717DFJD1-0.0060.959FTR2-0.1710.150HL-0.1330.260BFJD20.0920.442FTR3-0.2130.073HBT0.0370.760DFJD20.0270.819FTR4-0.2090.078HGS-0.0520.665BSJD20.0370.758FTR5-0.0310.793Zn0.0250.833DSJD2-0.1120.351TL1-0.0160.891Cu0.1020.393BFJD3-0.0580.630TL2-0.1490.211Mg-0.1250.296DFJD30.0690.564TL3-0.1570.188Fe0.0370.759BSJD3-0.0970.758TL4-0.1620.173K-0.0100.931DSJD3-0.0370.758TL5-0.0930.436Na-0.2460.037BFJD4-0.0240.840SLTI-0.1030.983AST-0.0480.687BSJD4-0.0110.398SLTM-0.0330.983AST-0.0500.674CSJD4-0.0170.398SLTM0.0390.746CHO20.0070.952BFJD5-0.0870.466PST0.3920.001CK0.1060.376DFJD5-0.0790.512PSIF0.2310.656LDL-0.1380.249DSJD5-0.0110.996PSRF0.0060.988LDL-0.1380.249<		Weight	0.010	0.936	HDR	0.246	0.037	PH4	-0.057	0.635
HL-0.1330.266BFJD20.0920.442FTR3-0.2130.073HBT0.0370.760DFJD20.0270.819FTR4-0.2090.078HGS-0.0520.665BSJD20.0370.758FTR5-0.0310.793Zn0.0250.833DSJD2-0.1120.351TTL1-0.0160.891Cu0.1020.393BFJD3-0.0580.630TL2-0.1490.211Mg-0.1250.296DFJD30.0690.564TL3-0.1570.188Fe0.0370.759BSJD3-0.0910.943TL4-0.1620.173K-0.0100.931DSJD3-0.0240.840SLT1-0.1090.364Ca-0.1290.281DFJD4-0.0240.840SLT1-0.1090.364Ka-0.0100.931DSJD3-0.0240.840SLT1-0.1090.364Ca-0.1290.281DFJD4-0.0240.840SLT1-0.0330.983AST-0.0480.687BSJD4-0.0110.398SLTM-0.0320.061ChO20.0070.952BFJD5-0.0870.466PST0.3920.001ChO20.0070.952BFJD5-0.0870.466PST0.3920.001ChO20.0070.952BFJD5-0.0870.466PST0.3920.063LDL0.0900.453<		BMI	0.110	0.357	BFJD1	-0.071	0.551	FTR1	-0.129	0.281
HBT0.0370.760DFJD20.0270.819FTR4-0.2090.078HGS-0.0520.665BSJD20.0370.758FTR5-0.0310.793Zn0.0250.833DSJD2-0.1120.351TTL1-0.0160.891Cu0.1020.393BFJD3-0.0580.630TL2-0.1490.211Mg-0.1250.296DFJD30.0690.564TL3-0.1620.173Fe0.0370.759BSJD3-0.0370.758TL4-0.1620.173K-0.0100.931DSJD3-0.0370.758TL5-0.0930.436Na-0.2460.037BFJ4-0.0240.840SLTI-0.1090.364Ca-0.1290.281DFJD40.0130.915SLTM-0.0330.983AST-0.0480.687BSJD4-0.0410.731SLTM-0.0560.641ALT-0.0500.674CSJD4-0.0870.466PST0.3920.001CHO20.0070.952BFJD5-0.0870.466PST0.3920.001CHO20.0930.453BSJD5-0.0280.814PSMF0.0520.663LDL0.0900.453BSJD5-0.0280.814PSMF0.0520.663LDL0.0170.889H1-0.2320.049PSLF0.1310.273LDH0.1900.110 <t< th=""><th></th><th>Age</th><th>-0.043</th><th>0.717</th><th>DFJD1</th><th>-0.006</th><th>0.959</th><th>FTR2</th><th>-0.171</th><th>0.150</th></t<>		Age	-0.043	0.717	DFJD1	-0.006	0.959	FTR2	-0.171	0.150
HGS-0.0520.665BSJD20.0370.758FTR5-0.0310.793Zn0.0250.833DSJD2-0.1120.351TTL1-0.0160.891Cu0.1020.393BFJD3-0.0580.630TL2-0.1490.211Mg-0.1250.296DFJD30.0690.564TL3-0.1570.188Fe0.0370.759BSJD3-0.0910.943TL4-0.1620.173K-0.0100.931DSJD3-0.0240.840SLTI-0.0930.436Na-0.2460.037BFJD4-0.0240.840SLTM-0.0030.983AST-0.0480.687BSJD40.0410.731SLTR-0.0560.641ALT-0.0500.674BSJD4-0.0710.388SLTL0.0390.746CHO20.0070.952BFJD5-0.0870.466PST0.3920.001CK0.1060.376DFJD5-0.0790.512PSIF0.2310.513DL0.1380.249DSJD5-0.0010.996PSRF0.0060.958LDL0.0170.889H1-0.2320.049PSIF0.1310.273THG0.1900.110H20.2530.028WRAA-0.0530.056		HL	-0.133	0.266	BFJD2	0.092	0.442	FTR3	-0.213	0.073
Zn0.0250.833DSJD2-0.1120.351TTL1-0.0160.891Cu0.1020.393BFJD3-0.0580.630TL2-0.1490.211Mg-0.1250.296DFJD30.0090.564TL3-0.1570.188Fe0.0370.759BSJD3-0.0090.943TL4-0.1620.173K-0.0100.931DSJD3-0.0370.758TL5-0.0930.436Na-0.2460.037BFJD4-0.0240.840SLTI-0.1090.364Ca-0.1290.281BFJD40.0130.915SLTM-0.0030.983AST-0.0480.687BSJD40.0410.731SLTR-0.0560.641ALT-0.0500.674CSJD4-0.0710.398SLTL0.0390.746CH020.0070.952BFJD5-0.0870.466PST0.3920.011DL0.9900.453BSJD5-0.0280.814PSMF0.0520.663LDL0.0160.376DSJD5-0.0010.996PSRF0.0060.958LDH-0.0170.889H1-0.2320.049PSLF0.1310.273TRiG0.1900.110H2-0.2530.32WRAA-0.0530.556		НВТ	0.037	0.760	DFJD2	0.027	0.819	FTR4	-0.209	0.078
Cu0.1020.393BFJD3-0.0580.630TL2-0.1490.211Mg-0.1250.296DFJD30.0690.564TL3-0.1570.188Fe0.0370.759BSJD3-0.0090.943TL4-0.1620.173K-0.0100.931DSJD3-0.0370.758TL5-0.0930.436Na-0.2460.037BFJD4-0.0240.840SLT1-0.1090.364Ca-0.1290.281DFJD40.0130.915SLTM-0.0330.983AST-0.0480.687BSJD40.0410.731SLTR-0.0560.641ALT-0.0500.674CSJD4-0.0870.466PST0.3920.001CHO20.0070.952BFJD5-0.0790.512PSIF0.2310.051DL0.0900.453BSJD5-0.0280.814PSMF0.0520.663LDL-0.1380.249DSJD5-0.0010.996PSIF0.1310.273TRiG0.1900.110H2-0.2530.032WRAA-0.0530.0530.656		HGS	-0.052	0.665	BSJD2	0.037	0.758	FTR5	-0.031	0.793
Mg-0.1250.296DFJD30.0690.564TL3-0.1570.188Fe0.0370.759BSJD3-0.0090.943TL4-0.1620.173K-0.0100.931DSJD3-0.0370.758TL5-0.0930.436Na-0.2460.037BFJD4-0.0240.840SLTI-0.1090.364Ca-0.1290.281DFJD40.0130.915SLTM-0.0030.983AST-0.0480.687BSJD40.0110.398SLTL0.0390.746ALT-0.0500.674CSJD4-0.0710.398SLTL0.0390.746CHO20.0070.952BFJD5-0.0870.466PST0.3920.001CK0.1060.376DFJD5-0.0790.512PSIF0.0520.663DL10.9900.453BSJD5-0.0110.996PSRF0.0060.958LD4-0.0170.889H1-0.2320.049PSLF0.1310.273TRG0.1900.110H2-0.2530.032WRAA-0.0530.656		Zn	0.025	0.833	DSJD2	-0.112	0.351	TTL1	-0.016	0.891
Fe0.0370.759BSJD3-0.0090.943TL4-0.1620.173K-0.0100.931DSJD3-0.0370.758TL5-0.0930.436Na-0.2460.037BFJD4-0.0240.840SLT1-0.1090.364Ca-0.1290.281DFJD40.0130.915SLTM-0.0030.983AST-0.0480.687BSJD40.0410.731SLTR-0.0560.641ALT-0.0500.674CSJD4-0.0110.398SLTL0.0390.746CH020.0070.952BFJD5-0.0870.466PST0.3920.001CK0.1060.376DFJD5-0.0790.512PSIF0.2310.051DL10.9900.453BSJD5-0.0110.996PSRF0.0060.958LDL-0.1380.249DSJD5-0.0110.996PSIF0.1310.273TRiG0.1900.110H2-0.2530.032WRAA-0.0530.656		Cu	0.102	0.393	BFJD3	-0.058	0.630	TL2	-0.149	0.211
K-0.0100.931DSJD3-0.0370.758TL5-0.0930.436Na-0.2460.037BFJD4-0.0240.840SLT1-0.1090.364Ca-0.1290.281DFJD40.0130.915SLTM-0.0030.983AST-0.0480.687BSJD40.0410.731SLTR-0.0560.641ALT-0.0500.674CSJD4-0.1010.398SLTL0.0390.746CH020.0070.952BFJD5-0.0870.466PST0.3920.001CK0.1060.376DFJD5-0.0790.512PSIF0.2310.051HDL0.0900.453BSJD5-0.0280.814PSMF0.0520.663LDL-0.1730.889H1-0.2320.049PSLF0.1310.273TRiG0.1900.110H2-0.2530.032WRAA-0.0530.656		Mg	-0.125	0.296	DFJD3	0.069	0.564	TL3	-0.157	0.188
Na-0.2460.037BFJD4-0.0240.840SLTI-0.1090.364Ca-0.1290.281DFJD40.0130.915SLTM-0.0030.983AST-0.0480.687BSJD40.0410.731SLTR-0.0560.641ALT-0.0500.674CSJD4-0.1010.398SLTL0.0390.746CH020.0070.952BFJD5-0.0870.466PST0.3920.001CK0.1060.376DFJD5-0.0790.512PSIF0.2310.051HDL0.9900.453BSJD5-0.0280.814PSMF0.0520.663LDL-0.1130.249DSJD5-0.0010.996PSIF0.1310.273LDH-0.0170.889H1-0.2320.049PSLF0.1310.273TRIG0.1900.110H2-0.2530.032WRAA-0.0530.055		Fe	0.037	0.759	BSJD3	-0.009	0.943	TL4	-0.162	0.173
Ca-0.1290.281DFJD40.0130.915SLTM-0.0030.983AST-0.0480.687BSJD40.0410.731SLTR-0.0560.641ALT-0.0500.674CSJD4-0.1010.398SLTL0.0390.746CHO20.0070.952BFJD5-0.0870.466PST0.3920.001CK0.1060.376DFJD5-0.0790.512PSIF0.2310.051HDL0.0900.453BSJD5-0.0280.814PSMF0.0520.663LDL-0.1380.249DSJD5-0.0010.996PSIF0.1310.273TRIG0.1900.110H2-0.2530.032WRAA-0.0530.656		К	-0.010	0.931	DSJD3	-0.037	0.758	TL5	-0.093	0.436
AST-0.0480.687BSJD40.0410.731SLTR-0.0560.641ALT-0.0500.674CSJD4-0.1010.398SLTL0.0390.746CHO20.0070.952BFJD5-0.0870.466PST0.3920.001CK0.1060.376DFJD5-0.0790.512PSIF0.2310.051HDL0.0900.453BSJD5-0.0280.814PSMF0.0520.663LDL-0.1380.249DSJD5-0.0010.996PSRF0.1010.273LDH-0.0170.889H1-0.2320.049PSLF0.1310.273TRIG0.1900.110H2-0.2530.032WRAA-0.0530.656		Na	-0.246	0.037	BFJD4	-0.024	0.840	SLTI	-0.109	0.364
ALT-0.0500.674CSJD4-0.1010.398SLTL0.0390.746CHO20.0070.952BFJD5-0.0870.466PST0.3920.001CK0.1060.376DFJD5-0.0790.512PSIF0.2310.051HDL0.0900.453BSJD5-0.0280.814PSMF0.0520.663LDL-0.1380.249DSJD5-0.0010.996PSRF0.0060.958LDH-0.0170.889H1-0.2320.049PSLF0.1310.273TRIG0.1900.110H2-0.2530.032WRAA-0.0530.656		Са	-0.129	0.281	DFJD4	0.013	0.915	SLTM	-0.003	0.983
CHO20.0070.952BFJD5-0.0870.466PST0.3920.001CK0.1060.376DFJD5-0.0790.512PSIF0.2310.051HDL0.0900.453BSJD5-0.0280.814PSMF0.0520.663LDL-0.1380.249DSJD5-0.0010.996PSRF0.0060.958LDH-0.0170.889H1-0.2320.049PSLF0.1310.273TRIG0.1900.110H2-0.2530.032WRAA-0.0530.656		AST	-0.048	0.687	BSJD4	0.041	0.731	SLTR	-0.056	0.641
CK0.1060.376DFJD5-0.0790.512PSIF0.2310.051HDL0.0900.453BSJD5-0.0280.814PSMF0.0520.663LDL-0.1380.249DSJD5-0.0010.996PSRF0.0060.958LDH-0.0170.889H1-0.2320.049PSLF0.1310.273TRIG0.1900.110H2-0.2530.032WRAA-0.0530.656		ALT	-0.050	0.674	CSJD4	-0.101	0.398	SLTL	0.039	0.746
HDL0.0900.453BSJD5-0.0280.814PSMF0.0520.663LDL-0.1380.249DSJD5-0.0010.996PSRF0.0060.958LDH-0.0170.889H1-0.2320.049PSLF0.1310.273TRIG0.1900.110H2-0.2530.032WRAA-0.0530.656		CHO2	0.007	0.952	BFJD5	-0.087	0.466	PST	0.392	0.001
LDL-0.1380.249DSJD5-0.0010.996PSRF0.0060.958LDH-0.0170.889H1-0.2320.049PSLF0.1310.273TRiG0.1900.110H2-0.2530.032WRAA-0.0530.656		СК	0.106	0.376	DFJD5	-0.079	0.512	PSIF	0.231	0.051
LDH -0.017 0.889 H1 -0.232 0.049 PSLF 0.131 0.273 TRIG 0.190 0.110 H2 -0.253 0.032 WRAA -0.053 0.656		HDL	0.090	0.453	BSJD5	-0.028	0.814	PSMF	0.052	0.663
TRIG 0.190 0.110 H2 -0.253 0.032 WRAA -0.053 0.656		LDL	-0.138	0.249	DSJD5	-0.001	0.996	PSRF	0.006	0.958
		LDH	-0.017	0.889	H1	-0.232	0.049	PSLF	0.131	0.273
WTDVD -0.038 0.751 H3 -0.128 0.285 WRAA -0.077 0.520		TRIG	0.190	0.110	H2	-0.253	0.032	WRAA	-0.053	0.656
		WTDVD	-0.038	0.751	НЗ	-0.128	0.285	WRAA	-0.077	0.520
HC 0.007 0.953 H4 -0.225 0.057 WFA 0.048 0.689		НС	0.007	0.953	H4	-0.225	0.057	WFA	0.048	0.689
WC 0.051 0.671 H5 -0.196 0.099 WEA -0.277 0.019		WC	0.051	0.671	H5	-0.196	0.099	WEA	-0.277	0.019
FC 0.066 0.581 PH1 0.095 0.429 TMFFA 0.145 0.225		FC	0.066	0.581	PH1	0.095	0.429	TMFFA	0.145	0.225
WC2 0.053 0.656 PH2 -0.240 0.042 TIFFA 0.156 0.191		WC2	0.053	0.656	PH2	-0.240	0.042	TIFFA	0.156	0.191

HL: hand length, HBT: hand breadth at thumb, HGS: hand grip strength, WTDVD: wrist thickness, dorsal volar diameter, HC: hand circumference, WC: wrist circumference, FC: fist circumference, WC2: wrist circumference, HDU: hand depth ulnar, HDR: hand depth radial, BFJD1: breadth at the first joint of digit 1, DFJD1: depth at the first joint of digit 1, BFJD2: breadth at the first joint of digit 2, DFJD2: depth at the first joint of digit 2, DSJD2: depth at the second joint of digit 2, BFJD3: breadth at the first joint of digit 3, DFJD3: depth at the first joint of digit 3, DFJD3: depth at the first joint of digit 4, DFJD4: depth at the second joint of digit 3, DSJD3: depth at the second joint of digit 3, BFJD4: breadth at the first joint of digit 4, CFJD4: circumference at the first joint of digit 4, BSJD4: breadth at the second joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 5, DFJD5: depth at the first joint of digit 1, FTR2: fingertip to root digit 2, FTR3: fingertip to root digit 3, FTR4: fingertip to root digit 4, FTR5: fingertip to root digit 5, TTL1: total thumb length, TL2: total length 2, TL3: total length 3, TL4: total length 4, TL5: total length 5, SLT1: span length thumb-index, SLTM: span length thumb-middle, SLTR: span length thumb-ring, SLTL: span length thumb-little, PST: pinch strength of tirtle finger, WRAA: wrist radial abduction angle, WRAA: wrist ulnar abduction angle, WFA: wrist flexion angle, WEA: wrist extension angle, TMFFA: thumb metatarsophalangeal flexion angle, TMFFA: thumb interphalangeal flexion angle

Partial Correlation Test, Control Variables: Study group & gender, r: Correlation Coefficient

DISCUSSION

The main findings of the study indicate that WEA was significantly lower in high MMS groups. In addition, BMI, HBT, FC, WC, HDR, BFJD2, PST, PSLF, and TIFFA were significantly higher in MMS groups. MMS groups showed the highest correlation with the PST. The most important factor for MMS groups in females was PSLF (100%), FTR3 in males, and HBT among all participants.

The Mallampati classification of the upper airway is based on the anatomical relation of the palatoglossal and palatopharyngeal arches, uvula, and the posterior part of the tongue. As such, if the volume or size of the base of the tongue is large, this limits the capacity of the oropharyngeal cavity (22). In addition, increased tongue thickness (TT), demonstrated even by neck ultrasonography, is an independent, proven risk factor for an increased risk of a difficult airway (Odd's Ratio=4.525 for TT>67 mm) (23,24). Wang et al. demonstrated strong correlations between tongue fat reduction and improvement in the apneahypopnea index (AHI), and they indicated that areduction in tongue fat affects tongue volume, increases the upper airway passage, improves tongue function, increased muscle strength, reduced and collapsibility of the tongue. The tongue is formed by extrinsic and intrinsic muscles, and the extrinsic muscles (the genioglossus, the hyoglossus, the styloglossus, and the palatoglossus) determine and change the position of the tongue in the oropharyngeal space (25). Current studies showed the efficacy of hypoglossal nerve stimulation as a major reason for hypopharyngeal obstruction with collapsed tongue base of the upper airway due to reduced genioglossus muscle tone (26). Similarly, myofunctional exercises of the local oropharynx region increase the mobility, endurance, and strength of the related muscles, and thus prevent the hypopharyngeal collapsing, especially the tongue base by forced repositioning (27). We could not find a study that directly assessed tongue/oropharyngeal muscle strength and mallampati scores or the risk of difficult airway intervention. However, with a general approach, a hypothesis such as 'Increasing muscle strength affects upper airway anatomy and functions similar to the effect achieved by reducing fat volume (decreased fat volume, and increased muscle function)' can be established. HGS has been suggested as a beneficial index for diagnosing overall muscular strength and sarcopenia in various conditions including nutritional status, muscle mass, walking performance, disabilities, and pulmonary function (15,17,28-31). Moreover, pinch strength reflects hand dexterity and is a more limited and specific issue. Pinch strength capabilities are generally associated with a response to rehabilitation after injuries, medicolegal reports with industrial accidents, specific athletic abilities, special sports branches, musculoskeletal and neurological diseases affecting dexterity, and industrial occupations/ergonomics (32). In the present study, contradictory to each other, PST and PSLF were found to be independent and important factors for difficult airway while the more commonly known HGS values did not show a significant relationship with MMS groups. Behavioral and neurophysiological studies support that the most stable grasp was obtained by jointly placing the index and middle finger as counterparts on the thumb (33,34). Furthermore, these three fingers constituted different types of pinch strength such as lateral pinch strength, key pinch strength, three-jaw chuck pinch strength, and tip-to-tip pinch, and both HGS with pinch strength of the fingers correlate to common anthropometric features including hand circumference, hand span, hand length, and palm length (35).

HGS and PSF are significantly higher in males and elite

athletes, in keeping with the existing literature, with samples containing the same and different populations (36,37). HGS and PSF correlate with gender, age, height, weight, hand dominance, and BMI, and reach their peak between 25-29 years of age (38). Serum levels of CK, LDH, AST, and ALT are the most related markers of muscle volume and injury, so it is an expected finding that they are high in athletes and males. LDH is an important enzyme of the anaerobic metabolic pathway as oxidoreductase, and it catalyzes the reversible conversion of the lactate to pyruvate (39). Thus, increased serum levels have been demonstrated in sleep apnea and other ischemic conditions (40). However, given the association of OSAS or ischemic events with higher Mallampati classes in this situation, it would be expected that increased LDH levels would be associated with a higher MMS score. In this study, contrary to expectations, although a significant relationship between LDH and lower Mallampati scores was found, there is not enough evidence in the literature, and it is not realistic to declare LDH as a predictor for MMS with a limited sample size.

Limitations of the Study

The most important limitation of the study is the very small number of cases per sub-study group, for example, there was only one patient in the Mallampati class 4 group. In addition, it can be expected that the participants were not selected according to exercise intensity in the elite athlete group, and this would affect the laboratory parameters. Furthermore, ultimately, difficult airway is a clinical intervention, and planning a cohort study would be more appropriate for the methodology of such a study.

CONCLUSION

Clinically, PST and PSLF, which are variables expressing muscle strength, and FTR3 and HBT, which are anthropometric measurements, may be more useful because they both indicate elite athletes and correlate with high MMS groups. Contrary to the literature, the HGS muscle was not usable in this study because the analysis was made by controlling for gender and professional occupation affecting muscle strength.

In our study, the pinch strength of the thumb and little finger was determined as the most important predictor for the MMS group rather than HGS. Despite conflicting results, it may be recommended that elite athletes must be evaluated separately in their own groups in terms of anesthesia applications compared to other groups (for example, in the case of obesity).

Financial disclosures: The authors declared that this study has received no financial support.

Conflict of interest: The authors have no conflicts of interest to declare.

Ethical approval: An observational study was designed. The study was conducted in the Department of Anesthesiology, Faculty of Medicine, Kırşehir Ahi Evran

REFERENCES

- 1. Endlich Y, Lee J, Culwick MD. Difficult and failed intubation in the first 4000 incidents reported on webAIRS. Anaesth Intensive Care. 2020;48:477-87.
- 2. Roth D, Pace NL, Lee A, et al. Airway physical examination tests for detection of difficult airway management in apparently normal adult patients. Cochrane Database Syst Rev. 2018;5:CD008874.
- 3. Kolhe SA, Daokar SS. Clinical assessment of the correlation between tongue pressure, modified mallampati score, BMI, and obstructive sleep apnea. Journal of Indian Orthodontic Society. 2024;58:150-7.
- 4. Davis DP, Olvera DJ. HEAVEN criteria: derivation of a new difficult airway prediction tool. Air Med J. 2017;36:195-7.
- Saraf A, Yadav A. A study to rank predictors of preoperative airway assessment on the basis of accuracy of prediction while performing laryngoscopy in obese patients. IOSR-JDMS. 2018;17:04-10.
- 6. Schnittker R, Marshall SD, Berecki-Gisolf J. Patient and surgery factors associated with the incidence of failed and difficult intubation. Anaesthesia. 2020;75:756-66.
- Shiga T, Wajima Z, Inoue T, Sakamoto A. Predicting difficult intubation in apparently normal patients: a meta-analysis of bedside screening test performance. Anesthesiology. 2005;103:429-37.
- 8. Lee SL, Hosford C, Lee QT, et al. Mallampati class, obesity, and a novel airway trajectory measurement to predict difficult laryngoscopy. Laryngoscope. 2015;125:161-6.
- Tasli H, Karaman NE, Isler D, Subasi B. A predictor of difficult airway: the tasli classification in transnasal flexible laryngoscopy. J Voice. 2023;37:945-50.
- 10. Motamedi M, Soltani M, Amiri M, Memary E. The relationship between orotracheal intubation difficulty scoring systems and anthropometric factors. Adv J Emerg Med. 2018;3:e5.
- 11. Bourgonjon B, Vermeylen K, Tytgat N, Forget P. Anaesthesia for elite athletes. Eur J Anaesthesiol. 2022;39:825-34.
- 12. Peck B, Renzi T, Peach H, et al. Examination of risk for sleepdisordered breathing among college football players. J Sport Rehabil. 2019;28:126-32.
- 13. Jacobson BH. Anthropometric cross-sectional comparisons of college football players and potential health implications. J Strength Cond Res. 2012;26:3358-64.
- 14. George CF, Kab V, Kab P, et al. Sleep and breathing in professional football players. Sleep Med. 2003;4:317-25.
- 15. Han CH, Chung JH. Association between hand grip strength and spirometric parameters: Korean National health and Nutrition Examination Survey (KNHANES). J Thorac Dis. 2018;10:6002-9.

- 16. Ulcay T, Kamaşak B, Kaya K, et al. The effect of hand anthropometric variables on grip strength in grip elite athletes and non-athletes. Turk J Sport Exe. 2021;23:102-10.
- 17. Kim S, Yoon HK, Rhee CK, et al. Hand grip strength and likelihood of moderate-to-severe airflow limitation in the general population. Int J Chron Obstruct Pulmon Dis. 2022;17:1237-45.
- Cakit E, Durgun B, Cetik O, Yoldas O, A survey of hand anthropometry and biomechanical measurements of dentistry students in Turkey. Human Factors and Ergonomics in Manufacturing & Service Industries. 2014;24:739-53.
- 19. Jee SC, Yun MH. An anthropometric survey of Korean hand and hand shape types. International Journal of Industrial Ergonomics. 2016;53:10-8.
- Mirmohammadi SJ, Mehrparvar AH, Mostaghaci M, et al. Anthropometric hand dimensions in a population of Iranian male workers in 2012. Int J Occup Saf Ergon. 2016;22:125-30.
- 21. Mohammad YA. Anthropometric characteristics of the hand based on laterality and sex among Jordanian. International Journal of Industrial Ergonomics. 2005;35:747-54.
- 22. Mallampati SR, Gatt SP, Gugino LD, et al. A clinical sign to predict difficult tracheal intubation: a prospective study. Can Anaesth Soc J. 1985;32:429-34.
- 23. Wang B, Yao W, Xue Q, et al. Nomograms for predicting difficult airway based on ultrasound assessment. BMC Anesthesiol. 2022;22:23.
- 24. Xu J, Wang B, Wang M, et al. The value of multiparameter combinations for predicting difficult airways by ultrasound. BMC Anesthesiol. 2022;22:311.
- 25. Wang W, Di C, Mona S, et al. Tongue function: an underrecognized component in the treatment of obstructive sleep apnea with mandibular repositioning appliance. Can Respir J. 2018;2018:2157974.
- 26. Costantino A, Rinaldi V, Moffa A, et al. Hypoglossal nerve stimulation long-term clinical outcomes: a systematic review and meta-analysis. Sleep Breath. 2020;24:399-411.
- 27. Diaféria G, Santos-Silva R, Truksinas E, et al. Myofunctional therapy improves adherence to continuous positive airway pressure treatment. Sleep Breath. 2017;21:387-95.
- 28. Birman MV, Solomon GS, Vender MI. Functional capacity evaluation in hand surgery. J Hand Surg Am. 2016;41:133-4.
- 29. Herbin ML. Work capacity evaluation for occupational hand injuries. J Hand Surg Am. 1987;12:958-61.
- 30. Rantanen T, Volpato S, Ferrucci L, et al. Handgrip strength and cause-specific and total mortality in older disabled women: exploring the mechanism. J Am Geriatr Soc. 2003;51:636-41.
- 31. Sallinen J, Stenholm S, Rantanen T, et al. Hand-grip strength cut points to screen older persons at risk for mobility limitation. J Am Geriatr Soc. 2010;58:1721-6.
- 32. Boatright JR, Kiebzak GM, O'Neil DM, Peindl RD. Measurement of thumb abduction strength: normative data and a comparison with grip and pinch strength. J Hand Surg Am. 1997;22:843-8.

DOI: 10.37990/medr.1518418

- 33. Gentilucci M, Caselli L, Secchi C. Finger control in the tripod grasp. Exp Brain Res. 2003;149:351-60.
- 34. Smeets JBJ, van der Kooij K, Brenner E. A review of grasping as the movements of digits in space. J Neurophysiol. 2019;122:1578-97.
- 35. Maleki-Ghahfarokhi A, Dianat I, Feizi H, Asghari-Jafarabadi M. Influences of gender, hand dominance, and anthropometric characteristics on different types of pinch strength: a partial least squares (PLS) approach. Appl Ergon. 2019;79:9-16.
- 36. Lam NW, Goh HT, Kamaruzzaman SB, et al. Normative data for hand grip strength and key pinch strength, stratified by age and gender for a multiethnic Asian population. Singapore Med J. 2016;57:578-84.

- 37. Ziyagil MA, Gürsoy R, Dane Ş, et al. Effects of handedness on the hand grip strength asymmetry in Turkish athletes. Comprehensive Psychology. 2015;4:20.
- Ügurlu U, Özdogan H. Age- and gender-specific normative data of pinch strengths in a healthy Turkish population. J Hand Surg Eur Vol. 2012;37:436-46.
- Lin T, Huang JF, Lin QC, et al. The effect of CPAP treatment on venous lactate and arterial blood gas among obstructive sleep apnea syndrome patients. Sleep Breath. 2017;21:303-9.
- 40. Akbari G. Role of zinc supplementation on ischemia/ reperfusion injury in various organs. Biol Trace Elem Res. 2020;196:1-9.