

Some Heteroptera collected by light trap in Diyarbakır (Turkey)

F. Önder* N. Adıgüzel**

Summary

From March through November 1977, some light traps have been used to collect insects in the experimental garden of Regional Plant Protection Research Institute, Diyarbakır. Trapped insects have been counted each morning. Among them only heteropterous species have selected for identification. As a consequence of this study, 87 species of 13 families of Heteroptera have been found by using light traps. From which 5 species [*Acrostemum breviceps* (Jak.) (Pentatomidae); *Campylosteira bosnica* Horv. (Tingidae); *Piocoris arenarius* (Jak.), *Nysius thymi* (Wolff), *Pachybrachius fracticolis* (Schl.) Lygaeidae)] are new records for Turkey.

Introduction

It is known that many insects are attracted to light at night. By using the light traps are usually taken satisfactory results in the faunistic studies. i.e. Hoberlandt (1961) stated that 37 species of heteropterous insect caught in light traps in Ankara.

The present paper deals the heteropterous species caught in light traps in Diyarbakır in 1977. The trapped species were checked by Hoberlandt (1955, 1961); Stichel (1955, 1959a,b, 1960a,b, 1961); Seidenstücker (1957, 1958, 1960); Wagner (1959, 1966); Linnauvori (1965); Pericart (1972) Önder (1976) and Lodos ve Önder (1978) and decided if they have been found previously in Turkey.

*) University of Ege, Faculty of Agriculture, Department of Entomology and Agricultural Zoology, Izmir, Turkey.

**) Regional Plant Protection Research Institute, Diyarbakır, Turkey.

Ahniş (Received): 11.10.1978

Material and Method

A light trap was operated continuously by the junior author during the main period of insect activity, from March through November in the experimental garden of Regional Plant Protection Research Institute, Diyarbakır in 1977. The trap used was equipped with a single 100 w electric lamp and attached 1.5 m above the ground. All the trapped insects were mounted and labelled and only heteropterous specimens were sent to the senior author for identification.

Results

The work on this field gave interesting results which are presented as below. The total number of each species are shown in brackets.

Corixidae

Corixa affinis Lch.

Diyarbakır, 14.VII.1977, (1).

Leptopodidae

Patapius spinosus (R.)

Diyarbakır, 4/5.VII.1977, (4); -4.VIII.1977, (1).

Coreidae

Coriomeris hirticornis (F.)

Diyarbakır, 28.VII.1977, (1).

Stenocephalidae

Dicranoccephalus setulosus Fr.

Diyarbakır, 1.VII.1977, (1).

Rhopalidae

Liorhyssus hyalinus (F.)

Diyarbakır, 14.VII.1977, (1); -21.VIII.1977, (2); -6.IX.1977, (1); -12/-17.IX.1977, (13).

***Stictopleurus riveti* Ry.**

Diyarbakır, 19.V.1977, (1); -12.VI.1977, (1); -22.VII.1977, (1); -10.IX.1977
(2).

***Brachycarenus tigrinus* (Schl.)**

Diyarbakır, 7.VII.1977, (2).

***Chorosoma schillingi* Schl.**

Diyarbakır, 6.VII.1977, (2); -5.VIII.1977, (2); -15.IX.1977, (1).

Reduviidae

***Reduvius pallipes* (Klug)**

Diyarbakır, 6.VII.1977, (2).

***Oncocephalus thoracicus* Fieb.**

Diyarbakır, 23.VI.1977, (1).

***Pirates hybridus* (Scop.)**

Diyarbakır, 6.VIII.1977, (1).

Nabidae

***Nabis pseudoferus* Rm.**

Diyarbakır, 14.V.1977, (1); -5/10.VI.1977, (2); -12/18.VI.1977, (4);
-5.VII.1977, (1).

***N. rugosus* (L.)**

Diyarbakır, 10/16.VI.1977, (9); -29.VII.1977, (1); -24.IX.1977, (1).

***N. sareptanus* D.**

Diyarbakır, 5/10.VI.1977, (10); -12/18.VI.1977, (8); -30.VI.1977, (1);
-17/23.VII.1977, (4); -29.VII.1977, (1); -2.VIII.1977, (1).

Cydnidae

***Macroscytus brunneus* (F.)**

Diyarbakır, 23.IV.1977, (3); -7.VI.1977, (1); -28.VI.1977, (1); -3.VII.1977,
(2); -14.VII.1977, (2); -21/26.VII.1977, (11); -6.VIII.1977, (10); -16.VIII.1977,
(1); -21/29.VIII.1977, (7); -14.IX.1977, (1); -28/29.IX.1977, (3).

***Geotomus elongatus* (H.-S.)**

Diyarbakır, 15.VIII.1977, (1); -15.IX.1977, (1).

Pentatomidae

Acrosternum breviceps (Jak.)

Diyarbakır, 4/5.VIII.1977, (11); -22.VIII.1977, (1); -1.X.1977, (1).
This species is new record for Turkey.

A. heegeri Fieb.

Diyarbakır, 5.VIII.1977, (1).

A. millieri (M.-R.)

Diyarbakır, 22.VIII.1977, (1); -28.IX.1977, (1).

Apodiphus amygdali (Gm.)

Diyarbakır, 3/9.VII.1977, (10); -11.VIII.1977, (1); -22.VIII.1977, (2);
-1.IX.1977, (1).

Eysarcoris inconspicuus (H.-S.)

Diyarbakır, 6.VIII.1977, (1); -15.VIII.1977, (1).

Anthocoridae

Orius laevigatus (Fieb.)

Diyarbakır, 1.VII.1977, (1); -21.VIII.1977, (1).

O. niger (Wolff)

Diyarbakır, 4.VI.1977, (1); -5/10.VII.1977, (2); -23.VII.1977 (1).

O. laticollis (Reut.)

Diyarbakır, 20.III.1977, (1); -15/16.VI.1977, (2); -5.VII.1977, (1);
-16.VII.1977, (1); -29.VII.1977, (1); -4.VIII.1977, (1); -21.VIII.1977, (1).

Tingidae

Stephanitis pyri (F.)

Diyarbakır, 9.VIII.1977, (1); -23.VIII.1977, (1); -6.IX.1977, (1).

Monosteira unicostata (M.-R.)

Diyarbakır, 20.V.1977, (2); -16.VI.1977, (1); -30.VI.1977, (1); -31.VII.1977
(1); -4/9.VII.1977, (16); -21/26.VIII.1977, (15).

Campylosteira bosnica Horv.

Diyarbakır, 12.VI.1977, (1).

This species is not previously recorded from Turkey.

Miridae

Phytocoris loralis Wgn.

Diyarbakır, 12.VI.1977, (1); -20/23.VI.1977, (3); -7.VII.1977, (2); -19.VII.1977, (1); -11.IX.1977, (1).

Exolygus pratensis (L.)

Diyarbakır, 7/10.VI.1977, (2); -18/20.VI.1977, (2); -5.VII.1977, (3); -6.VIII.1977, (1); -14.IX.1977, (1); -28.IX.1977, (1).

Orthops callosus (L.)

Diyarbakır, 24.VI.1977, (1).

Taylorilygus pallidulus (Blch.)

Diyarbakır, 8.VII.1977, (1).

Polymerus cognatus (Fieb.)

Diyarbakır, 8.VII.1977, (1).

Stenodema calcaratum (Fn.)

Diyarbakır, 29.VII.1977, (1).

S. turanicum Reut.

Diyarbakır, 20.III.1977, (2); -19.V.1977, (1); -12.VI.1977, (2); -3.VII.1977 (3); -20.VII.1977, (1); -29.VII.1977, (2); -3/6.VIII.1977, (8); -21/29.VIII.1977, (10); -5/12.IX.1977, (16); -14/20.IX.1977, (10); -24/28.IX.1977, (9).

Trigonotylus ruficornis (G.)

Diyarbakır, 20.III.1977, (1); -9/17.VI.1977, (20); -20/24.VI.1977, (6); -7/15.VIII.1977, (2); -8/16.IX.1977, (9).

T. pulchellus (H.)

Diyarbakır, 25.IV.1977, (1); -31.V.1977, (1); -3/10.VI.1977, (6); -12/16.VI.1977, (15); -20/28.VI.1977, (2); -4/8.VII.1977, (3); -15/19.VII.1977, (2); -9/17.IX.1977, (2).

Deraeocoris rutilus (H.-S.)

Diyarbakır, 7.VI.1977, (1); -3.VII.1977, (1).

D. pallens Reut.

Diyarbakır, 20.III.1977, (2); -3.V.1977, (1); -3/10.VI.1977, (9); -12/18.VI.1977, (15); -23/30.VI.1977, (25); -5/8.VII.1977, (2); -10/14.VII.1977, (3); -7/8.IX.1977, (4); -17.IX.1977, (1).

D. serenus (Dgl. Sc.)

Diyarbakır, 20.III.1977, (1); -15.IV.1977, (1); -25.IV.1977, (1); -30/31.V.1977, (3); -3/11.VI.1977, (14); -12/20.VI.1977, (56); -25/28.VI.1977, (14); -5/8.VII.1977, (8); -14/23.VII.1977, (5); -16/17.IX.1977, (14).

Acrorrhinum conspersum Nh.

Diyarbakır, 20/26.III.1977, (4); -3.VI.1977, (2); -12/19.VI.1977, (17); -23/30.VI.1977, (7); -3/8.VII.1977, (21); -14/16.VII.1977, (6); -25/29.VII.1977 (2); -8.IX.1977, (2); -15/17.IX.1977, (2).

Dicyphus albonasutus Wgn.

Diyarbakır, 5.VII.1977, (1); -21.VIII.1977, (1).

Macrolophus nubilus (H.-S.)

Diyarbakır, 30/31.V.1977, (1); -3/10.VI.1977, (5); -14/20.VI.1977, (8); -24.VI.1977, (1); -5/11.VII.1977, (11); -14/16.VII.1977, (2); -9.VIII.1977, (1); -28.IX.1977, (1).

Brachynotocoris puncticornis Reut.

Diyarbakır, 20.III.1977, (3); -3/10.VI.1977, (9); -12/18.VI.1977, (38); -20/28.VI.1977, (17); -5/7.VII.1977, (12); -15.VII.1977, (1); -3/11.IX.1977, (2); -17.IX.1977, (5).

Orthotylus flavosparsus (C.Sb.)

Diyarbakır, 7.VII.1977, (1).

Pseudoloxops coccineus (M.-D.)

Diyarbakır, 3/10.VI.1977, (8); -14/18.VI.1977, (6); -22/25.VI.1977, (3); -7/10.VII.1977, (3); -16.VII.1977, (1); -2.VIII.1977, (1).

Zanchius alatus Hob.

Diyarbakır, 23.VII.1977, (1).

Megalocoleus molliculus (Fn.)

Diyarbakır, 30.V.1977, (1); -4/10.VI.1977, (3).

Campylomma annulicornis (Sign.)

Diyarbakır, 10.VI.1977, (1); -7.VII.1977, (1); -15.IX.1977, (1).

C. verbasci (M.-D.)

Diyarbakır, 3.VI.1977, (1); -5.VII.1977, (1); -4.VIII.1977, (1).

C. nicolasi Pt.Reut.

Diyarbakır, 14.VII.1977, (3); -23/31.VII.1977, (9).

C. diversicornis Reut.

Diyarbakır, 10/15.VI.1977, (2); -16.VII.1977, (1); -8/11.IX.1977, (2).

Oncotylus setulosus (H.-S.)

Diyarbakır, 10/16.VI.1977, (18); -29.VIII.1977, (1); -17.IX.1977, (1).

O. viridiflavus (Gz.)

Diyarbakır, 5/12.VI.1977, (3).

Plagiognathus fulvipennis (Kbm.)

Diyarbakır, 3.V.1977, (1); -10/16.VI.1977, (12); -7.VII.1977, (1); -8.IX.1977, (1).

P. bipunctatus Reut.

Diyarbakır, 25.IV.1977, (1); -3/10.VI.1977, (23); -15/18.VI.1977, (20); -24/29.VI.1977, (13); -5/10.VII.1977, (25); -15/20.VII.1977, (2); 8.IX.1977, (1).

P. raphani Wgn.

Diyarbakır, 28.V.1977, (1); -7/10.VI.1977, (12); -3.VII.1977, (1).

Psallus ancorifer Fieb.

Diyarbakır, 9/16.VI.1977, (6).

P. lepidus Fieb.

Diyarbakır, 25.IV.1977, (1); -30.V.1977, (1); -4/10.VI.1977, (5).

Nanopsallus carduellus Horv.

Diyarbakır, 4/10.VI.1977, (6); -12/18.VI.1977, (18); -28.VI.1977, (3); -5.VII.1977, (2); -14/18.VII.1977, (5); -22/31.VII.1977, (4); -23/26.VIII.1977, (2); -8/16.IX.1977, (3).

Mauradactylus albodus (Klt.)

Diyarbakır, 18.VI.1977, (1); -4.VIII.1977, (1); -26.VIII.1977, (1).

Tuponia unicolor (Sc.)

Diyarbakır, 23/31.VII.1977, (2).

Lygaeidae

Geocoris megacephalus (R.)

Diyarbakır, 30.X.1977, (1).

Piocoris arenarius (Jak.)

Diyarbakır, 14.VI.1977, (1).

This species constitutes a new record for Turkey.

Metopoplax origani (Klt.)

Diyarbakır, 16.IX.1977, (1).

Oxycarenus pallens (H.-S.)

Diyarbakır, 31.VII.1977, (1).

Melanocoryphus superbus (Pol.)

Diyarbakır, 30.X.1977, (1).

Nysius stalianus Horv.

Diyarbakır, 10/16.VI.1977, (7); -6.IX.1977, (1).

N. thymi (Wolff)

Diyarbakır, 15.VI.1977, (1); -15.VII.1977, (1); -28.IX.1977, (1).

This species is a new record for Turkey.

N. punctipennis (H.-S.)

Diyarbakır, 20.III.1977, (1); -19/20.V.1977, (2); -3/10.VI.1977, (8); -12/18.VI.1977, (10); -20/28.VI.1977, (6); -7/14.VII.1977, (45); -15/23.VII.1977, (8); -6/9.VIII.1977, (4); -21.VIII.1977, (3); -6/12.IX.1977, (3); -28.IX.1977, (1).

N. senecionis (Schl.)

Diyarbakır, 15.VI.1977, (1); -3/10.VII.1977, (9); -15/23.VII.1977, (2); -26.VII.1977, (1); -6.VIII.1977, (1); -22.VIII.1977, (1); -11/14.IX.1977, (8).

N. carinata Lb.

Diyarbakır, 14.V.1977, (1); -3/8.VI.1977, (2); -28.VI.1977, (3); -5/11.VII.1977, (9); -14/22.VII.1977, (4); -6.VIII.1977, (2); -24.IX.1977, (1).

N. cymoides (Spin.)

Diyarbakır, 19.V.1977, (1); -30.V.1977, (1); -3/10.VI.1977, (3); -15/17.VI.1977, (3); -28/30.VI.1977, (2); -5/11.VII.1977, (29); -14/15.VII.1977, (3); -21.VIII.1977, (2); -6/14.IX.1977, (6).

N. graminicola (Klt.)

Diyarbakır, 3/10.VI.1977, (7); -12/18.VI.1977, (12); -28.VI.1977, (15); -5/11.VII.1977, (33); -14/22.VII.1977, (22); -6.VIII.1977, (6); -21/23.VIII.1977 (6); -8/14.IX.1977, (11); -15/20.IX.1977, (4).

Lamprodema maurum (F.)

Diyarbakır, 20.III.1977, (1).

Megalonotus setosus Pt.

Diyarbakır, 23.VII.1977, (1); -6.VIII.1977, (1).

M. longipilis (Pt.)

Diyarbakır, 22.VIII.1977, (1); -30.X.1977, (1).

Rhyparochromus reuteri (Horv.)

Diyarbakır, 30.X.1977, (1).

Beosus maritimus (Scop.)

Diyarbakır, 4.VIII.1977, (1).

B. quadripunctatus (Ml.)

Diyarbakır, 15.VI.1977, (1); -8/14.VII.1977, (3); -20/25.VII.1977, (2); -1.VIII.1977, (1).

Peritrechus gracilicornis Pt.

Diyarbakır, 15.VI.1977, (1); -5/8.VII.1977, (4); -13/20.VII.1977, (4); -30.X.1977, (1).

Lethaeus picipes (H.-S.)

Diyarbakır, 12.VI.1977, (2); -6.VIII.1977, (1).

L. lethierryi (Pt.)

Diyarbakır, 12.V.1977, (1); -10.VII.1977, (1); -19.VII.1977, (1); -6.VIII.1977, (2); -22.VIII.1977, (1).

Emblethis verbasci (F.)

Diyarbakır, 23.VII.1977, (1); -1.X.1977, (1).

Tropistethus majusculus Horv.

Diyarbakır, 3.VI.1977, (2); -12/18.VI.1977, (13); -30.VI.1977, (1); -5/10.VII.1977, (7); -14/22.VII.1977, (7); -6/9.VIII.1977, (11); -21/26.VIII.1977, (3).

T. holosericeus (Sch.)

Diyarbakır, 20.III.1977, (1); -12/18.VI.1977, (11); -5/10.VII.1977, (18); -14/21.VII.1977, (7); -26/31.VII.1977, (5); -6/9.VIII.1977, (5); -21/22.VIII.1977, (4).

Camptocera glaberrima (Wk.)

Diyarbakır, 30/31.V.1977, (2); -3.VI.1977, (1); -15.VI.1977, (4); -24/28.VI.1977, (3); -5/10.VII.1977, (41); -14/22.VII.1977, (19); -2/9.VIII.1977, (20); -21/26.VIII.1977, (18); -6/11.IX.1977, (3); -28.IX.1977, (1).

Pachybrachius fracticollis (Schl.)

Diyarbakır, 15.VII.1977, (1); -2.VIII.1977, (1).

This species constitutes a new record for Turkey.

Özet

Diyarbakır'da ışık tuzaklarında toplanan bazı Heteroptera türleri

1977 yılının Mart-Kasım ayları arasında Diyarbakır Bölge Zirai Mücadele Araştırma Enstitüsü deneme bahçesinde böcek toplamak amacıyla ışık tuzakları kullanılmış ve bunlarla yakalanan türlerin günlük sayımları yapılmıştır. Toplanan örnekler arasında Heteroptera takımına bağlı türler bu çalışmada ele alınmıştır. Yapılan incelemeler sonunda 13 familyaya bağlı 87 tür saptanmış ve bunlardan 5'inin "*Acrosternum breviceps* (Jak.) (Pentatomidae); *Campylosteria bosnica* Horv. (Tingidae); *Piocoris arenarius* (Jak.), *Nysius thymi* (Wolff), *Pachybrachius fracticollis* (Schl.) (Lygaeidae)" Türkiye için yeni kayıt niteliğinde olduğu belirlenmiştir.

References

- Hoberlandt, L., 1955. Results of the zoological scientific of the National Museum in Praha to Turkey. 18. Hemiptera. IV. Terrestrial Hemiptera - Heteroptera of Turkey. *Acta ent. Mus. natn. Pragae*, Suppl., 3: 1-264.
- _____, 1961. Heteroptera collected in Ankara (Turkey) by light trap. *Ibid*, 34(590):399 - 416.
- Linnavuori, R., 1965. Studies on the south and east mediterranean hemipterous fauna. III. Hemipterological observations from Turkey. *Acta ent. fenn.*, 21: 44 - 61.
- Lodos, N. ve F. Önder, 1979. Türkiye Pentatomidea (Heteroptera) üst familyası üzerinde araştırma'ar. III. Familya: Cydnidae Billberg. E.Ü. Ziraat Fakültesi (In press).
- Önder,F., 1976. Türkiye Miridae (Hemiptera) faunası üzerinde sistematik araştırmalar (Unpublished postdoctorate thesis) 506 pp.
- Pericart, J., 1972. Hémiptères. Anthocoridae Cimicidae et Microphysidae de L'Ouest -Pálearctique. Masson et Cie Editeurs, Paris, 402 pp.
- Seidenstücker, G., 1957. Heteroptera aus Anatolien I. *Istanbul Univ. Fen Fak. Mecm.*, 22: 179-189.
- _____, 1958. Heteroptera aus Anatolien II. *Ibid*, 23: 119-129.
- _____, 1960. Heteroptera aus Anatolien III. *Ibid*, 25: 145-154.
- Stichel, W., 1955. Illustrierte Bestimmungstabellen der Wanzen. II. Europa, 1(2): 33-64.
- _____, 1959 a. Illustrierte Bestimmungstabellen der Wanzen. II. Europa, 3(3-6): 65-192.
- _____, 1959(b). Illustrierte Bestimmungstabellen der Wanzen. II. Europa, 4(12): 353-384.
- _____, 1960(a). Illustrierte Bestimmungstabellen der Wanzen. II. Europa, 3(7-11): 193-352.
- _____, 1960(b). Illustrierte Bestimmungstabellen der Wanzen. II. Europa, 4(13-17): 385-544.
- _____, 1961. Illustrierte Bestimmungstabellen der Wanzen. II. Europa, 4(18-24): 545-768.
- Wagner, E., 1959. Beitrag zur Heteropterenfauna Anatoliens. *Z. angew. Ent. Hamburg*, 44: 102-113.
- _____, 1966. Eine Heteropteraausbeute aus der Türkei (Hemiptera, Heteroptera). *Bull. Rech. agron. Gembloux*, N.S. 1: 646-654.