

- Adalı S**, Erkalp K, Erden V, Çömlekçi M, Bülbül M, Aldemir T. Spinal anesthesia and combined sciatic nerve/lumbar plexus block techniques in lower extremity orthopedic surgery. 2011;45(4):225-232 (Original Article)
- Adanır O** (see Esenyel CZ et al.) 2011;45(5):291-296
- Ademoğlu Y** (see Gürbüz Y et al.) 2011;45(6):387-392
- Ademoğlu Y** (see Kayalar M et al.) 2011;45(5):304-311
- Aggarwal AN** (see Kumar S et al.) 2011;45(6):421-424
- Ağır İ** (see Tetik C et al.) 2011;45(5):326-334
- Ahuja S** (see Mukhopadhyay S et al.) 2011;45(4):209-214
- Akalın S** (see Baz AB et al.) 2011;45(6):466-469
- Akalın Y** (see Akıncı O et al.) 2011;45(3):149-155
- Akan K**, Ünay K, Berkem L, Güven M, Poyanlı O. Suction drainage influence on knee effusion following partial meniscectomy with partial fat pad or synovium resection. 2011;45(4):221-224 (Original Article)
- Akbaş E**, Atay AÖ, Yüksel İ. The effects of additional kinesio taping over exercise in the treatment of patellofemoral pain syndrome. 2011;45(5):335-341 (Original Article)
- Akbaş E**, Atay AÖ, Yüksel İ. Erratum to: The effects of additional kinesio taping over exercise in the treatment of patellofemoral pain syndrome. 2011;45(6):471 (Erratum)
- Akça O** (see Orhun H et al.) 2011;45(4):261-265
- Akçal A** (see Karşıdağ S et al.) 2011;45(6):446-452
- Akçal A** (see Karşıdağ S et al.) 2011;45(2):100-108
- Akel İ** (see Songür M et al.) 2011;45(4):215-220
- Akesen B** (see Yaray O et al.) 2011;45(5):353-358
- Akıncı O**, Akalın Y, İncesu M, Eren A. Long-term results of surgical treatment of pigmented villonodular synovitis of the knee. 2011;45(3):149-155 (Original Article)
- Akkın SM** (see Yalçın L et al.) 2011;45(6):453-457
- Akman B**, Şahin A, Turan Y, Özkan K, Eren A, Özkan NK. Early results of distal metatarsal osteotomy with K-wire fixation in the treatment of tailor's bunion. 2011;45(6):431-436 (Original Article)
- Akpınar S** (see Çınar M et al.) 2011;45(4):280-283
- Akpınar S** (see Şentürk İ et al.) 2011;45(1):41-46
- Akpınar S**, Uysal M, Pourbagher MA, Özalay M, Cesur N, Hersekli MA. Prospective evaluation of the functional and anatomical results of arthroscopic repair in small and medium-sized full-thickness tears of the supraspinatus tendon. 2011;45(4):248-253 (Original Article)
- Aksoy Y**, Altinel L, Köse KÇ. The comparison of the effects of intra-operative bleeding control and postoperative drain clamping methods on the postoperative blood loss and the need for transfusion following total knee arthroplasty. 2011;45(3):190-194 (Original Article)
- Alami M**, Mahfoud M, El Bardouni A, Berrada MS, El Yaacoubi M. Squamous cell carcinoma arising from chronic osteomyelitis. 2011;45(3):144-148 (Original Article)
- Aldemir T** (see Adalı S et al.) 2011;45(4):225-232
- Alıcı T** (see Gündeş H et al.) 2011;45(6):406-411
- Alkaş L** (see Kural C et al.) 2011;45(5):312-315
- Alkaş M** (see Kural C et al.) 2011;45(5):312-315
- Alp M** (see Yalçın L et al.) 2011;45(6):453-457
- Alsancak S**, Köse SK, Altınkaynak H. Effect of elastic bandaging and prosthesis on the decrease in stump volume. 2011;45(1):14-22 (Original Article)
- Altay MA** (see Ertürk C et al.) 2011;45(6):425-430
- Altinel L** (see Aksoy Y et al.) 2011;45(3):190-194
- Altınkaynak H** (see Alsancak S et al.) 2011;45(1):14-22
- Altıntaş S** (see Emes Y et al.) 2011;45(5):365-369
- Altun G** (see Orhun H et al.) 2011;45(4):261-265
- Arık H** (see Baz AB et al.) 2011;45(6):466-469
- Arslian H** (see Kapukaya A et al.) 2011;45(3):203-207
- Aşçı M** (see Bostan B et al.) 2011;45(4):270-275
- Atay A** (see Yosmaoğlu HB et al.) 2011;45(4):240-247
- Atay AÖ** (see Akbaş E et al.) 2011;45(5):335-341
- Atay AÖ** (see Akbaş E et al.) 2011;45(6):471
- Atay ÖA** (see Düzgün İ et al.) 2011;45(1):23-33
- Atay ÖA** (see Şenbursa G et al.) 2011;45(3):162-167
- Ateş Y** (see Seyfettinoğlu F et al.) 2011;45(1):6-13
- Ayanoğlu S** (see Esenyel CZ et al.) 2011;45(5):291-296
- Ayanoğlu S** (see Esenyel CZ et al.) 2011;45(6):412-420
- Aydemir F** (see Demirağ B et al.) 2011;45(5):348-352
- Aydinli U** (see Yaray O et al.) 2011;45(5):353-358
- Aykaç B**, Çopuroğlu C, Özcan M, Çiftdemir M, Yalnız E. Postoperative evaluation of quality of life in lumbar spinal stenosis patients following instrumented posterior decompression. 2011;45(1):47-52 (Original Article)
- Bal E** (see Gürbüz Y et al.) 2011;45(6):387-392
- Bal E** (see Kayalar M et al.) 2011;45(3):175-184
- Bal E** (see Kayalar M et al.) 2011;45(5):304-311
- Baltacı G** (see Düzgün İ et al.) 2011;45(1):23-33
- Baltacı G** (see Şenbursa G et al.) 2011;45(3):162-167
- Baltacı G** (see Yosmaoğlu HB et al.) 2011;45(4):240-247
- Bar MC**, Daubresse F, Hugon S. The advantages of computer assistance in total knee arthroplasty. 2011;45(3):185-189 (Original Article)
- Baş L** (see Karşıdağ S et al.) 2011;45(2):100-108
- Başar H** (see Tetik C et al.) 2011;45(5):326-334
- Basat HÇ**, Kalem M, Binnet MS, Demirtaş M. Pulmonary thromboembolism after surgical treatment of ulnar pseudoarthrosis: a case report. 2011;45(4):284-287 (Case Report)
- Batra S** (see Mukhopadhyay S et al.) 2011;45(4):209-214
- Baz AB**, Akalın S, Arık H, Ergün A. Proximal realignment surgery for unilateral chronic patella dislocation in Morquio syndrome: a case report. 2011;45(6):466-469 (Case Report)
- Bek D** (see Yanmış İ et al.) 2011;45(2):94-99
- Bekler Hİ**, Özkan T. Biomechanical assessment of brachioradialis pronatorplasty. 2011;45(2):109-114 (Experimental Study)
- Belhan O** (see Bulut M et al.) 2011;45(6):458-462

- Berkem L** (see Akan K et al.) 2011;45(4):221-224
- Berrada MS** (see Alami M et al.) 2011;45(3):144-148
- Bezer M** (see Tetik C et al.) 2011;45(5):326-334
- Bhatt S** (see Singh AP et al.) 2011;45(2):130-134
- Bilge O** (see Gövsa F et al.) 2011;45(5):370-375
- Binnet MS** (see Basat HÇ et al.) 2011;45(4):284-287
- Bostan B**, Güneş T, Aşçı M, Şen C, Keleştemur MH, Erdem M, Köseoğlu RD, Erkokmaz Ü. Simvastatin improves spinal fusion in rats. 2011;45(4):270-275 (Experimental Study)
- Bülbül M** (see Adalı S et al.) 2011;45(4):225-232
- Bülbül M** (see Esenyel CZ et al.) 2011;45(5):291-296
- Bülbül M** (see Gürkan V et al.) 2011;45(1):66-69
- Buluç L** (see Gündeş H et al.) 2011;45(6):406-411
- Bulut M**, Karakurt L, Belhan O, Serbest S. Ray amputation for the treatment of macrodactyly in the foot: report of three cases. 2011;45(6):458-462 (Case Report)
- Bursalı A** (see Gürsu S et al.) 2011;45(6):437-445
- Canbora KM**, Tüzüner T, Yanık SH, Görgeç M. Subcoracoid dislocation of the acromioclavicular joint. 2011;45(6):463-465 (Case Report)
- Cesur N** (see Akpınar S et al.) 2011;45(4):248-253
- Ceylan HH** (see Esenyel CZ et al.) 2011;45(5):291-296
- Chaudhry FA**, Killampalli VV, Chowdhry M, Holland P, Knebel RWC. Posterior dislocation of the sternoclavicular joint in a young rugby player. 2011;45(5):376-378 (Case Report)
- Chowdhry M** (see Chaudhry FA et al.) 2011;45(5):376-378
- Coşkunol E** (see Küçük L et al.) 2011;45(6):393-398
- Çakmak G** (see Ulusal AE et al.) 2011;45(4):254-260
- Çelik D**, Sirmen B, Demirhan M. The relationship of muscle strength and pain in subacromial impingement syndrome. 2011;45(2):79-84 (Original Article)
- Çelik S** (see Gövsa F et al.) 2011;45(5):370-375
- Çetin A** (see Hepgüler S et al.) 2011;45(5):316-325
- Çetin A** (see Hepgüler S et al.) 2011;45(6):472
- Çetinus E** (see Kural C et al.) 2011;45(5):312-315
- Çınar BM** (see Şentürk İ et al.) 2011;45(1):41-46
- Çınar M**, Derincek A, Akpınar S. Irreducible dislocation of the knee joint: two-stage treatment. 2011;45(4):280-283 (Case Report)
- Çiftdemir M** (see Aykaç B et al.) 2011;45(1):47-52
- Çiftdemir M** (see Çoğuroğlu C et al.) 2011;45(5):359-364
- Çömllekçi M** (see Adalı S et al.) 2011;45(4):225-232
- Çopuroğlu C** (see Aykaç B et al.) 2011;45(1):47-52
- Çopuroğlu C**, Ercan S, Özcan M, Çiftdemir M, Turan FN, Yalnız E. Comparison of autogenous bone graft donor site haemostatic agents used in spinal surgery. 2011;45(5):359-364 (Original Article)
- Daniş M** (see Demirağ B et al.) 2011;45(5):348-352
- Das A** (see Sen RK et al.) 2011;45(4):276-279
- Das A** (see Sen RK et al.) 2011;45(6):470
- Daubresse F** (see Bar MC et al.) 2011;45(3):185-189
- Değer Ç** (see Hepgüler S et al.) 2011;45(5):316-325
- Deivaraju C** (see Sen RK et al.) 2011;45(4):276-279
- Deivaraju C** (see Sen RK et al.) 2011;45(6):470
- Demir B** (see Gürsu S et al.) 2011;45(6):437-445
- Demirağ B**, Aydemir F, Daniş M, Ermutlu C. Incidence of meniscal and osteochondral lesions in patients undergoing delayed anterior cruciate ligament reconstruction. 2011;45(5):348-352 (Original Article)
- Demirağ B**, Ünal ÖK, Özakin C. Graft retaining debridement in patients with septic arthritis after anterior cruciate ligament reconstruction. 2011;45(5):342-347 (Original Article)
- Demirci MS** (see Yalçın L et al.) 2011;45(6):453-457
- Demirhan M** (see Çelik D et al.) 2011;45(2):79-84
- Demirtaş M** (see Basat HÇ et al.) 2011;45(4):284-287
- Derincek A** (see Çınar M et al.) 2011;45(4):280-283
- Dhammi IK** (see Kumar S et al.) 2011;45(6):421-424
- Dhammi IK** (see Singh AP et al.) 2011;45(2):130-134
- Durakbaşa MO**, Ülkü K, Ermiş MN. Irreducible open posterolateral knee dislocation due to medial meniscus interposition. 2011;45(5):382-386 (Case Report)
- Dursun M** (see Orhun H et al.) 2011;45(4):261-265
- Duygun F** (see Seyfettinoğlu F et al.) 2011;45(1):6-13
- Düzgün İ**, Baltacı G, Atay ÖA. Comparison of slow and accelerated rehabilitation protocol after arthroscopic rotator cuff repair: pain and functional activity. 2011;45(1):23-33 (Original Article)
- El Bardouni A** (see Alami M et al.) 2011;45(3):144-148
- El Yaacoubi M** (see Alami M et al.) 2011;45(3):144-148
- Emes Y**, İpekoğlu M, Haznedaroğlu H, İşsever H, Yalçın S, Altıntaş S. The effects of freeze drying and solvent dehydration on the bending strength and calcium content of cortical bone. 2011;45(5):365-369 (Experimental Study)
- End S** (see Kılıç M et al.) 2011;45(2):71-78
- Er T** (see Gürsu S et al.) 2011;45(6):437-445
- Ercan S** (see Çoğuroğlu C et al.) 2011;45(5):359-364
- Erdem M** (see Bostan B et al.) 2011;45(4):270-275
- Erden V** (see Adalı S et al.) 2011;45(4):225-232
- Eren A** (see Akıncı O et al.) 2011;45(3):149-155
- Eren A** (see Akman B et al.) 2011;45(6):431-436
- Ergün A** (see Baz AB et al.) 2011;45(6):466-469
- Erkalp K** (see Adalı S et al.) 2011;45(4):225-232
- Erkent Ü** (see Hepgüler S et al.) 2011;45(5):316-325
- Erkent Ü** (see Hepgüler S et al.) 2011;45(6):472
- Erkokmaz Ü** (see Bostan B et al.) 2011;45(4):270-275
- Ermiş MN** (see Durakbaşa MO et al.) 2011;45(5):382-386
- Ermütlu C** (see Demirağ B et al.) 2011;45(5):348-352
- Erol B** (see Tetik C et al.) 2011;45(5):326-334
- Ersan Ö** (see Seyfettinoğlu F et al.) 2011;45(1):6-13
- Ertürer E** (see Pürisa H et al.) 2011;45(3):168-174
- Ertürk C**, Altay MA, Işıkan UE. Patelloplasty with patellar decompression to relieve anterior knee pain in total knee arthroplasty. 2011;45(6):425-430 (Original Article)
- Esemenli T** (see Tetik C et al.) 2011;45(5):326-334
- Esenkaya İ**, Ünay K. Anatomical frame plate osteosynthesis in Adam-Miller Type 2 or 4 scapula fractures. 2011;45(3):156-161 (Original Article)
- Esenyel CZ**, Ceylan HH, Ayanoğlu S, Kebudi A, Adanır O, Bülbül M. Treatment of Neer Type 2 fractures of the distal clavicle with coracoclavicular screw. 2011;45(5):291-296 (Original Article)

- Esenyel CZ**, Öztürk K, İmren Y, Ayanoğlu S. Shoulder arthrodesis with plate fixation. 2011;45(6):412-420 (Original Article)
- Geerts RWPM**, Toonen HG, Van Unen JMJ, Van Vugt R, Werre AJ. A new technique in the treatment of distal radius fractures: the Micronail® 2011;45(2):85-93 (Original Article)
- Görgeç M** (see Canbora KM et al.) 2011;45(6):463-465
- Gövsä F**, Pınar Y, Çelik S, Bilge O, Sezak M. Anatomical similarity between tendons and Type 3 intertendinous connections: suitability as local donor tissue. 2011;45(5):370-375 (Experimental Study)
- Grechenig W**, Heidari N, Leitgoeb O, Prager W, Pichler W, Weinber AM. Is plating of mid-shaft clavicular fractures possible with a conventional straight 3.5 millimeter locking compression plate? 2011;45(2):115-119 (Experimental Study)
- Guha A** (see Mukhopadhyay S et al.) 2011;45(3):200-202
- Gül M** (see Kılıç A et al.) 2011;45(5):297-303
- Gül M** (see Kılıç A et al.) 2011;45(6):399-405
- Gulati D** (see Kumar S et al.) 2011;45(6):421-424
- Gülşen M**, Karatosun V, Uyulgan B. The biomechanical assessment of fixation methods in periprosthetic femur fractures. 2011;45(4):266-269 (Experimental Study)
- Gündeş H**, Buluç L, Şahin M, Alıcı T. Deformity correction by Ilizarov distraction osteogenesis after distal radius physeal arrest. 2011;45(6):406-411 (Original Article)
- Güneş T** (see Bostan B et al.) 2011;45(4):270-275
- Gürbüz Y** (see Kayalar M et al.) 2011;45(3):175-184
- Gürbüz Y**, Kayalar M, Bal E, Süğün TS, Özaksar K, Ademoğlu Y. Long-term functional results after radial nerve repair. 2011;45(6):387-392 (Original Article)
- Gürbüz M** (see Yüksel HY et al.) 2011;45(2):124-129
- Gürkan V** (see Orhun H et al.) 2011;45(4):261-265
- Gürkan V**, Orhun H, Bülbül M, Kayahan S. Osteoid osteoma of the cuboid bone: a rare cause of foot pain. 2011;45(1):66-69 (Case Report)
- Gürsu S**, Demir B, Yıldırım T, Er T, Bursalı A, Şahin V. An effective treatment for hip instabilities: pelvic support osteotomy and femoral lengthening. 2011;45(6):437-445 (Original Article)
- Güven M** (see Akan K et al.) 2011;45(4):221-224
- Harmaşsa S** (see Ömeroğlu H et al.) 2011;45(1):1-5
- Haznedaroğlu H** (see Emes Y et al.) 2011;45(5):365-369
- Heidari N** (see Grechenig W et al.) 2011;45(2):115-119
- Hepgüler S**, Çetin A, Değer Ç, Erkent Ü. Osteoporotic hip fracture costs in the elderly Turkish population. 2011;45(5):316-325 (Original Article)
- Hepgüler S**, Çetin A, Değer Ç, Erkent Ü. Erratum to: Osteoporotic hip fracture costs in the elderly Turkish population. 2011;45(6):472 (Erratum)
- Hersekli MA** (see Akpınar S et al.) 2011;45(4):248-253
- Holland P** (see Chaudhry FA et al.) 2011;45(5):376-378
- Hugon S** (see Bar MC et al.) 2011;45(3):185-189
- İmren Y** (see Esenyel CZ et al.) 2011;45(6):412-420
- İnan U** (see Ömeroğlu H et al.) 2011;45(1):1-5
- İncesu M** (see Akıncı O et al.) 2011;45(3):149-155
- İpekoğlu M** (see Emes Y et al.) 2011;45(5):365-369
- Irlenbusch U** (see Kılıç M et al.) 2011;45(2):71-78
- Işıkan UE** (see Ertürk C et al.) 2011;45(6):425-430
- İşsever H** (see Emes Y et al.) 2011;45(5):365-369
- Jain AK** (see Singh AP et al.) 2011;45(2):130-134
- Kabakaş F** (see Pürisa H et al.) 2011;45(3):168-174
- Kabukçuoğlu F** (see Karşıdağ S et al.) 2011;45(6):446-452
- Kabukçuoğlu YS** (see Kılıç A et al.) 2011;45(5):297-303
- Kabukçuoğlu YS** (see Kılıç A et al.) 2011;45(6):399-405
- Kalem M** (see Basat HÇ et al.) 2011;45(4):284-287
- Kamath S** (see Mukhopadhyay S et al.) 2011;45(4):209-214
- Kapukaya A**, Arslan H, Özkul E, Mızrak B. Primary xanthofibroma in the calcaneus: a case report. 2011;45(3):203-207 (Case Report)
- Kara AD** (see Yüctürk G et al.) 2011;45(3):135-143
- Karahan S** (see Songür M et al.) 2011;45(4):215-220
- Karakurt L** (see Bulut M et al.) 2011;45(6):458-462
- Karamehmetoğlu M** (see Öztürkmen Y et al.) 2011;45(1):58-65
- Karatosun V** (see Gülşen M et al.) 2011;45(4):266-269
- Karşıdağ S**, Akçal A, Turgut G, Uğurlu K, Baş L. Lower extremity soft tissue reconstruction with free flap based on subscapular artery. 2011;45(2):100-108 (Original Article)
- Karşıdağ S**, Tatlıdede S, Tosun U, Yıldız K, Kabukçuoğlu F, Akçal A. Effects of vinblastine on microvascular anastomosis healing in diabetic rats. 2011;45(6):446-452 (Experimental Study)
- Kaya D** (see Yosmaoğlu HB et al.) 2011;45(4):240-247
- Kayahan S** (see Gürkan V et al.) 2011;45(1):66-69
- Kayalar M** (see Gürbüz Y et al.) 2011;45(6):387-392
- Kayalar M**, Bal E, Toros T, Özaksar K, Süğün ST, Ademoğlu Y. The results of reverse-flow island flaps in pulp reconstruction. 2011;45(5):304-311 (Original Article)
- Kayalar M**, Bal E, Toros T, Süğün ST, Özaksar K, Gürbüz Y. The outcome of direct-flow neurovascular island flaps in pulp defects. 2011;45(3):175-184 (Original Article)
- Kebudi A** (see Esenyel CZ et al.) 2011;45(5):291-296
- Keçeci B** (see Yüctürk G et al.) 2011;45(3):135-143
- Keleştemur MH** (see Bostan B et al.) 2011;45(4):270-275
- Kılıç A**, Kabukçuoğlu YS, Gül M, Sökücü S, Özdoğan U. Fixed-angle volar plates in corrective osteotomies of malunions of dorsally angulated distal radius fractures. 2011;45(5):297-303 (Original Article)
- Kılıç A**, Sökücü S, Parmaksızoğlu AS, Gül M, Kabukçuoğlu YS. Comparative evaluation of radiographic and functional outcomes in the surgical treatment of scaphoid non-unions. 2011;45(6):399-405 (Original Article)
- Kılıç M** (see Tan Ö and Kılıç A) 2011;45(1):53-57
- Kılıç M**, End S, Irlenbusch U. Replication of the rotational center of the humeral head with second-generation stemmed prostheses. 2011;45(2):71-78 (Original Article)
- Kılınçoğlu V** (see Yanmış İ et al.) 2011;45(2):94-99
- Killampalli VV** (see Chaudhry FA et al.) 2011;45(5):376-378
- Knebel RWC** (see Chaudhry FA et al.) 2011;45(5):376-378
- Koca K** (see Yanmış İ et al.) 2011;45(2):94-99
- Koebke J** (see Yalçın L et al.) 2011;45(6):453-457
- Köse KÇ** (see Aksoy Y et al.) 2011;45(3):190-194
- Köse SK** (see Alsancak S et al.) 2011;45(1):14-22

- Köseoğlu RD** (see Bostan B et al.) 2011;45(4):270-275
- Kovalak E** (see Seyfettinoğlu F et al.) 2011;45(1):6-13
- Kumar S**, Sharma R, Gulati D, Dhammi IK, Aggarwal AN. Normal range of motion of hip and ankle in Indian population. 2011;45(6):421-424 (Original Article)
- Kural C**, Alkaş L, Tüzün S, Çetinus E, Uğraş AA, Alkaş M. Anger scale and anger types of patients with fifth metacarpal neck fracture. 2011;45(5):312-315 (Original Article)
- Kuşkucu M** (see Tirmik Ü et al.) 2011;45(4):233-239
- Kuzgun Ü** (see Songür M et al.) 2011;45(4):215-220
- Küçük L**, Özdemir O, Coşkunol E, Süğün TS, Özaksar K. The effect of excisional arthroplasty with palmaris longus tendon on carpal height ratio in Stage 3 Kienböck's disease. 2011;45(6):393-398 (Original Article)
- Leblebici B** (see Şentürk İ et al.) 2011;45(1):41-46
- Lee AH** (see Park JH et al.) 2011;45(3):195-199
- Lee DH** (see Park JH et al.) 2011;45(3):195-199
- Leitgoeb O** (see Grechenig W et al.) 2011;45(2):115-119
- Mahfoud M** (see Alami M et al.) 2011;45(3):144-148
- Mahiroğulları M** (see Tirmik Ü et al.) 2011;45(4):233-239
- Manoudis GN** (see Mitsionis GI et al.) 2011;45(2):120-123
- Mızrak B** (see Kapukaya A et al.) 2011;45(3):203-207
- Mirzatołooei F**. Comparison between operative and nonoperative treatment methods in the management of comminuted fractures of the clavicle. 2011;45(1):34-40 (Original Article)
- Mitsionis GI**, Paschos NK, Manoudis GN, Xenakis TA. Bifocal pyomyositis in a 3-year-old child with eczema: a case report. 2011;45(2):120-123 (Case Report)
- Mukherjee K** (see Mukhopadhyay S et al.) 2011;45(4):209-214
- Mukhopadhyay S**, Batra S, Kamath S, Mukherjee K, Ahuja S. Incidence of pars defects in adolescent idiopathic scoliosis: an MRI study. 2011;45(4):209-214 (Original Article)
- Mukhopadhyay S**, Guha A, Perera A. Monoarticular pseudogout of the hip presenting as septic arthritis: a case report. 2011;45(3):200-202 (Case Report)
- Ocaklıoğlu G** (see Yaray O et al.) 2011;45(5):353-358
- Orhun H** (see Gürkan V et al.) 2011;45(1):66-69
- Orhun H**, Dursun M, Gürkan V, Saroğlu E, Altun G, Akça O. A new index for the assessment of distal radius fractures involving the ulnar styloid. 2011;45(4):261-265 (Original Article)
- Ömeroğlu H**, İnan U, Turgut K, Harmanşsa S. Preoperative hematological assessment of pediatric patients with cerebral palsy. 2011;45(1):1-5 (Original Article)
- Özakın C** (see Demirağ B et al.) 2011;45(5):342-347
- Özaksar K** (see Gürbüz Y et al.) 2011;45(6):387-392
- Özaksar K** (see Kayalar M et al.) 2011;45(3):175-184
- Özaksar K** (see Kayalar M et al.) 2011;45(5):304-311
- Özaksar K** (see Küçük L et al.) 2011;45(6):393-398
- Özalay M** (see Akpınar S et al.) 2011;45(4):248-253
- Özalay M** (see Şentürk İ et al.) 2011;45(1):41-46
- Özcan M** (see Aykaç B et al.) 2011;45(1):47-52
- Özcan M** (see Çoğuroğlu C et al.) 2011;45(5):359-364
- Özdemir O** (see Küçük L et al.) 2011;45(6):393-398
- Özdoğan U** (see Kılıç A et al.) 2011;45(5):297-303
- Özer H** (see Yosmaoğlu HB et al.) 2011;45(4):240-247
- Özkan H** (see Yanmış İ et al.) 2011;45(2):94-99
- Özkan K** (see Akman B et al.) 2011;45(6):431-436
- Özkan NK** (see Akman B et al.) 2011;45(6):431-436
- Özkan T** (see Bekler Hİ and Özkan T) 2011;45(2):109-114
- Özkul E** (see Kapukaya A et al.) 2011;45(3):203-207
- Özsar B** (see Seyfettinoğlu F et al.) 2011;45(1):6-13
- Öztürk K** (see Esenyel CZ et al.) 2011;45(6):412-420
- Öztürkmen Y**, Karamehmetoğlu M. Ribbing disease: a case report and literature review. 2011;45(1):58-65 (Case Report)
- Park JH** (see Park JH et al.) 2011;45(3):195-199
- Park JH**, Park JH, Lee AH, Lee DH. An unusual presentation of Hoffa's disease in an elderly patient with no trauma history: a case report. 2011;45(3):195-199 (Case Report)
- Parmaksızoğlu AS** (see Kılıç A et al.) 2011;45(6):399-405
- Paschos NK** (see Mitsionis GI et al.) 2011;45(2):120-123
- Perera A** (see Mukhopadhyay S et al.) 2011;45(3):200-202
- Pınar Y** (see Gövsa F et al.) 2011;45(5):370-375
- Pichler W** (see Grechenig W et al.) 2011;45(2):115-119
- Pourbagher MA** (see Akpınar S et al.) 2011;45(4):248-253
- Poyanlı O** (see Akan K et al.) 2011;45(4):221-224
- Prager W** (see Grechenig W et al.) 2011;45(2):115-119
- Pürisa H**, Sezer İ, Kabakaş F, Tunçer S, Ertürer E, Yazar M. Ligament reconstruction using the Fulkerson-Watson method to treat chronic isolated distal radioulnar joint instability: short-term results. 2011;45(3):168-174 (Original Article)
- Sabah D** (see Yüçetürk G et al.) 2011;45(3):135-143
- Saroğlu E** (see Orhun H et al.) 2011;45(4):261-265
- Sen RK**, Tripathy SK, Deivaraju C, Das A. Isolated focal pyomyositis of teres minor: an unusual presentation of tuberculosis. 2011;45(4):276-279 (Case Report)
- Sen RK**, Tripathy SK, Deivaraju C, Das A. Erratum to: Isolated focal pyomyositis of teres minor: an unusual presentation of tuberculosis. 2011;45(6):470 (Erratum)
- Serbest S** (see Bulut M et al.) 2011;45(6):458-462
- Seyfettinoğlu F**, Ersan Ö, Kovalak E, Duygun F, Özsar B, Ateş Y. Fixation of femoral neck fractures with three screws: results and complications. 2011;45(1):6-13 (Original Article)
- Sezak M** (see Gövsa F et al.) 2011;45(5):370-375
- Sezer İ** (see Pürisa H et al.) 2011;45(3):168-174
- Sharma R** (see Kumar S et al.) 2011;45(6):421-424
- Singh AP**, Dhammi IK, Jain AK, Bhatt S. Extraskeletal juxtaarticular chondroma of the knee. 2011;45(2):130-134 (Case Report)
- Sirmen B** (see Çelik D et al.) 2011;45(2):79-84
- Sökücü S** (see Kılıç A et al.) 2011;45(5):297-303
- Sökücü S** (see Kılıç A et al.) 2011;45(6):399-405
- Songür M**, Akel İ, Karahan S, Kuzgun Ü, Tümer Y. Prevalence of untreated hip dislocation in Turkish children aged 6 months to 14 years. 2011;45(4):215-220 (Original Article)
- Suresh SS**. Unusual coalition of the carpal bones with simian crease: a case report. 2011;45(5):379-381 (Case Report)
- Süğün ST** (see Kayalar M et al.) 2011;45(3):175-184
- Süğün ST** (see Kayalar M et al.) 2011;45(5):304-311

- Süğün TS** (see Gürbüz Y et al.) 2011;45(6):387-392
- Süğün TS** (see Küçük L et al.) 2011;45(6):393-398
- Şahin A** (see Akman B et al.) 2011;45(6):431-436
- Şahin M** (see Gündeş H et al.) 2011;45(6):406-411
- Şahin MŞ** (see Ulusal AE et al.) 2011;45(4):254-260
- Şahin V** (see Gürsu S et al.) 2011;45(6):437-445
- Şen C** (see Bostan B et al.) 2011;45(4):270-275
- Şenbursa G**, Baltacı G, Atay ÖA. The effectiveness of manual therapy in supraspinatus tendinopathy. 2011;45(3):162-167 (Original Article)
- Şener B** (see Yalçın L et al.) 2011;45(6):453-457
- Şentürk İ**, Özalay M, Akpınar S, Leblebici B, Çınar BM, Tuncay C. Clinical and isokinetic comparison between tenotomy and tenodesis in biceps pathologies. 2011;45(1):41-46 (Original Article)
- Tan Ö**, Kılıç M. Supercharged dorsolateral island flap: a case report and review of the literature. 2011;45(1):53-57 (Case Report)
- Tatlıdede S** (see Karşıdağ S et al.) 2011;45(6):446-452
- Tetik C**, Başar H, Bezer M, Erol B, Ağır İ, Esemeli T. Comparison of early results of vascularized and non-vascularized fibular grafting in the treatment of osteonecrosis of the femoral head. 2011;45(5):326-334 (Original Article)
- Tırmık Ü**, Mahiroğulları M, Kuşkuç M. The results of reconstruction of the ACL using the cross-pin femoral system and four-strand hamstring tendon autografts. 2011;45(4):233-239 (Original Article)
- Toonen HG** (see Geerts RWPM et al.) 2011;45(2):85-93
- Toros T** (see Kayalar M et al.) 2011;45(3):175-184
- Toros T** (see Kayalar M et al.) 2011;45(5):304-311
- Tosun U** (see Karşıdağ S et al.) 2011;45(6):446-452
- Tripathy SK** (see Sen RK et al.) 2011;45(4):276-279
- Tripathy SK** (see Sen RK et al.) 2011;45(6):470
- Tunay S** (see Yanmış İ et al.) 2011;45(2):94-99
- Tuncay C** (see Şentürk İ et al.) 2011;45(1):41-46
- Tuncay C** (see Ulusal AE et al.) 2011;45(4):254-260
- Tunçer S** (see Pürisa H et al.) 2011;45(3):168-174
- Turan FN** (see Çoğuroğlu C et al.) 2011;45(5):359-364
- Turan Y** (see Akman B et al.) 2011;45(6):431-436
- Turgut G** (see Karşıdağ S et al.) 2011;45(2):100-108
- Turgut K** (see Ömeroğlu H et al.) 2011;45(1):1-5
- Tümer Y** (see Songür M et al.) 2011;45(4):215-220
- Tüzün S** (see Kural C et al.) 2011;45(5):312-315
- Tüzüner T** (see Canbora KM et al.) 2011;45(6):463-465
- Uğraş AA** (see Kural C et al.) 2011;45(5):312-315
- Uğurlu K** (see Karşıdağ S et al.) 2011;45(2):100-108
- Ulusal AE**, Şahin MŞ, Ulusal B, Çakmak G, Tuncay C. Negative pressure wound therapy in patients with diabetic foot. 2011;45(4):254-260 (Original Article)
- Ulusal B** (see Ulusal AE et al.) 2011;45(4):254-260
- Uysal M** (see Akpınar S et al.) 2011;45(4):248-253
- Uyulgan B** (see Gülşen M et al.) 2011;45(4):266-269
- Ülkü K** (see Durakbaşa MO et al.) 2011;45(5):382-386
- Ünal ÖK** (see Demirağ B et al.) 2011;45(5):342-347
- Ünay K** (see Akan K et al.) 2011;45(4):221-224
- Ünay K** (see Esenkaya İ and Ünay K) 2011;45(3):156-161
- Van Unen JMJ** (see Geerts RWPM et al.) 2011;45(2):85-93
- Van Vuğt R** (see Geerts RWPM et al.) 2011;45(2):85-93
- Weinber AM** (see Grechenig W et al.) 2011;45(2):115-119
- Werre AJ** (see Geerts RWPM et al.) 2011;45(2):85-93
- Xenakis TA** (see Mitsionis GI et al.) 2011;45(2):120-123
- Yalçın L**, Demirci MS, Alp M, Akkin SM, Şener B, Koebke J. Biomechanical assessment of suture techniques used for tendon repair. 2011;45(6):453-457 (Experimental Study)
- Yalçın S** (see Emes Y et al.) 2011;45(5):365-369
- Yalçınkaya S** (see Yüçetürk G et al.) 2011;45(3):135-143
- Yalnız E** (see Aykaç B et al.) 2011;45(1):47-52
- Yalnız E** (see Çoğuroğlu C et al.) 2011;45(5):359-364
- Yanık SH** (see Canbora KM et al.) 2011;45(6):463-465
- Yanmış İ**, Özkan H, Koca K, Kılınçoğlu V, Bek D, Tunay S. The relation between the arthroscopic findings and functional outcomes in patients with septic arthritis of the knee joint, treated with arthroscopic debridement and irrigation. 2011;45(2):94-99 (Original Article)
- Yaray O**, Akesen B, Ocaklıoğlu G, Aydın U. Validation of the Turkish version of the visual analog scale spine score in patients with spinal fractures. 2011;45(5):353-358 (Original Article)
- Yazar M** (see Pürisa H et al.) 2011;45(3):168-174
- Yıldırım T** (see Gürsu S et al.) 2011;45(6):437-445
- Yıldız K** (see Karşıdağ S et al.) 2011;45(6):446-452
- Yılmaz S** (see Yüksel HY et al.) 2011;45(2):124-129
- Yosmaoğlu HB**, Baltacı G, Kaya D, Özer H, Atay A. Comparison of functional outcomes of two anterior cruciate ligament reconstruction methods with hamstring tendon graft. 2011;45(4):240-247 (Original Article)
- Yüçetürk G**, Sabah D, Keçeci B, Kara AD, Yalçınkaya S. Prevalence of bone and soft tissue tumors. 2011;45(3):135-143 (Original Article)
- Yüksel HY**, Yılmaz S, Gürbüz M. Normophosphatemic type tumoral calcinosis associated with chronic recurrent multifocal osteomyelitis: a case report. 2011;45(2):124-129 (Case Report)
- Yüksel İ** (see Akbaş E et al.) 2011;45(5):335-341
- Yüksel İ** (see Akbaş E et al.) 2011;45(6):471