

ACTA ORTHOPAEDICA et TRAUMATOLOGICA TURCICA

AUTHOR INDEX FOR VOLUME 49 (2015)

- Acar MA**, Güleç A, Erkoçak ÖF, Yılmaz G, Durgut F, Elmadağ M. Percutaneous double-button fixation method for treatment of acute type III acromioclavicular joint dislocation. *Acta Orthop Traumatol Turc* 2015;49(3):241–248 (Original Article)
- Aciego-De Mendoza M** (see Pais-Brito JL et al.) 2015;49(4):375–381
- Ada S** (see Karabay N et al.) 2015;49(2):126–132
- Adam G** (see Kömürcü E et al.) 2015;49(5):522–529
- Adanır O** (see Adanır O et al.) 2015;49(5):544–551
- Adanır O** (see Ayanoğlu S et al.) 2015;49(3):319–325
- Adaş M** (see Gürbüz H et al.) 2015;49(1):41–44
- Aggelidakis G** (see Kulouvaris P et al.) 2015;49(1):37–40
- Agılli M** (see Kurt YG et al.) 2015;49(3):342–343
- Ak D** (see Orak MM et al.) 2015;49(4):438–446
- Akalin Y** (see Akinci O et al.) 2015;49(2):175–183
- Akan B** (see Kaya A et al.) 2015;49(5):478–482
- Akan B** (see Armangil M et al.) 2015;49(1):6–12
- Akçal MA** (see Türkmen İ et al.) 2015;49(3):338–341
- Akgül T** (see Zehir S et al.) 2015;49(1):13–17
- Akgül T** (see Zehir S et al.) 2015;49(4):416–420
- Akilapa O**, Gaffey A. Hydroxyapatite pins for external fixation: is there sufficient evidence to prove that coated pins are less likely to be replaced prematurely? *Acta Orthop Traumatol Turc* 2015;49(4):410–415 (Original Article)
- Akinci O**, Akalin Y. Medium-term results of single-stage posteromedial release and triple arthrodesis in treatment of neglected clubfoot deformity in adults. *Acta Orthop Traumatol Turc* 2015;49(2):175–183 (Original Article)
- Akkaya N** (see Şahin F et al.) 2015;49(4):361–369
- Akman YE**, Yalçınkaya M, Çirci E, Atıcı Y, Öztürkmen Y, Doğan A. Modified Simmonds-Menelaus procedure for moderate or severe adult hallux valgus. *Acta Orthop Traumatol Turc* 2015;49(6):648–653 (Original Article)
- Aksekili MAE** (see Kılıçarslan K et al.) 2015;49(4):394–398
- Aksoy N** (see Atbinici H et al.) 2015;49(2):160–165
- Akşahin E** (see Köksal İ et al.) 2015;49(5):465–470
- Aktaş E** (see Güray Toğral G et al.) 2015;49(6):634–640
- Aktaş E**, Atay Ç, Deveci MA, Arıkan M, Toğral G, Yıldırım A. Impact of oxidative stress on early postoperative knee function and muscle injury biochemical markers: Is it possible to create an ischemic preconditioning effect in sequential ischemic surgical procedures? *Acta Orthop Traumatol Turc* 2015;49(4):387–393 (Original Article)
- Al-Shaeel RA** (see Tadros AMA et al.) 2015;49(2):217–219
- Alagöz E** (see Adanır O et al.) 2015;49(5):544–551
- Altay C** (see Başara I et al.) 2015;49(3):331–333
- Altinel L**, Serhan M, Kaçar E, Erten RA. Diagnostic efficacy of standard knee magnetic resonance imaging and radiography in evaluating integrity of anterior cruciate ligament before unicompartmental knee arthroplasty. *Acta Orthop Traumatol Turc* 2015;49(3):274–279 (Original Article)
- Altıntaş F** (see Özler T et al.) 2015;49(3):255–259
- Altun NŞ** (see Songür M et al.) 2015;49(3):311–318
- Amenábar PP** (see Schweitzer D et al.) 2015;49(4):421–425
- Anghel S**, Petrisor M, Buicu CF, Marton D, Bataga T. Predictive factors for postoperative deformity in thoracolumbar burst fractures: a statistical approach. *Acta Orthop Traumatol Turc* 2015;49(2):133–138 (Original Article)
- Anthonissen J**, Ossendorf C, Hock JL, Ritz U, Hofmann A, Rommens PM. A new small-animal model for the study of acquired heterotopic ossification after hip surgery. *Acta Orthop Traumatol Turc* 2015;49(2):197–202 (Experimental Study)
- Arazi M** (see Köse Ö et al.) 2015;49(3):302–306
- Argun M** (see Karaman İ et al.) 2015;49(2):139–143
- Arıkan M** (see Aktaş E et al.) 2015;49(4):387–393
- Arıkan M** (see Güray Toğral G et al.) 2015;49(6):634–640
- Armangil M**, Basat HÇ, Akan B, Karaduman M, Demirtaş M. Arthroscopic stabilization of anterior shoulder instability using a single anterior portal. *Acta Orthop Traumatol Turc* 2015;49(1):6–12 (Original Article)
- Armangil M**, Basat HÇ, Bilgin SS. Posterior tibial nerve as a tendon transfer for drop foot reconstruction: a devastating complication. *Acta Orthop Traumatol Turc* 2015;49(1):111–114 (Case Report)
- Asıl K** (see Çeçen GS et al.) 2015;49(3):297–301
- Aşansu M** (see Cansu E et al.) 2015;49(1):1–5
- Aşçı M** (see Tuncay İ et al.) 2015;49(3):280–287
- Aşkar H** (see Sipahioglu S et al.) 2015;49(1):45–50
- Atalar AC** (see Erşen A et al.) 2015;49(4):354–360
- Atalar E** (see Çelebi MM et al.) 2015;49(5):492–496
- Atalay NŞ** (see Şahin F et al.) 2015;49(4):361–369
- Atay AÖ** (see Yılmaz Yelvar GD et al.) 2015;49(2):166–174
- Atay Ç** (see Aktaş E et al.) 2015;49(4):387–393
- Atbinici H**, Sipahioglu S, Aksoy N, Baykara İ, Işıkhan UE. Effects of salmon calcitonin treatment on serum and synovial fluid bone formation and resorption markers in osteoporosis patients. *Acta Orthop Traumatol Turc* 2015;49(2):160–165 (Original Article)
- Atıcı T** (see Erşen A et al.) 2015;49(4):354–360
- Atıcı Y** (see Akman YE et al.) 2015;49(6):648–653
- Atik A** (see Meriç G et al.) 2015;49(2):184–189
- Ayanoğlu S**, Esençel CZ, Adanır O, Dedeoğlu S, İmren Y, Esen T. Effects of hyaluronic acid (Hyalonect) on callus formation in rabbits. *Acta Orthop Traumatol Turc* 2015;49(3):319–325 (Experimental Study)
- Ayberk G**, Özveren MF, Yıldırım T. Spinal gas accumulation causing lumbar discogenic disease: a case report. *Acta Orthop Traumatol Turc* 2015;49(1):103–105 (Case Report)
- Aycan H** (see Karaarslan AA et al.) 2015;49(5):552–557
- Aydemir AN** (see Erol B et al.) 2015;49(3):288–296
- Aydingöz Ö** (see Botanlioğlu H et al.) 2015;49(1):30–36

- Aykut ÜS** (see Gül M et al.) 2015;49(4):399–404
- Aytekin MN** (see Kılıçarslan K et al.) 2015;49(4):394–398
- Bakırhan S**, Ünver B, Karatosun V. Effects of two different continuous passive motion application protocols on the functional activities of total knee arthroplasty inpatients. *Acta Orthop Traumatol Turc* 2015;49(5):497–502 (Original Article)
- Balçı A** (see Başara I et al.) 2015;49(3):331–333
- Balçı A** (see Karatosun V et al.) 2015;49(4):453–455
- Balçı Hİ**, Sağlam Y, Bilgili F, Şen C, Kocaoğlu M, Eralp L. Preliminary report on amputation versus reconstruction in treatment of tibial hemimelia. *Acta Orthop Traumatol Turc* 2015;49(6):627–633 (Original Article)
- Balıkçı T** (see Cansu E et al.) 2015;49(1):1–5
- Baltacı G** (see Yılmaz Yelvar GD et al.) 2015;49(2):166–174
- Baran T** (see Buluç L et al.) 2015;49(6):641–647
- Barbouti A** (see Iliou K et al.) 2015;49(1):75–79
- Basat HC** (see Armangil M et al.) 2015;49(1):111–114
- Basat HC** (see Armangil M et al.) 2015;49(1):6–12
- Baskın E** (see Sakallı H et al.) 2015;49(5):568–570
- Başara I**, Altay C, Gezer S, Balçı A. Evaluation of an unusual ossicle by multi-detector computed tomography: Oppenheimer's ossicle. *Acta Orthop Traumatol Turc* 2015;49(3):331–333 (Case Report)
- Başkak B** (see Çelebi MM et al.) 2015;49(5):492–496
- Bataga T** (see Anghel S et al.) 2015;49(2):133–138
- Baykara İ** (see Atbinici H et al.) 2015;49(2):160–165
- Bayrakci Tunay V** (see Yılmaz Yelvar GD et al.) 2015;49(2):166–174
- Bayraktar MK** (see Gürbüz H et al.) 2015;49(1):41–44
- Bayrı Y**, Ekşi MŞ, Koç DY, Konya D. Spinal epidural cavernous angioma: two case reports and review of the literature. *Acta Orthop Traumatol Turc* 2015;49(4):459–464 (Case Report)
- Bekler H** (see Çeçen GS et al.) 2015;49(3):297–301
- Bektaş G** (see Özcanlı H et al.) 2015;49(1):18–22
- Beng K** (see İnan M et al.) 2015;49(5):530–538
- Beng K** (see Özkazanlı G et al.) 2015;49(1):106–110
- Bigat Z** (see Söyüncü Y et al.) 2015;49(5):571–575
- Bilgen F** (see İnce B et al.) 2015;49(5):539–543
- Bilgili F** (see Balçı Hİ et al.) 2015;49(6):627–633
- Bilgili F** (see Göksan SB et al.) 2015;49(6):620–626
- Bilgin SS** (see Armangil M et al.) 2015;49(1):111–114
- Bilsel K** (see Elmadağ M et al.) 2015;49(2):213–216
- Bilsel K** (see Tuncay İ et al.) 2015;49(3):280–287
- Botanlioğlu H**, Aydingöz Ö, Kantarcı F, Kaynak G, Güven MF, Ertan S. Positional alterations of the Kambin's triangle and foraminal areas in the lumbosacral region. *Acta Orthop Traumatol Turc* 2015;49(1):30–36 (Original Article)
- Botello E** (see Schweitzer D et al.) 2015;49(4):421–425
- Boya H**, Uzun B. Hand injury with a nail gun: a case report with literature review. *Acta Orthop Traumatol Turc* 2015;49(3):334–337 (Case Report)
- Bozkurt M** (see Köksal İ et al.) 2015;49(4):382–386
- Budeyri A** (see Meriç G et al.) 2015;49(2):184–189
- Buicu CF** (see Anghel S et al.) 2015;49(2):133–138
- Buldu H**, Centel T, Kirimlioğlu H, Dirik Y. Osteofibrous dysplasia-like adamantinoma in a 3-month-old male infant: a case report. *Acta Orthop Traumatol Turc* 2015;49(2):210–212 (Case Report)
- Buluç L**, Gündes H, Baran T, Selek Ö. Proximal row carpectomy for Lichtman stage III Kienböck's disease. *Acta Orthop Traumatol Turc* 2015;49(6):641–647 (Original Article)
- Bulut G** (see Çeçen GS et al.) 2015;49(3):297–301
- Bulut G** (see Orak MM et al.) 2015;49(4):438–446
- Bursali A** (see Göksan SB et al.) 2015;49(6):620–626
- Can A** (see Kovalak E et al.) 2015;49(5):503–507
- Cang HB** (see Ru JY et al.) 2015;49(6):668–675
- Cansu E**, Balıkçı T, Aşansu M, Ergün S, Yıldırım Y. Do timing of injection and status of the suction drain effect postoperative pain scores after intra-articular bupivacaine injection in arthroscopic ACL reconstruction? *Acta Orthop Traumatol Turc* 2015;49(1):1–5 (Original Article)
- Cansu E**, Ünal MB, Parmaksızoglu F, Gürcan S. Distraction lengthening of the proximal phalanx in distal thumb amputations. *Acta Orthop Traumatol Turc* 2015;49(3):227–232 (Original Article)
- Cavit A** (see Özcanlı H et al.) 2015;49(1):18–22
- Cayıç T** (see Kurt YG et al.) 2015;49(3):342–343
- Centel T** (see Buldu H et al.) 2015;49(2):210–212
- Ceylan HH** (see Elmadağ M et al.) 2015;49(2):213–216
- Chen J**, Wang S, Wu D, Wu J. Bilateral internal pudendal artery-urethral fistula formation by pseudoaneurysm. *Acta Orthop Traumatol Turc* 2015;49(4):456–458 (Case Report)
- Cong Y** (see Ru JY et al.) 2015;49(6):668–675
- Coşkun O** (see Gürses İA et al.) 2015;49(4):433–437
- Coşkunfirat OK** (see Özcanlı H et al.) 2015;49(1):18–22
- Çağlar A** (see Adanır O et al.) 2015;49(5):544–551
- Çakar M** (see Gürbüz H et al.) 2015;49(1):41–44
- Çakmak G**, Şahin MŞ, Özdemir BH, Karadeniz E. Effect of pentoxifylline on healing of segmental bone defects and angiogenesis. *Acta Orthop Traumatol Turc* 2015;49(6):676–682 (Experimental Study)
- Çakmak S** (see Köksal İ et al.) 2015;49(5):465–470
- Çalbıyük M** (see Zehir S et al.) 2015;49(6):579–585
- Çalışkan E** (see Erol B et al.) 2015;49(3):288–296
- Çalışkan E** (see Erol B et al.) 2015;49(2):144–150
- Çeçen GS**, Gülabi D, Pehlivanoğlu G, Bulut G, Bekler H, Asil K. Radiation in the orthopedic operating theatre. *Acta Orthop Traumatol Turc* 2015;49(3):297–301 (Original Article)
- Çelebi MM**, Başkak B, Saka T, Özgüven HD, Ülkar B, Atalar E. Psychiatric and functional evaluation of professional athletes following anterior cruciate ligament reconstruction. *Acta Orthop*

- Traumatol Turc 2015;49(5):492–496 (Original Article)
- Çelik D.** Functional outcomes of minimally invasive percutaneous plate osteosynthesis in humerus shaft fractures. Acta Orthop Traumatol Turc 2015;49(5):576 (Letter To The Editor)
- Çetinkaya E** (see Güл M et al.) 2015;49(4):399–404
- Çetinkol E** (see Karabay N et al.) 2015;49(2):126–132
- Cilli M** (see Serbest K et al.) 2015;49(1):85–90
- Circi E** (see Akman YE et al.) 2015;49(6):648–653
- Dadaci M** (see İnce B et al.) 2015;49(5):539–543
- De Bergua Domingo J** (see Pais-Brito JL et al.) 2015;49(4):375–381
- Dedeoğlu S** (see Ayanoğlu S et al.) 2015;49(3):319–325
- Delank KS** (see Freche S et al.) 2015;49(1):91–96
- Demir MT**, Pirinççi Y, Salih M, Erdogan F, Güney N. The midterm and long-term effects of acetabular roof ring and Burch-Schneider anti-protrusio cages in acetabular revisions for patients with acetabular bone deficiency. Acta Orthop Traumatol Turc 2015;49(6):597–605 (Original Article)
- Demir T** (see Songür M et al.) 2015;49(3):311–318
- Demirağ B** (see Özdel A et al.) 2015;49(1):80–84
- Demirhan M** (see Erşen A et al.) 2015;49(4):354–360
- Demirkale İ** (see Kılıçarslan K et al.) 2015;49(4):394–398
- Demirtaş M** (see Armangil M et al.) 2015;49(1):6–12
- Demirtaş M** (see Şahin E et al.) 2015;49(4):447–452
- Demiryürek D** (see Özsoy MH et al.) 2015;49(2):190–196
- Dener Ş** (see Sakallı H et al.) 2015;49(5):568–570
- Deng XF** (see Song JQ et al.) 2015;49(4):345–353
- Deniz G** (see Özyürek S et al.) 2015;49(2):225
- Deveci MA** (see Aktaş E et al.) 2015;49(4):387–393
- Dikmen G** (see Gereli A et al.) 2015;49(3):233–240
- Dinçer C** (see Hapa O et al.) 2015;49(3):307–310
- Dirik Y** (see Buldu H et al.) 2015;49(2):210–212
- Dobrucalı H** (see Sayın P et al.) 2015;49(3):267–273
- Doğan A** (see Akman YE et al.) 2015;49(6):648–653
- Doğan AT** (see Kovalak E et al.) 2015;49(3):260–266
- Doğan M** (see Köksal İ et al.) 2015;49(4):382–386
- Doğu B** (see Şahin F et al.) 2015;49(4):361–369
- Duran S**, Mermerci Başkan B. Coalition of trapezoid, capitate, and metacarpal: a case report. Acta Orthop Traumatol Turc 2015;49(6):698–700
- Durgut F** (see Acar MA et al.) 2015;49(3):241–248
- Duygun F** (see Köse Ö et al.) 2015;49(3):302–306
- Duymaz A** (see Özcanlı H et al.) 2015;49(1):18–22
- Eksioğlu F** (see Güray Toğral G et al.) 2015;49(6):634–640
- Ekşi MŞ** (see Bayrı Y et al.) 2015;49(4):459–464
- Eldehi M** (see Tadros AMA et al.) 2015;49(2):217–219
- Eldoğan O** (see Serbest K et al.) 2015;49(1):85–90
- Elhelw AM** (see Tadros AMA et al.) 2015;49(2):217–219
- Ellanti P**, Raval P, Harrington P. Return to driving after total knee arthroplasty. Acta Orthop Traumatol Turc 2015;49(6):593–596 (Original Article)
- Elmadağ M** (see Acar MA et al.) 2015;49(3):241–248
- Elmadağ M** (see Tuncay İ et al.) 2015;49(3):280–287
- Elmadağ M**, Ceylan HH, Erdil M, Bilsel K. Apophyseal avulsion fracture of the anterior inferior iliac spine due to a simple bone cyst. Acta Orthop Traumatol Turc 2015;49(2):213–216 (Case Report)
- Elmalı N** (see Taşdemir Z et al.) 2015;49(5):483–491
- Elmalı N** (see Zehir S et al.) 2015;49(6):579–585
- Elmaraghy A** (see Saleh H et al.) 2015;49(2):220–223
- Eralp L** (see Balci Hİ et al.) 2015;49(6):627–633
- Erçakmak B** (see Özsoy MH et al.) 2015;49(2):190–196
- Erden Z** (see Taş S et al.) 2015;49(2):151–159
- Erdil M** (see Elmadağ M et al.) 2015;49(2):213–216
- Erdoğan AÖ** (see Kovalak E et al.) 2015;49(5):503–507
- Erdoğan F** (see Demir MT et al.) 2015;49(6):597–605
- Erdoğan F** (see Kovalak E et al.) 2015;49(5):503–507
- Erel N** (see Müjde S et al.) 2015;49(6):614–619
- Erel S**, Şimşek İE, Özkan H. Analysis of the reliability and validity of the Turkish version of the intermittent and constant osteoarthritis pain questionnaire. Acta Orthop Traumatol Turc 2015;49(5):508–512 (Original Article)
- Eren İ** (see Göksan SB et al.) 2015;49(6):620–626
- Ergen E** (see Ertem K et al.) 2015;49(5):471–477
- Ergün S** (see Cansu E et al.) 2015;49(1):1–5
- Erkoçak ÖF** (see Acar MA et al.) 2015;49(3):241–248
- Erkoçak ÖF** (see Tuncay İ et al.) 2015;49(3):280–287
- Erol B**, Onay T, Çalışkan E, Aydemir AN, Topkar OM. Treatment of pathological fractures due to simple bone cysts by extended curettage grafting and intramedullary decompression. Acta Orthop Traumatol Turc 2015;49(3):288–296 (Original Article)
- Erol B**, Sofulu Ö, Topkar MO, Çalışkan E, Türköz HK. Long-term follow-up of long and flat bone eosinophilic granulomas managed only with biopsy. Acta Orthop Traumatol Turc 2015;49(2):144–150 (Original Article)
- Erol MF** (see Karakoyun Ö et al.) 2015;49(4):405–409
- Erşen A**, Demirhan M, Atalar AC, Atıcı T, Kapıcıoğlu M. Is Coonrad-Morrey total elbow arthroplasty a viable option for treatment of distal humeral nonunions in the elderly? Acta Orthop Traumatol Turc 2015;49(4):354–360 (Original Article)
- Ertan S** (see Botanlıoğlu H et al.) 2015;49(1):30–36
- Ertem K**, Ergen E, Yoloğlu S. Functional outcomes of arthroscopic treatment of lateral epicondylitis. Acta Orthop Traumatol Turc 2015;49(5):471–477 (Original Article)
- Erten RA** (see Altinel L et al.) 2015;49(3):274–279
- Esen T** (see Ayanoğlu S et al.) 2015;49(3):319–325
- Esenkaya İ** (see Türkmen İ et al.) 2015;49(3):338–341
- Esenyel CZ** (see Ayanoğlu S et al.) 2015;49(3):319–325

- Esenyel CZ** (see Gürbüz H et al.) 2015;49(1):41–44
- Fan SW**, Fang XQ, Liu YJ, Yu HJ, Lu YJ, Liu C. Reliability and variability in the interpretation of lumbar high intensity zone. *Acta Orthop Traumatol Turc* 2015;49(6):606–613 (Original Article)
- Fang XQ** (see Fan SW et al.) 2015;49(6):606–613
- Fischman D** (see Schweitzer D et al.) 2015;49(4):421–425
- Freche S**, Juch F, Nusselt T, Delank KS, Hagel A. Arthroscopic treatment of bilateral snapping scapula syndrome: a case report and review of the literature. *Acta Orthop Traumatol Turc* 2015;49(1):91–96 (Case Report)
- Gaffey A** (see Akilapa O et al.) 2015;49(4):410–415
- Gagala J**, Tarczynska M, Gaweda K. Mosaicplasty for the treatment of osteochondritis dissecans following Legg–Calvé–Perthes disease: a case report and literature review. *Acta Orthop Traumatol Turc* 2015;49(6):694–697 (Case Report)
- Gaweda K** (see Gagala J et al.) 2015;49(6):694–697
- Gayretli Ö** (see Gürses İA et al.) 2015;49(4):433–437
- Gekas C** (see Iliou K et al.) 2015;49(1):75–79
- Gereli A**, Nalbantoglu U, Dikmen G, Seyhan M, Türkmen M. Fracture–dislocations of the proximal ulna. *Acta Orthop Traumatol Turc* 2015;49(3):233–240 (Original Article)
- Gezer S** (see Başara I et al.) 2015;49(3):331–333
- Gonzalez–Massieu L** (see Pais–Brito JL et al.) 2015;49(4):375–381
- Göksan SB**, Bilgili F, Eren İ, Bursali A, Koç E. Factors affecting adherence with foot abduction orthosis following Ponseti method. *Acta Orthop Traumatol Turc* 2015;49(6):620–626 (Original Article)
- Göksel F** (see Kömürcü E et al.) 2015;49(5):522–529
- Gölge UH** (see Kömürcü E et al.) 2015;49(5):522–529
- Guo SG** (see Lu OF et al.) 2015;49(6):654–660
- Güclü B** (see Kaya A et al.) 2015;49(5):478–482
- Gül M**, Yavuz U, Çetinkaya E, Aykut ÜS, Özkul B, Kabukcuoğlu YS. Chevron osteotomy in patients with scheduled osteotomy of the medial malleolus. *Acta Orthop Traumatol Turc* 2015;49(4):399–404 (Original Article)
- Gülabı D** (see Çeçen GS et al.) 2015;49(3):297–301
- Gülabı D** (see Taşdemir Z et al.) 2015;49(5):483–491
- Güleç A** (see Acar MA et al.) 2015;49(3):241–248
- Güleç MA** (see Adanır O et al.) 2015;49(5):544–551
- Güler F** (see Köse Ö et al.) 2015;49(3):302–306
- Güler O** (see Köksal İ et al.) 2015;49(5):465–470
- Gültekin MZ** (see Adanır O et al.) 2015;49(5):544–551
- Günal İ** (see Karatosun V et al.) 2015;49(4):453–455
- Gündes H** (see Buluç L et al.) 2015;49(6):641–647
- Günenç C** (see Özsoy MH et al.) 2015;49(2):190–196
- Güneri S** (see Taş S et al.) 2015;49(2):151–159
- Güney A** (see Karaman İ et al.) 2015;49(2):139–143
- Güney N** (see Demir MT et al.) 2015;49(6):597–605
- Güngör HR**, Ök N. What if the silent disease comes with the reality?
- Comment on: Prevalence of bone mineral density testing and osteoporosis management following low–and high–energy fractures. *Acta Orthop Traumatol Turc* 2015;49(2):224 (Letter To The Editor)
- Güray Toğral G**, Arıkan M, Aktaş E, Öztürk R, Güven O, Eksioglu F. Surgical management of bone metastases from urological malignancies: an analysis of 70 cases. *Acta Orthop Traumatol Turc* 2015;49(6):634–640 (Original Article)
- Gürbüz H**, Çakar M, Adaş M, Tekin AC, Bayraktar MK, Esenyel CZ. Measurement of the knee joint line in Turkish population. *Acta Orthop Traumatol Turc* 2015;49(1):41–44 (Original Article)
- Gürbüz Y**, Sügün TS, Özaksar K. A bibliometric analysis of orthopedic publications originating from Turkey. *Acta Orthop Traumatol Turc* 2015;49(1):57–66 (Original Article)
- Gürçan S** (see Cansu E et al.) 2015;49(3):227–232
- Gürses İA**, Gayretli Ö, Coşkun O, Kale A, Öztürk A. Anatomical relations between anterior coracoscapular ligament and suprascapular neurovascular structures and a proposal for classification. *Acta Orthop Traumatol Turc* 2015;49(4):433–437 (Experimental Study)
- Güven MF** (see Botanlıoğlu H et al.) 2015;49(1):30–36
- Güven O** (see Güray Toğral G et al.) 2015;49(6):634–640
- Güvencer M** (see Hapa O et al.) 2015;49(3):307–310
- Haddadi S** (see Parizi AM et al.) 2015;49(6):683–689
- Hagel A** (see Freche S et al.) 2015;49(1):91–96
- Hancı A** (see Sayın P et al.) 2015;49(3):267–273
- Hapa O**, Karakaşlı A, Dinçer C, Zhamilov V, Güvencer M, Havitçioğlu H. Biomechanical comparison of headless antegrade screw versus retrograde cortical screw for coronoid fracture fixation. *Acta Orthop Traumatol Turc* 2015;49(3):307–310 (Experimental Study)
- Harrington P** (see Ellanti P Et al.) 2015;49(6):593–596
- Havitçioğlu H** (see Hapa O et al.) 2015;49(3):307–310
- Hayran M** (see Özsoy MH et al.) 2015;49(2):190–196
- Herrara–Perez M** (see Pais–Brito JL et al.) 2015;49(4):375–381
- Hock JL** (see Anthonissen J et al.) 2015;49(2):197–202
- Hofmann A** (see Anthonissen J et al.) 2015;49(2):197–202
- Hwang SC** (see Jeong ST et al.) 2015;49(6):690–693
- Iliou K**, Paraskevas G, Kanavaros P, Gekas C, Barbouti A, Kitsoulis P. Relationship between pedographic analysis and the Manchester scale in hallux valgus. *Acta Orthop Traumatol Turc* 2015;49(1):75–79 (Original Article)
- İşıl CT** (see Sayın P et al.) 2015;49(3):267–273
- İşikan UE** (see Atbinici H et al.) 2015;49(2):160–165
- İşikan UE** (see Sipahioğlu S et al.) 2015;49(1):45–50
- İmren Y** (see Ayanoğlu S et al.) 2015;49(3):319–325
- İnan M** (see Sarıkaya İA et al.) 2015;49(1):51–56
- İnan M**, Sarıkaya İA, Şeker A, Beng K. A combined procedure for irreducible dislocation of patella in children with ligamentous laxity:

- a preliminary report. *Acta Orthop Traumatol Turc* 2015;49(5):530–538 (Original Article)
- İnce B**, Dadaci M, Bilgen F, Yarar S. Comparison between knot and Winograd techniques on ingrown nail treatment. *Acta Orthop Traumatol Turc* 2015;49(5):539–543 (Original Article)
- Jeong JJ**, Kim YY, Ji YH, Park SE. Radial collateral ligament reconstruction of the proximal interphalangeal joint of a finger with severe bony defect: revising a failed ligament reconstruction – a case report. *Acta Orthop Traumatol Turc* 2015;49(6):701–705 (Case Report)
- Jeong ST**, Hwang SC, Kim DH, Nam DC. A new surgical technique for traumatic dislocation of posterior tibial tendon with avulsion fracture of medial malleolus. *Acta Orthop Traumatol Turc* 2015;49(6):690–693 (Case Report)
- Ji YH** (see Jeong JJ et al.) 2015;49(6):701–705
- Juch F** (see Freche S et al.) 2015;49(1):91–96
- Kabukçuoğlu YS** (see Gül M et al.) 2015;49(4):399–404
- Kaçar E** (see Altinel L et al.) 2015;49(3):274–279
- Kafadar İH** (see Karaman İ et al.) 2015;49(2):139–143
- Kale A** (see Gürses İA et al.) 2015;49(4):433–437
- Kalem M** (see Songür M et al.) 2015;49(3):311–318
- Kalem M** (see Şahin E et al.) 2015;49(4):447–452
- Kanavaros P** (see Iliou K et al.) 2015;49(1):75–79
- Kanay E** (see Kovalak E et al.) 2015;49(3):260–266
- Kang WB** (see Ru JY et al.) 2015;49(6):668–675
- Kantarci F** (see Botanlioğlu H et al.) 2015;49(1):30–36
- Kapıcıoğlu M** (see Erşen A et al.) 2015;49(4):354–360
- Kaplanoğlu GT** (see Songür M et al.) 2015;49(3):311–318
- Karaarslan AA**, Karakaşlı A, Karcı T, Aycan H, Sesli E. Reliability of threaded locking screws. *Acta Orthop Traumatol Turc* 2015;49(5):552–557 (Experimental Study)
- Karaaslan F** (see Karaoglu S et al.) 2015;49(5):565–567
- Karabay N**, Toros T, Çetinkol E, Ada S. Correlations between ultrasonography findings and surgical findings in patients with refractory symptoms after primary surgical release for carpal tunnel syndrome. *Acta Orthop Traumatol Turc* 2015;49(2):126–132 (Original Article)
- Karadeniz E** (see Çakmak G et al.) 2015;49(6):676–682
- Karaduman M** (see Armangil M et al.) 2015;49(1):6–12
- Karagüven D** (see Kaya A et al.) 2015;49(5):478–482
- Karakaplan M** (see Zehir S et al.) 2015;49(6):579–585
- Karakaşlı A** (see Hapa O et al.) 2015;49(3):307–310
- Karakaşlı A** (see Karaarslan AA et al.) 2015;49(5):552–557
- Karakoyun Ö**, Küçükkaya M, Erol MF. Does lengthening after acute correction negatively affect bone healing during distraction osteogenesis? *Acta Orthop Traumatol Turc* 2015;49(4):405–409 (Original Article)
- Karaman İ**, Öner M, Kafadar İH, Güney A, Argun M. Surgical excision of peripheral nerve schwannomas: analysis of 11 patients. *Acta Orthop Traumatol Turc* 2015;49(2):139–143 (Original Article)
- Karaman Ö** (see Özkanlı G et al.) 2015;49(1):106–110
- Karaoglu S**, Karaaslan F, Mermekaya MU. A mechanically locked knee joint due to free-floating flake-shaped rice bodies: a case report. *Acta Orthop Traumatol Turc* 2015;49(5):565–567 (Case Report)
- Karatosun V** (see Bakırhan S et al.) 2015;49(5):497–502
- Karatosun V**, Özaksoy D, Balci A, Günal İ. Cervical digits: a report of 3 cases. *Acta Orthop Traumatol Turc* 2015;49(4):453–455 (Case Report)
- Karcı T** (see Karaarslan AA et al.) 2015;49(5):552–557
- Kaya A**, Köken M, Akan B, Karagüven D, Güçlü B. The triangle between the anterior and posterior cruciate ligaments: an arthroscopic anatomy study. *Acta Orthop Traumatol Turc* 2015;49(5):478–482 (Original Article)
- Kaymak B** (see Taş S et al.) 2015;49(2):151–159
- Kaymaz B** (see Kömürcü E et al.) 2015;49(5):522–529
- Kaynak G** (see Botanlioğlu H et al.) 2015;49(1):30–36
- Kevin KOO**, Lo YL, Tan SB. Lumbar plexopathy following transforaminal interbody fusion: a rare complication. *Acta Orthop Traumatol Turc* 2015;49(1):97–102 (Case Report)
- Kılıçarslan A** (see Kılıçarslan K et al.) 2015;49(4):394–398
- Kılıçarslan K**, Kılıçarslan A, Demirkale İ, Aytekin MN, Aksekili MAE, Uğurlu M. Immunohistochemical analysis of mechanoreceptors in transverse acetabular ligament and labrum: a prospective analysis of 35 cases. *Acta Orthop Traumatol Turc* 2015;49(4):394–398 (Original Article)
- Kıray A** (see Meriç G et al.) 2015;49(2):184–189
- Kim DH** (see Jeong ST et al.) 2015;49(6):690–693
- Kim YH** (see Park JW et al.) 2015;49(2):115–119
- Kim YY** (see Jeong JJ et al.) 2015;49(6):701–705
- Kirimlioğlu H** (see Buldu H et al.) 2015;49(2):210–212
- Kitsoulis P** (see Iliou K et al.) 2015;49(1):75–79
- Kızılıay O** (see Özsoy MH et al.) 2015;49(2):190–196
- Klaber I** (see Schweitzer D et al.) 2015;49(4):421–425
- Kocaoğlu M** (see Balci Hİ et al.) 2015;49(6):627–633
- Koç DY** (see Bayrı Y et al.) 2015;49(4):459–464
- Koç E** (see Göksan SB et al.) 2015;49(6):620–626
- Kontogeorgakos V** (see Mavrodontidis A et al.) 2015;49(6):661–667
- Konya D** (see Bayrı Y et al.) 2015;49(4):459–464
- Koşay C** (see Meriç G et al.) 2015;49(2):184–189
- Koulouvaris P** (see Mavrodontidis A et al.) 2015;49(6):661–667
- Koulouvaris P**, Lykissas M, Ristanis S, Aggelidakis G, Mavrodontidis A. Lateral versus medial approach for intra-articular knee injections. *Acta Orthop Traumatol Turc* 2015;49(1):37–40 (Original Article)
- Kovalak E**, Can A, Stegemann N, Erdoğan AÖ, Erdoğan F. Total knee arthroplasty after osseous ankylosis of the knee joint. *Acta Orthop Traumatol Turc* 2015;49(5):503–507 (Original Article)
- Kovalak E**, Doğan AT, Üzümçügil O, Obut A, Yıldız AS, Kanay E, Tüzünler T, Özuyuvcı E. A comparison of continuous femoral nerve block and periarticular local infiltration analgesia in the management

- of early period pain developing after total knee arthroplasty. *Acta Orthop Traumatol Turc* 2015;49(3):260–266 (Original Article)
- Köken M** (see Kaya A et al.) 2015;49(5):478–482
- Köksal İ**, Güler O, Mahiroğulları M, Mutlu S, Çakmak S, Akşahin E. Comparison of extracorporeal shock wave therapy in acute and chronic lateral epicondylitis. *Acta Orthop Traumatol Turc* 2015;49(5):465–470 (Original Article)
- Köksal İ**, Tahta M, Şimşek ME, Doğan M, Bozkurt M. Efficacy of rapid recovery protocol for total knee arthroplasty: a retrospective study. *Acta Orthop Traumatol Turc* 2015;49(4):382–386 (Original Article)
- Kömürçü E**, Kaymaz B, Adam G, Gölgé UH, Göksel F, Özden R. Safety and feasibility of lumbar spine for intralaminar screw fixation: a computed tomography-based morphometric study. *Acta Orthop Traumatol Turc* 2015;49(5):522–529 (Original Article)
- Köse Ö** (see Özyürek S et al.) 2015;49(2):225
- Köse Ö**, Özyürek S, Duygun F, Güler F, Turan A, Arazi M. A detailed analysis of messages posted on the 'Turk-Orthopod' mailing list over a 13-year period. *Acta Orthop Traumatol Turc* 2015;49(3):302–306 (Original Article)
- Kuran B** (see Şahin F et al.) 2015;49(4):361–369
- Kurt YG**, Cayci T, Agilli M. The effect of red cell distribution width on mortality in partial hip replacement surgery. *Acta Orthop Traumatol Turc* 2015;49(3):342–343 (Letter To The Editor)
- Küçükdurmaz F**, Mutlu S, Mutlu H, Parviz J. A comparison of the quality of online information about total knee arthroplasty available in Turkish and English: a cross-sectional study. *Acta Orthop Traumatol Turc* 2015;49(4):370–374 (Original Article)
- Küçükkaya M** (see Karakoyun Ö et al.) 2015;49(4):405–409
- Küçükyclırmı BO** (see Adanır O et al.) 2015;49(5):544–551
- Laçın B** (see Orak MM et al.) 2015;49(4):438–446
- Lee JI** (see Park JW et al.) 2015;49(2):115–119
- Li X** (see Song JQ et al.) 2015;49(4):345–353
- Liu C** (see Fan SW et al.) 2015;49(6):606–613
- Liu H**, Mei X, Zhang Z, Sun J. Mini-midvastus versus mini-medial parapatellar approach in simultaneous bilateral total knee arthroplasty with 24-month follow-up. *Acta Orthop Traumatol Turc* 2015;49(6):586–592 (Original Article)
- Liu J** (see Zhang Y et al.) 2015;49(2):203–209
- Liu YJ** (see Fan SW et al.) 2015;49(6):606–613
- Liu Z** (see Zeng H et al.) 2015;49(5):513–521
- Lo YL** (see Kevin KOO et al.) 2015;49(1):97–102
- Lorenc R** (see Oral A et al.) 2015;49(1):67–74
- Lu OF**, Tang GL, Zhao XJ, Zhang WJ, Guo SG, Wang HZ. Tension band wiring through double-cannulated screws as a new internal fixation method for treatment of olecranon fractures: a randomized comparative study. *Acta Orthop Traumatol Turc* 2015;49(6):654–660 (Original Article)
- Lu YJ** (see Fan SW et al.) 2015;49(6):606–613
- Lykissas M** (see Kulouvaris P et al.) 2015;49(1):37–40
- Lykissas M** (see Mavrodontidis A et al.) 2015;49(6):661–667
- Ma JX**, Wang J, Xu WG, Yu JT, Yang Y, Ma XL. Biomechanical outcome of proximal femoral nail antirotation is superior to proximal femoral locking compression plate for reverse oblique intertrochanteric fractures: a biomechanical study of intertrochanteric fractures. *Acta Orthop Traumatol Turc* 2015;49(4):426–432 (Experimental Study)
- Ma LM** (see Zhang Y et al.) 2015;49(2):203–209
- Ma XL** (see Ma JX et al.) 2015;49(4):426–432
- Mahiroğulları M** (see Köksal İ et al.) 2015;49(5):465–470
- Marton D** (see Anghel S et al.) 2015;49(2):133–138
- Mavrodontidis A** (see Kulouvaris P et al.) 2015;49(1):37–40
- Mavrodontidis A**, Lykissas M, Koulovaris P, Pafilas D, Kontogeorgakos V, Zalavras C. Percutaneous repair of acute Achilles tendon rupture: a functional evaluation study with a minimum 10-year follow-up. *Acta Orthop Traumatol Turc* 2015;49(6):661–667 (Original Article)
- Mei X** (see Liu H et al.) 2015;49(6):586–592
- Meriç G**, Zeybek G, Kıray A, Atik A, Budayri A, Koşay C. Utilization of the bicipital groove axis for confirming alignment of the humerus with transepicondylar and ulnar shaft axes during intramedullary nailing. *Acta Orthop Traumatol Turc* 2015;49(2):184–189 (Experimental Study)
- Mermerci Başkan B** (see Duran S et al.) 2015;49(6):698–700
- Mermerkaya MU** (see Karaoğlu S et al.) 2015;49(5):565–567
- Midi A** (see Orak MM et al.) 2015;49(4):438–446
- Muratlı HH** (see Özkanlı G et al.) 2015;49(1):106–110
- Mutlu H** (see Küçükdurmaz F et al.) 2015;49(4):370–374
- Mutlu S** (see Köksal İ et al.) 2015;49(5):465–470
- Mutlu S** (see Küçükdurmaz F et al.) 2015;49(4):370–374
- Müjde S**, Erel N, Ozan F. Transverse decompression technique in the surgical treatment of degenerative lumbar canal stenosis. *Acta Orthop Traumatol Turc* 2015;49(6):614–619 (Original Article)
- Nalbantoglu U** (see Gereli A et al.) 2015;49(3):233–240
- Nam DC** (see Jeong ST et al.) 2015;49(6):690–693
- Niu YF** (see Ru JY et al.) 2015;49(6):668–675
- Nusselt T** (see Freche S et al.) 2015;49(1):91–96
- Obut A** (see Kovalak E et al.) 2015;49(3):260–266
- Oğuzhanoğlu N** (see Şahin F et al.) 2015;49(4):361–369
- Onay T** (see Erol B et al.) 2015;49(3):288–296
- Orak MM**, Ak D, Midi A, Laçın B, Purisa S, Bulut G. Comparison of the effects of chronic intra-articular administration of tenoxicam, diclofenac, and methylprednisolone in healthy rats. *Acta Orthop Traumatol Turc* 2015;49(4):438–446 (Experimental Study)
- Oral A**, Lorenc R. Compliance, persistence, and preference outcomes of postmenopausal osteoporotic women receiving a flexible or fixed regimen of daily risedronate: A multicenter, prospective, parallel group study. *Acta Orthop Traumatol Turc* 2015;49(1):67–74 (Original Article)
- Oryan A** (see Parizi AM et al.) 2015;49(6):683–689

- Ossendorf C** (see Anthonissen J et al.) 2015;49(2):197–202
- Ozan F** (see Müjde S et al.) 2015;49(6):614–619
- Ök N** (see Gündör HR et al.) 2015;49(2):224
- Önal A** (see Özler T et al.) 2015;49(3):255–259
- Öner M** (see Karaman İ et al.) 2015;49(2):139–143
- Özaksar K** (see Gürbüz Y et al.) 2015;49(1):57–66
- Özaksoy D** (see Karatosun V et al.) 2015;49(4):453–455
- Özal SF** (see Taşdemir Z et al.) 2015;49(5):483–491
- Özcanlı H**, Bektaş G, Cavit A, Duymaz A, Coşkunfirat OK. Reconstruction of fingertip defects with digital artery perforator flap. *Acta Orthop Traumatol Turc* 2015;49(1):18–22 (Original Article)
- Özdel A**, Sarisözen B, Yalçinkaya U, Demirağ B. The effect of HIF stabilizer on distraction osteogenesis. *Acta Orthop Traumatol Turc* 2015;49(1):80–84 (Experimental Study)
- Özdemir BH** (see Çakmak G et al.) 2015;49(6):676–682
- Özden R** (see Kömürcü E et al.) 2015;49(5):522–529
- Özgül B** (see Öztürk Ö et al.) 2015;49(2):120–125
- Özgüven HD** (see Çelebi MM et al.) 2015;49(5):492–496
- Özkan H** (see Erel S et al.) 2015;49(5):508–512
- Özkan Ö** (see Söyüncü Y et al.) 2015;49(5):571–575
- Özkazanlı G**, Karaman Ö, Beng K, Muratlı HH. Recurrent anterior hip dislocation in a patient with myasthenia gravis: a case report. *Acta Orthop Traumatol Turc* 2015;49(1):106–110 (Case Report)
- Özkul B** (see Gül M et al.) 2015;49(4):399–404
- Özler T**, Uluçay Ç, Önal A, Altıntaş F. Comparison of switch-therapy modalities (enoxaparin to rivaroxaban/dabigatran) and enoxaparin monotherapy after hip and knee replacement. *Acta Orthop Traumatol Turc* 2015;49(3):255–259 (Original Article)
- Özsoy A** (see Özsoy MH et al.) 2015;49(2):190–196
- Özsoy MH**, Kızılıy O, Günenç C, Özsoy A, Demiryürek D, Hayran M, Erçakmak B, Sakaoğulları A. Modified tension band wiring technique for olecranon fractures: where and how should the K-wires be inserted to avoid articular penetration? *Acta Orthop Traumatol Turc* 2015;49(2):190–196 (Experimental Study)
- Öztürk A** (see Gürses İA et al.) 2015;49(4):433–437
- Öztürk Ö**, Sarı Z, Özgül B, Taşıykan L. Validity and reliability of the Turkish "Patient-Rated Wrist Evaluation" questionnaire. *Acta Orthop Traumatol Turc* 2015;49(2):120–125 (Original Article)
- Öztürk R** (see Güray Toğral G et al.) 2015;49(6):634–640
- Öztürkmen Y** (see Akman YE et al.) 2015;49(6):648–653
- Özveren MF** (see Ayberk G et al.) 2015;49(1):103–105
- Özyuvacı E** (see Kovalak E et al.) 2015;49(3):260–266
- Özyürek S** (see Köse Ö et al.) 2015;49(3):302–306
- Özyürek S**, Köse Ö, Deniz G. Comment on: Locking knee after intra-articular migration of broken patella tension band wire: an extraordinary intra-articular migration via pseudarthrosis line. *Acta Orthop Traumatol Turc* 2015;49(2):225 (Letter To The Editor)
- Pafitas D** (see Mavrodontidis A et al.) 2015;49(6):661–667
- Pais-Brito JL**, Rafols-Urquizaz B, Gonzalez-Massieu L, Herrara-Perez M, Aciego-De Mendoza M, De Bergua Domingo J. Reduced patellofemoral and walking pain with mobile-bearing vs. fixed-bearing total knee replacements: a mid-term prospective analytic study. *Acta Orthop Traumatol Turc* 2015;49(4):375–381 (Original Article)
- Paraskevas G** (see Iliou K et al.) 2015;49(1):75–79
- Parizi AM**, Oryan A, Haddadi S, Sadegh AB. Histopathological and biomechanical evaluation of bone healing properties of DBM and DBM-G90 in a rabbit model. *Acta Orthop Traumatol Turc* 2015;49(6):683–689 (Experimental Study)
- Park JW**, Kim YH, Park KC, Lee JI. A novel technique for full anatomic restoration of volar tilt in distal radius fracture. *Acta Orthop Traumatol Turc* 2015;49(2):115–119 (Original Article)
- Park KC** (see Park JW et al.) 2015;49(2):115–119
- Park SE** (see Jeong JJ et al.) 2015;49(6):701–705
- Parmaksızıoğlu F** (see Cansu E et al.) 2015;49(3):227–232
- Parvizci J** (see Küçükdurmaz F et al.) 2015;49(4):370–374
- Pehlivanoglu G** (see Çeçen GS et al.) 2015;49(3):297–301
- Peng W** (see Zeng H et al.) 2015;49(5):513–521
- Pennings A** (see Saleh H et al.) 2015;49(2):220–223
- Petrisor M** (see Anghel S et al.) 2015;49(2):133–138
- Pirinççi Y** (see Demir MT et al.) 2015;49(6):597–605
- Purisa S** (see Orak MM et al.) 2015;49(4):438–446
- Qu W** (see Wang Z et al.) 2015;49(3):326–330
- Rafols-Urquizaz B** (see Pais-Brito JL et al.) 2015;49(4):375–381
- Raval P** (see Ellanti P et al.) 2015;49(6):593–596
- Ristanis S** (see Kulouvaris P et al.) 2015;49(1):37–40
- Ritz U** (see Anthonissen J et al.) 2015;49(2):197–202
- Rommens PM** (see Anthonissen J et al.) 2015;49(2):197–202
- Ru JY**, Niu YF, Cong Y, Kang WB, Cang Hb, Zhao JN. Exchanging reamed nailing versus augmentative compression plating with autogenous bone grafting for aseptic femoral shaft nonunion: a retrospective cohort study. *Acta Orthop Traumatol Turc* 2015;49(6):668–675 (Original Article)
- Sadegh AB** (see Parizi AM et al.) 2015;49(6):683–689
- Sağlam F** (see Taşdemir Z et al.) 2015;49(5):483–491
- Sağlam Y** (see Balci Hİ et al.) 2015;49(6):627–633
- Saka T** (see Çelebi MM et al.) 2015;49(5):492–496
- Sakallı H**, Baskın E, Dener Ş. Parvovirus B19-induced acute bilateral carpal tunnel syndrome in twin girls. *Acta Orthop Traumatol Turc* 2015;49(5):568–570 (Case Report)
- Sakaoğulları A** (see Özsoy MH et al.) 2015;49(2):190–196
- Saleh H**, Pennings A, Elmaraghy A. Venous thromboembolism after shoulder arthroplasty: a report of three cases. *Acta Orthop Traumatol Turc* 2015;49(2):220–223 (Case Report)
- Salih M** (see Demir MT et al.) 2015;49(6):597–605

- Sarak T** (see Zehir S et al.) 2015;49(3):249–254
- Sarı Z** (see Öztürk Ö et al.) 2015;49(2):120–125
- Sarıkaya İA** (see İnan M et al.) 2015;49(5):530–538
- Sarıkaya İA**, İnan M, Şeker A. Improvement of popliteal angle with semitendinosus or gastrocnemius tenotomies in children with cerebral palsy. *Acta Orthop Traumatol Turc* 2015;49(1):51–56 (Original Article)
- Sarisözen B** (see Özdel A et al.) 2015;49(1):80–84
- Sayın P**, Dobrucalı H, Türk HS, Totoz T, İslil CT, Hancı A. Effects of intra-articular levobupivacaine, fentanyl–levobupivacaine and tramadol–levobupivacaine for postoperative pain in arthroscopic knee surgery. *Acta Orthop Traumatol Turc* 2015;49(3):267–273 (Original Article)
- Schweitzer D**, Klaber I, Fischman D, Wozniak A, Botello E, Amenábar PP. Surgical light handles: a source of contamination in the surgical field. *Acta Orthop Traumatol Turc* 2015;49(4):421–425 (Original Article)
- Selek Ö** (see Buluç L et al.) 2015;49(6):641–647
- Serbest K**, Çilli M, Eldoğan O. Biomechanical effects of daily physical activities on the lower limb. *Acta Orthop Traumatol Turc* 2015;49(1):85–90 (Experimental Study)
- Serhan M** (see Altinel L et al.) 2015;49(3):274–279
- Sesli E** (see Karaarslan AA et al.) 2015;49(5):552–557
- Seyhan M** (see Gereli A et al.) 2015;49(3):233–240
- Seyithanoğlu H** (see Yücel H et al.) 2015;49(1):23–29
- Sipahioglu S** (see Atbinici H et al.) 2015;49(2):160–165
- Sipahioglu S**, Zehir S, Aşkar H, İşikan UE. Peroneal nerve palsy secondary to prolonged squatting in seasonal farmworkers. *Acta Orthop Traumatol Turc* 2015;49(1):45–50 (Original Article)
- Sofulu Ö** (see Erol B et al.) 2015;49(2):144–150
- Song JQ**, Deng XF, Wang YM, Wang XB, Li X, Yu B. Operative vs. nonoperative treatment for comminuted proximal humeral fractures in elderly patients: a current meta-analysis. *Acta Orthop Traumatol Turc* 2015;49(4):345–353 (Original Article)
- Songur M** (see Şahin E et al.) 2015;49(4):447–452
- Songür M**, Şahin E, Demir T, Kalem M, Kaplanoğlu GT, Altun NS. The effect of equine-derived bone protein extract (Colloss-E) in the treatment of cavitary bone defects: an experimental study. *Acta Orthop Traumatol Turc* 2015;49(3):311–318 (Experimental Study)
- Söyüncü İ** (see Söyüncü Y et al.) 2015;49(5):571–575
- Söyüncü Y**, Bigat Z, Söyüncü İ, Özkan Ö. Omentum and reverse turnover latissimus dorsi musculocutaneous flap for the treatment of cerebrospinal fluid fistula. *Acta Orthop Traumatol Turc* 2015;49(5):571–575 (Case Report)
- Stegemann N** (see Kovalak E et al.) 2015;49(5):503–507
- Subaşı M** (see Zehir S et al.) 2015;49(4):416–420
- Sun J** (see Liu H et al.) 2015;49(6):586–592
- Sügün TS** (see Gürbüz Y et al.) 2015;49(1):57–66
- Şahin E** (see Songür M et al.) 2015;49(3):311–318
- Şahin E** (see Zehir S et al.) 2015;49(4):416–420
- Şahin E** (see Zehir S et al.) 2015;49(6):579–585
- Şahin E**, Kalem M, Zehir S, Songur M, Demirtaş M. Effect of intramuscular botulinum toxin-A in a rat rotator cuff repair model: an experimental study. *Acta Orthop Traumatol Turc* 2015;49(4):447–452 (Experimental Study)
- Şahin F**, Akkaya N, Kurancı B, Doğu B, Atalay NS, Oğuzhanoglu N. Demographical, clinical, and psychological differences of patients who suffered hand injury accidentally and by punching glass. *Acta Orthop Traumatol Turc* 2015;49(4):361–369 (Original Article)
- Şahin MŞ** (see Çakmak G et al.) 2015;49(6):676–682
- Şeker A** (see İnan M et al.) 2015;49(5):530–538
- Şeker A** (see Sarıkaya İA et al.) 2015;49(1):51–56
- Şen C** (see Balcı Hİ et al.) 2015;49(6):627–633
- Şen C** (see Tuncay İ et al.) 2015;49(3):280–287
- Şimşek İE** (see Erel S et al.) 2015;49(5):508–512
- Şimşek ME** (see Köksal İ et al.) 2015;49(4):382–386
- Tadros AMA**, Elhelw AM, Eldehi M, Al-Shaeel RA. Removal of a femoral intramedullary nail with impacted nail end cap using a broken screw extraction set: a case report and literature review. *Acta Orthop Traumatol Turc* 2015;49(2):217–219 (Case Report)
- Tahta M** (see Köksal İ et al.) 2015;49(4):382–386
- Tan SB** (see Kevin KOO et al.) 2015;49(1):97–102
- Tang GL** (see Lu OF et al.) 2015;49(6):654–660
- Tarczynska M** (see Gagala J et al.) 2015;49(6):694–697
- Taş S**, Güneri S, Kaymak B, Erden Z. A comparison of results of 3-dimensional gait analysis and observational gait analysis in patients with knee osteoarthritis. *Acta Orthop Traumatol Turc* 2015;49(2):151–159 (Original Article)
- Taşdemir Z** (see Zehir S et al.) 2015;49(6):579–585
- Taşdemir Z**, Gülbasi D, Sağlam F, Özal SF, Elmali N. Does the anteromedial portal provide clinical superiority compared to the transtibial portal in anterior cruciate ligament reconstruction in nonprofessional athletes in short-term follow-up? *Acta Orthop Traumatol Turc* 2015;49(5):483–491 (Original Article)
- Taşyuran L** (see Öztürk Ö et al.) 2015;49(2):120–125
- Tekin AC** (see Gürbüz H et al.) 2015;49(1):41–44
- Tian H** (see Wang DJ et al.) 2015;49(5):558–564
- Toğral G** (see Aktaş E et al.) 2015;49(4):387–393
- Topkar MO** (see Erol B et al.) 2015;49(2):144–150
- Topkar OM** (see Erol B et al.) 2015;49(3):288–296
- Toros T** (see Karabay N et al.) 2015;49(2):126–132
- Totoz T** (see Sayın P et al.) 2015;49(3):267–273
- Tuncay İ**, Bilsel K, Elmadağ M, Erkoçak ÖF, Aşçı M, Şen C. Evaluation of mobile bearing unicompartmental knee arthroplasty, opening wedge, and dome-type high tibial osteotomies for knee arthritis. *Acta Orthop Traumatol Turc* 2015;49(3):280–287 (Original Article)
- Turan A** (see Köse Ö et al.) 2015;49(3):302–306
- Türk HS** (see Sayın P et al.) 2015;49(3):267–273
- Türkmen İ**, Esenkaya İ, Unay K, Akçal MA. Rhabdomyolysis after tourniquet use in proximal tibial osteotomy: a case report and review

- of the literature. *Acta Orthop Traumatol Turc* 2015;49(3):338–341 (Case Report)
- Türkmen M** (see Gereli A et al.) 2015;49(3):233–240
- Türköz HK** (see Erol B et al.) 2015;49(2):144–150
- Tüzüner T** (see Kovalak E et al.) 2015;49(3):260–266
- Uğurlu M** (see Kılıçarslan K et al.) 2015;49(4):394–398
- Uluçay Ç** (see Özler T et al.) 2015;49(3):255–259
- Unay K** (see Türkmen İ et al.) 2015;49(3):338–341
- Uzun B** (see Boya H et al.) 2015;49(3):334–337
- Ülkar B** (see Çelebi MM et al.) 2015;49(5):492–496
- Ünal MB** (see Cansu E et al.) 2015;49(3):227–232
- Ünver B** (see Bakırhan S et al.) 2015;49(5):497–502
- Üzümçügil O** (see Kovalak E et al.) 2015;49(3):260–266
- Wang D** (see Wang Z et al.) 2015;49(3):326–330
- Wang DJ**, Tian H, Zhuang BX, Wu HJ. Effects of intraperitoneal hydrogen injection on nitric oxide synthase mRNA and malondialdehyde following limb ischemia–reperfusion in rabbits. *Acta Orthop Traumatol Turc* 2015;49(5):558–564 (Experimental Study)
- Wang HZ** (see Lu OF et al.) 2015;49(6):654–660
- Wang J** (see Ma JX et al.) 2015;49(4):426–432
- Wang S** (see Chen J et al.) 2015;49(4):456–458
- Wang X** (see Zeng H et al.) 2015;49(5):513–521
- Wang XB** (see Song JQ et al.) 2015;49(4):345–353
- Wang YM** (see Song JQ et al.) 2015;49(4):345–353
- Wang Z**, Qu W, Wang D, Zhou Z, Yu M, Zhou D. Talar neck fractures: anatomic landmarks of suitable position for posterolateral screw insertion. *Acta Orthop Traumatol Turc* 2015;49(3):326–330 (Experimental Study)
- Wozniak A** (see Schweitzer D et al.) 2015;49(4):421–425
- Wu D** (see Chen J et al.) 2015;49(4):456–458
- Wu HJ** (see Wang DJ et al.) 2015;49(5):558–564
- Wu J** (see Chen J et al.) 2015;49(4):456–458
- Xiao J** (see Zhang Y et al.) 2015;49(2):203–209
- Xu WG** (see Ma JX et al.) 2015;49(4):426–432
- Yalçınkaya M** (see Akman YE et al.) 2015;49(6):648–653
- Yalçınkaya U** (see Özdel A et al.) 2015;49(1):80–84
- Yang P**, Zhang Y, Liu J, Xiao J, Ma LM, Zhu CR. Biomechanical effect of medial cortical support and medial screw support on locking plate fixation in proximal humeral fractures with a medial gap: a finite element analysis. *Acta Orthop Traumatol Turc* 2015;49(2):203–209 (Experimental Study)
- Yang Y** (see Ma JX et al.) 2015;49(4):426–432
- Yarar S** (see İnce B et al.) 2015;49(5):539–543
- Yavuz U** (see Güll M et al.) 2015;49(4):399–404
- Yıldırım A** (see Aktaş E et al.) 2015;49(4):387–393
- Yıldırım Y** (see Cansu E et al.) 2015;49(1):1–5
- Yıldız AS** (see Kovalak E et al.) 2015;49(3):260–266
- Yılmaz G** (see Acar MA et al.) 2015;49(3):241–248
- Yılmaz Yelvar GD**, Baltacı G, Bayrakci Tunay V, Atay AÖ. The effect of postural stabilization exercises on pain and function in females with patellofemoral pain syndrome. *Acta Orthop Traumatol Turc* 2015;49(2):166–174 (Original Article)
- Yıldırım T** (see Ayberk G et al.) 2015;49(1):103–105
- Yoloğlu S** (see Ertem K et al.) 2015;49(5):471–477
- Yu B** (see Song JQ et al.) 2015;49(4):345–353
- Yu HJ** (see Fan SW et al.) 2015;49(6):606–613
- Yu JT** (see Ma JX et al.) 2015;49(4):426–432
- Yu M** (see Wang Z et al.) 2015;49(3):326–330
- Yücel H**, Seyithanoğlu H. Choosing the most efficacious scoring method for carpal tunnel syndrome. *Acta Orthop Traumatol Turc* 2015;49(1):23–29 (Original Article)
- Yüksel S**, Adanır O, Gültekin MZ, Çağlar A, Küçükıyıldırım BO, Güleç MA, Alagöz E. Effect of platelet-rich plasma for treatment of Achilles tendons in free-moving rats after surgical incision and treatment. *Acta Orthop Traumatol Turc* 2015;49(5):544–551 (Experimental Study)
- Zalavras C** (see Mavrodontidis A et al.) 2015;49(6):661–667
- Zehir R** (see Zehir S et al.) 2015;49(1):13–17
- Zehir R** (see Zehir S et al.) 2015;49(3):249–254
- Zehir R** (see Zehir S et al.) 2015;49(4):416–420
- Zehir S** (see Sipahioğlu S et al.) 2015;49(1):45–50
- Zehir S** (see Şahin E et al.) 2015;49(4):447–452
- Zehir S** (see Zehir S et al.) 2015;49(4):416–420
- Zehir S**, Akgül T, Zehir R. Results of midshaft clavicle fractures treated with expandable, elastic and locking intramedullary nails. *Acta Orthop Traumatol Turc* 2015;49(1):13–17 (Original Article)
- Zehir S**, Elmalı N, Şahin E, Çalbıyük M, Karakaplan M, Taşdemir Z. Posterior cruciate ligament reconstruction via tibial inlay technique in isolated or multiligament knee injuries. *Acta Orthop Traumatol Turc* 2015;49(6):579–585 (Original Article)
- Zehir S**, Zehir R, Sarak T. Early surgery is feasible in patients with hip fractures who are on clopidogrel therapy. *Acta Orthop Traumatol Turc* 2015;49(3):249–254 (Original Article)
- Zehir S**, Zehir R, Şahin E, Akgül T, Zehir S, Subaşı M. Bonesetter interventions and consequences. *Acta Orthop Traumatol Turc* 2015;49(4):416–420 (Original Article)
- Zeng H**, Wang X, Zhang P, Peng W, Liu Z, Zhang Y. Single-stage posterior transforaminal lumbar interbody fusion, debridement, limited decompression, 3-column reconstruction, and posterior instrumentation in surgical treatment for single-segment lumbar spinal tuberculosis. *Acta Orthop Traumatol Turc* 2015;49(5):513–521 (Original Article)
- Zeybek G** (see Meriç G et al.) 2015;49(2):184–189
- Zhamilov V** (see Hapa O et al.) 2015;49(3):307–310

Zhang P (*see* Zeng H et al.) 2015;49(5):513–521
Zhang WJ (*see* Lu OF et al.) 2015;49(6):654–660
Zhang Y (*see* Zeng H et al.) 2015;49(5):513–521
Zhang Z (*see* Liu H et al.) 2015;49(6):586–592
Zhao JN (*see* Ru JY et al.) 2015;49(6):668–675

Zhao XJ (*see* Lu OF et al.) 2015;49(6):654–660
Zhou D (*see* Wang Z et al.) 2015;49(3):326–330
Zhou Z (*see* Wang Z et al.) 2015;49(3):326–330
Zhu CR (*see* Zhang Y et al.) 2015;49(2):203–209
Zhuang BX (*see* Wang DJ et al.) 2015;49(5):558–564