

# ACTA ORTHOPAEDICA et TRAUMATOLOGICA TURCICA

## SUBJECT INDEX FOR VOLUME 49 (2015)

- Accelerated discharge *see* 2015;49(4):382–386
- Accessibility *see* 2015;49(4):370–374
- Acetabular bone deficiency *see* 2015;49(6):597–605
- Acetabular
- revisions* *see* 2015;49(6):597–605
  - roof ring* *see* 2015;49(6):597–605
- Achilles tendon
- see* 2015;49(6):661–667
  - injuries* *see* 2015;49(5):544–551
- ACL reconstruction
- see* 2015;49(1):1–5
  - see* 2015;49(5):492–496
- Acromioclavicular joint *see* 2015;49(3):241–248
- Adamantinoma *see* 2015;49(2):210–212
- Adherence *see* 2015;49(6):620–626
- Adverse effects *see* 2015;49(4):421–425
- Alignment *see* 2015;49(2):184–189
- American Knee Society Score (KSS) *see* 2015;49(4):375–381
- Amputation *see* 2015;49(6):627–633
- Analgesic need *see* 2015;49(3):267–273
- Anatomical determinants of the knee joint line *see* 2015;49(1):41–44
- Anatomical morphology *see* 2015;49(3):326–330
- Anatomy *see* 2015;49(5):478–482
- Angiogenesis *see* 2015;49(1):80–84
- Animal
- model* *see* 2015;49(2):197–202
  - study* *see* 2015;49(3):311–318
  - study* *see* 2015;49(4):447–452
- Anterior coracoscapular ligament *see* 2015;49(4):433–437
- Anterior cruciate ligament
- see* 2015;49(3):274–279
  - see* 2015;49(5):478–482
  - see* 2015;49(5):483–491
- Anterior inferior iliac spine *see* 2015;49(2):213–216
- Anteromedial portal *see* 2015;49(5):483–491
- Antinociceptive effect *see* 2015;49(4):447–452
- Anxiety *see* 2015;49(5):492–496
- Apophyseal injury *see* 2015;49(2):213–216
- Arthroplasty *see* 2015;49(2):220–223
- Arthroplasty
- see* 2015;49(3):274–279
  - see* 2015;49(4):421–425
- Arthroscopic debridement *see* 2015;49(5):565–567
- Arthroscopy
- see* 2015;49(1):6–12
  - see* 2015;49(5):471–477
- see 2015;49(5):478–482
- Articular penetration *see* 2015;49(2):190–196
- Augmentative compression plating *see* 2015;49(6):668–675
- Autogenous bone grafting *see* 2015;49(6):668–675
- Avulsion fracture *see* 2015;49(2):213–216
- Bacteria
- isolation* *see* 2015;49(4):421–425
  - purification* *see* 2015;49(4):421–425
- Bacterial
- diagnosis* *see* 2015;49(4):421–425
  - infection* *see* 2015;49(4):421–425
- Bankart *see* 2015;49(1):6–12
- Bibliometric analysis *see* 2015;49(1):57–66
- Bicipital groove *see* 2015;49(2):184–189
- Bilateral total knee arthroplasty *see* 2015;49(4):387–393
- Biomechanical
- analysis* *see* 2015;49(1):85–90
  - testing* *see* 2015;49(4):426–432
- Biomechanics
- see* 2015;49(2):203–209
  - see* 2015;49(5):544–551
- Bladder carcinoma *see* 2015;49(6):634–640
- BLB graft *see* 2015;49(6):701–705
- Bone
- defect* *see* 2015;49(3):311–318
  - defect* *see* 2015;49(3):319–325
  - graft* *see* 2015;49(6):676–682
  - healing* *see* 2015;49(6):676–682
  - healing* *see* 2015;49(6):683–689
  - metastasis* *see* 2015;49(6):634–640
  - protein extract* *see* 2015;49(3):311–318
- Bonesetter *see* 2015;49(4):416–420
- Boston Carpal Tunnel Questionnaire *see* 2015;49(1):23–29
- Botulinum toxin A (BTX-A) *see* 2015;49(4):447–452
- Bupivacaine *see* 2015;49(1):1–5
- Burch–Schneider anti–protusio cage *see* 2015;49(6):597–605
- Canal stenosis *see* 2015;49(6):614–619
- Cannulated screw *see* 2015;49(6):654–660
- Carpal bone *see* 2015;49(6):698–700
- Carpal tunnel release surgery *see* 2015;49(2):126–132
- Carpal tunnel syndrome
- see* 2015;49(1):23–29
  - see* 2015;49(2):126–132
  - see* 2015;49(5):568–570

- Cavernous angioma** *see* 2015;49(4):459–464
- Cerebral palsy** *see* 2015;49(1):51–56
- Cerebrospinal fluid fistula** *see* 2015;49(5):571–575
- Cervical digit** *see* 2015;49(4):453–455
- Childhood** *see* 2015;49(5):568–570
- Chronic PIPJ instability** *see* 2015;49(6):701–705
- Clavicle** *see* 2015;49(1):13–17
- Clopidogrel** *see* 2015;49(3):249–254
- Closed reduction** *see* 2015;49(1):106–110
- Clubfoot** *see* 2015;49(6):620–626
- Coalition** *see* 2015;49(6):698–700
- Colloss-E** *see* 2015;49(3):311–318
- Communication** *see* 2015;49(3):302–306
- Compliance** *see* 2015;49(1):67–74
- Complication**
  - see* 2015;49(3):338–341
  - see* 2015;49(4):416–420
  - see* 2015;49(6):614–619
  - see* 2015;49(6):701–705
- Complications** *see* 2015;49(2):190–196
- Compression neuropathy** *see* 2015;49(1):45–50
- Computed tomography** *see* 2015;49(5):522–529
- Computer communication networks** *see* 2015;49(3):302–306
- Continous passive motion** *see* 2015;49(5):497–502
- Coronoid fracture** *see* 2015;49(3):307–310
- Cortical defect** *see* 2015;49(6):676–682
- Cost-effectiveness** *see* 2015;49(4):382–386
- Coxarthrosis** *see* 2015;49(4):394–398
- Cracking** *see* 2015;49(1):91–96
- CTx** *see* 2015;49(2):160–165
- Curettage and grafting** *see* 2015;49(3):288–296
- Daily fixed dosing** *see* 2015;49(1):67–74
- Daily flexible dosing** *see* 2015;49(1):67–74
- DBM** *see* 2015;49(6):683–689
- DBM-G90** *see* 2015;49(6):683–689
- Debridement** *see* 2015;49(5):513–521
- Decompression** *see* 2015;49(6):614–619
- Deep venous thromboembolism** *see* 2015;49(3):255–259
- Deformity correction before lengthening** *see* 2015;49(4):399–404
- Densitometry** *see* 2015;49(2):160–165
- Depression** *see* 2015;49(5):492–496
- Diclofenac** *see* 2015;49(4):438–446
- Digital artery perforator flap** *see* 2015;49(1):18–22
- Disability** *see* 2015;49(2):120–125
- Dislocation** *see* 2015;49(3):241–248
- Distal**
  - femur* *see* 2015;49(3):311–318
  - humerus nonunion* *see* 2015;49(4):354–360
- radius fracture** *see* 2015;49(2):115–119
- soft tissue release** *see* 2015;49(6):648–653
- Distraction lengthening** *see* 2015;49(3):227–232
- Distraction osteogenesis**
  - see* 2015;49(1):80–84
  - see* 2015;49(4):399–404
- Double-button fixation** *see* 2015;49(3):241–248
- Drain** *see* 2015;49(1):1–5
- Driving** *see* 2015;49(6):593–596
- Drop foot** *see* 2015;49(1):111–114
- Duruoz Hand Index** *see* 2015;49(1):23–29
- Early surgery** *see* 2015;49(3):249–254
- Elbow**
  - see* 2015;49(5):471–477
  - dislocation* *see* 2015;49(3):233–240
- Endoprothesis** *see* 2015;49(2):197–202
- Endoscopic disc surgery** *see* 2015;49(1):30–36
- Endothelial nitric oxide synthase mRNA** *see* 2015;49(5):558–564
- Entrapment neuropathy** *see* 2015;49(1):45–50
- Eosinophilic granuloma** *see* 2015;49(2):144–150
- Epicondylitis** *see* 2015;49(5):465–470
- Epidural** *see* 2015;49(4):459–464
- Exchanging reamed nailing** *see* 2015;49(6):668–675
- Experimental study** *see* 2015;49(4):438–446
- External fixation**
  - see* 2015;49(4):410–415
  - see* 2015;49(6):627–633
- Extracorporeal shock wave therapy** *see* 2015;49(5):465–470
- Femoral**
  - fracture** *see* 2015;49(6):668–675
  - nerve block** *see* 2015;49(3):260–266
- Femur**
  - nail** *see* 2015;49(5):552–557
  - shaft fractures** *see* 2015;49(5):552–557
- Fentanyl** *see* 2015;49(3):267–273
- Fingertip** *see* 2015;49(1):18–22
- Finite element analysis** *see* 2015;49(2):203–209
- Fistula** *see* 2015;49(4):456–458
- Fitbone** *see* 2015;49(4):399–404
- Fixation** *see* 2015;49(3):307–310
- Flap** *see* 2015;49(5):571–575
- Fluoroscopy** *see* 2015;49(3):297–301
- Foot abduction orthosis** *see* 2015;49(6):620–626
- Foraminal area** *see* 2015;49(1):30–36
- Fracture**
  - see* 2015;49(1):13–17
  - see* 2015;49(3):319–325

- Fracture healing** *see* 2015;49(3):319–325
- Fracture–dislocation** *see* 2015;49(3):233–240
- Function** *see* 2015;49(2):166–174
- Functional activity** *see* 2015;49(5):497–502
- Fusion** *see* 2015;49(1):97–102
- Gait**
- analysis** *see* 2015;49(2):151–159
  - speed** *see* 2015;49(5):497–502
- Gas accumulation** *see* 2015;49(1):103–105
- Gastrocnemius** *see* 2015;49(1):51–56
- Hallux valgus**
- see* 2015;49(1):75–79
  - see* 2015;49(6):648–653
  - severity** *see* 2015;49(1):75–79
  - severity** *see* 2015;49(1):75–79
- Hand injury/injuries** *see* 2015;49(4):361–369
- Hand** *see* 2015;49(3):334–337
- Headless screw** *see* 2015;49(3):307–310
- Health** *see* 2015;49(4):370–374
- Hemiarthroplasty** *see* 2015;49(4):345–353
- Heterotopic ossification** *see* 2015;49(2):197–202
- HIF stabilizer** *see* 2015;49(1):80–84
- High intensity zone** *see* 2015;49(6):606–613
- High tibial osteotomy** *see* 2015;49(3):280–287
- Hip**
- see* 2015;49(2):197–202
  - see* 2015;49(4):421–425
  - fracture** *see* 2015;49(3):249–254
- Histopathology** *see* 2015;49(5):544–551
- Human parvovirus B19** *see* 2015;49(5):568–570
- Humerus** *see* 2015;49(2):184–189
- Hyalonect** *see* 2015;49(3):319–325
- Hyaluronic acid** *see* 2015;49(3):319–325
- Hydrogen** *see* 2015;49(5):558–564
- Hydroxyapatite** *see* 2015;49(4):410–415
- Iatrogenic nerve injury** *see* 2015;49(1):111–114
- Impact factor** *see* 2015;49(1):57–66
- Impacted cap** *see* 2015;49(2):217–219
- Inducible nitric oxide synthase mRNA** *see* 2015;49(5):558–564
- Inferior articular process** *see* 2015;49(3):331–333
- Ingrown toe nail** *see* 2015;49(5):539–543
- Injury** *see* 2015;49(3):334–337
- Instrumental fusion** *see* 2015;49(6):614–619
- Interbody** *see* 2015;49(1):97–102
- Intermittent and constant osteoarthritis pain** *see* 2015;49(5):508–512
- Internal fixation** *see* 2015;49(6):654–660
- Internal pudendal artery** *see* 2015;49(4):456–458
- Internet**
- see* 2015;49(3):302–306
  - see* 2015;49(4):370–374
- Intra-articular injection** *see* 2015;49(1):37–40
- Intra-articular** *see* 2015;49(3):267–273
- Intraarticular** *see* 2015;49(4):438–446
- Intralaminar screw** *see* 2015;49(5):522–529
- Intramedullar nailing** *see* 2015;49(2):184–189
- Intramedullary**
- decompression** *see* 2015;49(3):288–296
  - distraction devices** *see* 2015;49(4):399–404
  - nailing** *see* 2015;49(6):668–675
  - nailing; simple bone cyst** *see* 2015;49(3):288–296
- Intraspinal extradural tumor** *see* 2015;49(4):459–464
- Inverse dynamic method** *see* 2015;49(1):85–90
- Inverted Chevron** *see* 2015;49(4):399–404
- Ionised radiation** *see* 2015;49(3):297–301
- Irreducible** *see* 2015;49(5):530–538
- Ischemia–reperfusion**
- injury** *see* 2015;49(4):387–393
  - see* 2015;49(5):558–564
- Ischemic precondition effect** *see* 2015;49(4):387–393
- Joint torque** *see* 2015;49(1):85–90
- Kambin's triangle** *see* 2015;49(1):30–36
- Kienböck's disease** *see* 2015;49(6):641–647
- Knee**
- see* 2015;49(1):37–40
  - see* 2015;49(3):274–279
  - see* 2015;49(4):370–374
  - see* 2015;49(4):421–425
  - see* 2015;49(5):508–512
  - see* 2015;49(5):565–567
  - ankylosis** *see* 2015;49(5):503–507
  - arthrodesis** *see* 2015;49(5):503–507
  - arthroplasty** *see* 2015;49(3):260–266
  - centralization** *see* 2015;49(6):627–633
  - fusion** *see* 2015;49(5):503–507
  - joint line** *see* 2015;49(1):41–44
  - ligament injury** *see* 2015;49(6):579–585
  - surgery** *see* 2015;49(3):267–273
- Knot technique** *see* 2015;49(5):539–543
- Labrum** *see* 2015;49(4):394–398
- Lamina** *see* 2015;49(5):522–529
- Laminectomy** *see* 2015;49(6):614–619
- Langerhans cell histiocytosis** *see* 2015;49(2):144–150

- Lateral decubitus** *see* 2015;49(1):30–36
- Lateral epicondylitis** *see* 2015;49(5):471–477
- Lateral patellofemoral angle** *see* 2015;49(1):37–40
- Levobupivacaine** *see* 2015;49(3):267–273
- LIDA** *see* 2015;49(4):370–374
- Ligamentous laxity** *see* 2015;49(5):530–538
- Limited decompression** *see* 2015;49(5):513–521
- Locked plate** *see* 2015;49(4):345–353
- Locking**
- plate** *see* 2015;49(2):203–209
  - screw** *see* 2015;49(5):552–557
- Long-term outcomes** *see* 2015;49(6):661–667
- Lower limb** *see* 2015;49(1):85–90
- Lumbar**
- see* 2015;49(1):97–102
  - spinal TB** *see* 2015;49(5):513–521
  - spine** *see* 2015;49(6):606–613
  - vertebrae** *see* 2015;49(5):522–529
- Magnetic resonance imaging**
- see* 2015;49(6):606–613
  - see* 2015;49(3):274–279
- Malleolus** *see* 2015;49(4):399–404
- Malondialdehyde** *see* 2015;49(5):558–564
- Mechanoreceptors** *see* 2015;49(4):394–398
- Medial osteoarthritis** *see* 2015;49(3):280–287
- Medial patellofemoral angle** *see* 2015;49(1):37–40
- Meta-analysis** *see* 2015;49(4):345–353
- Metacarpal bone** *see* 2015;49(6):698–700
- Methylprednisolone** *see* 2015;49(4):438–446
- Michigan Hand Outcome Questionnaire** *see* 2015;49(1):23–29
- Microbiology** *see* 2015;49(4):421–425
- Mini-medial parapatellar approach** *see* 2015;49(6):586–592
- Mini-midvastus approach** *see* 2015;49(6):586–592
- Minimally invasive** *see* 2015;49(6):586–592
- Mobile-bearing** *see* 2015;49(4):375–381
- Modified Simmonds–Menelaus procedure** *see* 2015;49(6):648–653
- Morphology** *see* 2015;49(5):522–529
- Mosaicplasty** *see* 2015;49(6):694–697
- Motion analysis** *see* 2015;49(1):85–90
- MRI** *see* 2015;49(1):37–40
- Multi-detector computed tomography** *see* 2015;49(3):331–333
- Multimodal analgesia** *see* 2015;49(3):260–266
- Myasthenia gravis** *see* 2015;49(1):106–110
- Nail**
- see* 2015;49(1):13–17
  - cap** *see* 2015;49(2):217–219
  - gun** *see* 2015;49(3):334–337
- removal** *see* 2015;49(2):217–219
- Neglected clubfoot** *see* 2015;49(2):175–183
- Nerve compression syndrome** *see* 2015;49(1):45–50
- Nerve entrapments** *see* 2015;49(4):433–437
- Neurilemmoma** *see* 2015;49(2):139–143
- Neuroma** *see* 2015;49(2):139–143
- New oral anticoagulant drugs** *see* 2015;49(3):255–259
- Nonoperative** *see* 2015;49(4):345–353
- Nonunion** *see* 2015;49(6):668–675
- NTx** *see* 2015;49(2):160–165
- Observational gait analysis** *see* 2015;49(2):151–159
- Olecranon fracture**
- see* 2015;49(6):654–660
  - see* 2015;49(2):190–196
- Omental transposition** *see* 2015;49(5):571–575
- Operative** *see* 2015;49(4):345–353
- Oppenheimer's ossicle** *see* 2015;49(3):331–333
- Orthopedic operating theater** *see* 2015;49(3):297–301
- Orthopedics** *see* 2015;49(1):57–66
- Osteoarthritis**
- see* 2015;49(2):151–159
  - see* 2015;49(3):274–279
  - see* 2015;49(5):508–512
- Osteochondral lesions of talus** *see* 2015;49(4):399–404
- Osteochondritis dissecans** *see* 2015;49(6):694–697
- Osteofibrous dysplasia** *see* 2015;49(2):210–212
- Osteofibrous dysplasia–like adamantinoma** *see* 2015;49(2):210–212
- Osteoporosis**
- see* 2015;49(1):67–74
  - see* 2015;49(2):160–165
- Osteotomy** *see* 2015;49(4):399–404
- Outcome questionnaire** *see* 2015;49(2):120–125
- Pain**
- see* 2015;49(2):166–174
  - see* 2015;49(5):508–512
- Patellar dislocation** *see* 2015;49(5):530–538
- Patellofemoral pain**
- see* 2015;49(4):375–381
  - syndrome** *see* 2015;49(2):166–174
- Pathogenesis** *see* 2015;49(2):197–202
- Pedographic analysis** *see* 2015;49(1):75–79
- Pentoxifylline** *see* 2015;49(6):676–682
- Percutaneous**
- see* 2015;49(3):241–248
  - repair** *see* 2015;49(6):661–667
- Periarticular infiltration** *see* 2015;49(3):260–266
- Perineural fibroblastoma** *see* 2015;49(2):139–143

- Periosteal flap** *see* 2015;49(6):690–693
- Peripheral nerve** *see* 2015;49(2):139–143
- Peroneal nerve palsy** *see* 2015;49(1):45–50
- Persistence** *see* 2015;49(1):67–74
- Perthes disease** *see* 2015;49(6):694–697
- Phalangeal lengthening** *see* 2015;49(3):227–232
- Phalanx like structures** *see* 2015;49(4):453–455
- Physical activity** *see* 2015;49(1):85–90
- Physiotherapy** *see* 2015;49(2):166–174
- Platelet-rich plasma** *see* 2015;49(5):544–551
- Plexopathy** *see* 2015;49(1):97–102
- Ponseti method** *see* 2015;49(6):620–626
- Popliteal angle** *see* 2015;49(1):51–56
- Post-traumatic**
- see* 2015;49(4):361–369
  - kyphotic deformity** *see* 2015;49(2):133–138
- Posterior cruciate ligament**
- see* 2015;49(5):478–482
  - see* 2015;49(6):579–585
- Posterior tibial**
- nerve** *see* 2015;49(1):111–114
  - tendon** *see* 2015;49(6):690–693
- Posterior transforaminal lumbar interbody fusion** *see* 2015;49(5):513–521
- Posterior–stabilized** *see* 2015;49(4):375–381
- Posterolateral**
- screw insertion** *see* 2015;49(3):326–330
  - window** *see* 2015;49(3):326–330
- Posteromedial release** *see* 2015;49(2):175–183
- Postoperative pain**
- see* 2015;49(1):1–5
  - see* 2015;49(3):267–273
- Postural stabilization** *see* 2015;49(2):166–174
- Precice** *see* 2015;49(4):399–404
- Procedure** *see* 2015;49(5):530–538
- Prone** *see* 2015;49(1):30–36
- Prostate carcinoma** *see* 2015;49(6):634–640
- Proximal**
- femoral locking compression plate** *see* 2015;49(4):426–432
  - femoral nail antirotation** *see* 2015;49(4):426–432
  - humeral fracture** *see* 2015;49(4):345–353
  - osteotomy** *see* 2015;49(6):648–653
  - row carpectomy** *see* 2015;49(6):641–647
  - tibial osteotomy** *see* 2015;49(3):338–341
  - ulna** *see* 2015;49(3):233–240
- PRWE** *see* 2015;49(2):120–125
- Pseudoaneurysm** *see* 2015;49(4):456–458
- Pseudoarthrosis** *see* 2015;49(3):319–325
- Psychology** *see* 2015;49(4):361–369
- Pulp reconstruction** *see* 2015;49(1):18–22
- Quality of information** *see* 2015;49(4):370–374
- Quick Disabilities of the Arm** *see* 2015;49(1):23–29
- Rabbit model** *see* 2015;49(6):683–689
- Rat** *see* 2015;49(5):544–551
- Reconstruction**
- see* 2015;49(5):478–482
  - see* 2015;49(5):483–491
  - see* 2015;49(6):627–633
- Recurrent anterior hip dislocation** *see* 2015;49(1):106–110
- Reduction technique** *see* 2015;49(2):115–119
- Refractory symptoms** *see* 2015;49(2):126–132
- Rehabilitation**
- see* 2015;49(4):361–369
  - see* 2015;49(4):382–386
- Reliability**
- see* 2015;49(6):606–613
  - see* 2015;49(4):370–374
  - see* 2015;49(2):151–159
- Renal cell carcinoma** *see* 2015;49(6):634–640
- Replacement**
- see* 2015;49(3):274–279
  - see* 2015;49(4):421–425
- Reverse latissimus musculocutaneous flap** *see* 2015;49(5):571–575
- Reverse obliquity intertrochanteric fractures** *see* 2015;49(4):426–432
- Revision knee prosthesis surgery** *see* 2015;49(1):41–44
- Revision** *see* 2015;49(6):701–705
- Rhabdomyolysis** *see* 2015;49(3):338–341
- Rice bodies** *see* 2015;49(5):565–567
- Risedronate** *see* 2015;49(1):67–74
- Rotator cuff injury** *see* 2015;49(4):447–452
- Rupture** *see* 2015;49(6):661–667
- Salmon calcitonin** *see* 2015;49(2):160–165
- Salvage procedure** *see* 2015;49(5):522–529
- Schwannoma** *see* 2015;49(2):139–143
- Sciatica** *see* 2015;49(1):103–105
- Scoring method** *see* 2015;49(1):23–29
- Screw leverage** *see* 2015;49(2):115–119
- Semitendinosus** *see* 2015;49(1):51–56
- SF-10™** *see* 2015;49(6):627–633
- Shaft** *see* 2015;49(1):13–17
- Shoulder and Hand questionnaire** *see* 2015;49(1):23–29
- Shoulder**
- see* 2015;49(1):91–96
  - see* 2015;49(2):220–223
  - fractures** *see* 2015;49(2):203–209
  - instability** *see* 2015;49(1):6–12
  - rehabilitation** *see* 2015;49(4):447–452

- Simple bone cyst** *see* 2015;49(2):213–216
- Single anterior portal** *see* 2015;49(1):6–12
- Single-segment** *see* 2015;49(5):513–521
- Snapping scapula syndrome** *see* 2015;49(1):91–96
- Spinal canal** *see* 2015;49(1):103–105
- Spine**
  - see* 2015;49(1):97–102
  - see* 2015;49(5):571–575
- Sportive rehabilitation** *see* 2015;49(5):492–496
- Strengthening** *see* 2015;49(2):166–174
- Stress disorder** *see* 2015;49(4):361–369
- Superomedial scapula** *see* 2015;49(1):91–96
- Suprascapular nerve** *see* 2015;49(4):433–437
- Sural nerve** *see* 2015;49(6):661–667
- Surgery** *see* 2015;49(1):23–29
- Surgical**
  - field contamination** *see* 2015;49(4):421–425
  - light handles** *see* 2015;49(4):421–425
  - treatment** *see* 2015;49(5):539–543
  - treatment** *see* 2015;49(6):614–619
  - treatment** *see* 2015;49(6):634–640
- Suture anchor** *see* 2015;49(6):690–693
- Switch therapy** *see* 2015;49(3):255–259
- Synovial fluid** *see* 2015;49(2):160–165
- Systematic review** *see* 2015;49(4):410–415
- Talar neck fractures** *see* 2015;49(3):326–330
- Talus** *see* 2015;49(4):399–404
- Tennis elbow** *see* 2015;49(5):465–470
- Tenotomy** *see* 2015;49(1):51–56
- Tenoxicam** *see* 2015;49(4):438–446
- Tension band wiring** *see* 2015;49(6):654–660
- Tension–band wiring** *see* 2015;49(2):190–196
- The Manchester scale** *see* 2015;49(1):75–79
- Thoracolumbar burst fracture** *see* 2015;49(2):133–138
- Thromboembolism** *see* 2015;49(2):220–223
- Thumb**
  - amputation** *see* 2015;49(3):227–232
  - lengthening** *see* 2015;49(3):227–232
  - reconstruction** *see* 2015;49(3):227–232
- Tibial hemimelia** *see* 2015;49(6):627–633
- Tibial inlay** *see* 2015;49(6):579–585
- Total elbow prosthesis** *see* 2015;49(4):354–360
- Total knee arthroplasty**
  - see* 2015;49(4):382–386
  - see* 2015;49(5):503–507
  - see* 2015;49(6):586–592
  - see* 2015;49(6):593–596
  - see* 2015;49(5):497–502
- Total knee prosthesis**
  - see* 2015;49(4):375–381
  - surgery** *see* 2015;49(1):41–44
- Tourniquet**
  - see* 2015;49(3):338–341
  - see* 2015;49(4):387–393
- Tramadol** *see* 2015;49(3):267–273
- Transforaminal** *see* 2015;49(1):97–102
- Transtibial portal** *see* 2015;49(5):483–491
- Transverse acetabular ligament** *see* 2015;49(4):394–398
- Trauma** *see* 2015;49(4):456–458
- Triangle** *see* 2015;49(5):478–482
- Triple arthrodesis** *see* 2015;49(2):175–183
- Turkey** *see* 2015;49(1):57–66
- Turkish version** *see* 2015;49(2):120–125
- Ultrasonography** *see* 2015;49(2):126–132
- Unicompartmental knee arthroplasty** *see* 2015;49(3):280–287
- Urethra** *see* 2015;49(4):456–458
- Usability** *see* 2015;49(4):370–374
- Vacuum phenomenon** *see* 2015;49(1):103–105
- Validity**
  - see* 2015;49(2):120–125
  - see* 2015;49(2):151–159
- Variability** *see* 2015;49(6):606–613
- Variable angle locking plate** *see* 2015;49(2):115–119
- VAS score** *see* 2015;49(1):1–5
- Vascular relations** *see* 2015;49(4):433–437
- VEGF** *see* 2015;49(1):80–84
- Volar locking plate** *see* 2015;49(2):115–119
- Web of Science** *see* 2015;49(1):57–66
- Winograd technique** *see* 2015;49(5):539–543
- 3–column reconstruction** *see* 2015;49(5):513–521
- 3–point bending test** *see* 2015;49(5):552–557