

SURELİ YAYINLAR

I İM » I I I I I I N

OCTOBER 1997

53. Estimation of hoisting power requirements for friction and drum hoists for prefeasibility studies in Canada
D.J. Farmer

55. Brève comparaison des casques à principe actif pour une utilisation dans l'environnement minier
R., Le

61. Managing maintenance in the 21st century
K. Musgrave

64. Monitoring and targeting of plant utilities at INCO Limited, Sudbury, Garson Mine
D. Pacey

68. The real costs of lubrication
R. Melley and P. Wissner

78. Roadbed preparation at INCO Limited
A.D. Akerman, D.D. Young and G.R. Baiden

81. Improved zinc flotation kinetics at the Louvicourt mill using FLEX 31
R.S., MacPhail, L. Racine and B. G. Cousins

85. Lithogeochemical patterns associated with the Darrehzar porphyry Cu deposit, Pariz area, Iran
H. Ranjbar

91. Values and impurities in base metal concentrates
M.J. Fairweather

95. Criteria for silo design in backfill operation
L.J. Chen

NOVEMBER- / DECEMBER 1997

59. Canadian coal: Now and in the future
D.O. Downing

62. Coal Mountain Operations: The next twenty years
B.R. Johnston and K.D. Streeter

66. Optimizing water management at Gregg River Coal Mine
L.F. Sawatsky, G. Beckstead, D. Long, G. Gould and F. Nutbrown

71. Telkwa Coal Project
A. Flemming

74. Coal preparation computer software
A.I.A. Salama and M.W. Mikhail

Beyond 2000" - How we are changing
B. Crane and S. Schwartz

53. The USJ of Laduua^1^ to lu.jlo and .lunual- gold traps from the grinding circuit at La Mine Doyon
R. Clarkson

86. Fine particles removal from oil sand tailings by hydrocyclone
M.W. Mikhail and A.I.A. Salama

91. Evaluation of a soybean oil-based diesel fuel in an underground gold mine
J.F. McDonald, B.K. Cantrell, W.F. Watts, Jr., and K.L. Bickel

96. Evaluation de la performance technique des chantiers d'abattage pendant l'exploitation par chambre vides
S. Planeta et J.K. Szymanski

FEBRUARY 1998

51. Musselwhite: An exploration success
T.D. Lewis

61. Recent discoveries of volcanic-associated massive sulphide deposits in the Yukon
J.A. Hunt

66. Seismic signature of the Drybories Bay kimberlite pipe.
N.W.T
M.A. Power

70. Alaska native exploration and mining agreements: Negotiating-equitable agreements with Alaska native interests
D.S. Case

78. Technical Note: The Origin of our continent: LITHOPROBE seismic investigations in the Western Superior Transect
D. White, H. Helmstaedt, R. Harrap and P. Thurston

83. The changing role of the Construction Group of the Project Development Division of Placer Dome Inc.
M.A. Creaney

86. A different role of designing new mining projects
J.K. Gowans

88. A hydraulic ore hoisting installation at the Detour Lake Mine QK Zone project : A feasibility study
J.G.L. Bekkers and H.J. Glass

93. Large-scale treatment of concentrated cyanide waste solution by acidification
P.A. Riveros, R. Molnar. and F.J. Baa

INTERNATIONAL JOURNAL OF MINERAL PROCESSING

OCTOBER 1997

1. Sulphide mineral surfaces: theory and experiment
D.J. Vaughan. U. Becker and K. Wright

15. Chemisorption-the thermodynamically favoured process in the interaction of thiol collectors with sulphide minerals
A.N. Buckley and R. Woods

27. A surface study of a Boliden ore by TOF-LIMS
N.J. Bolin, S.L. Chrystoullis and C.J. Martin

39. Liberation and its role in flotation-based flowsheet development
G. Morizot, P. Conil, M.V. Durance and F. Gourram Badri

51. On characterization of pulp and froth in cells of flotation plant
A.J. Niemi, R. Ylinen and H. Hyötyniemi

67. Mixed collector systems in flotation
K. Hanumantha Rao and K.S.E. Forssberg

81. Use of surface complexation models in sulphide mineral flotation.
W. Forsling and Z.-x. Sun

97. Different aspects of using electrochemical potential measurements in mineral processing
M. Ruonala, S. Heimala and S. Jounela

111. Recent contributions to the analysis of soluble salt flotation systems,
J.D. Millor, S. Vooramasunoni; and M.R. Yalamanchili

125. Flotation in inorganic electrolytes; the relationship between recover of hydrophobic particles, surface tension, bubble coalescence and gas solubility
R.J. Pugh, P. Weissenborn and O. Paulson

NOVEMBER 1997

1. Sulphite modification of galena surfaces and its effect on flotation and xanthate adsorption
S.R. Grano, C.A. Prestidge and J. Ralston

31. Effects of galvanic interaction on collectorless flotation behaviour of chalcopyrite and pyrite
Z. Ekmekçi and H. Demirel

49. Dielectric study of sodium dodecyl sulphate (SDS), adsorption onto galena. Comparison with sodium amyl xanthate and dodecyl ammonium chloride
A. Etahiri, B. Humbert, K. El Kacemi, B. Marouf and J. Bessiere

65. Biooxidation of arsenopyrite to improve gold cyanidation: study of some parameters and comparison with grinding
S. Ubaldini, F. Vegliö, L. Toro and C. Abbruzzese

DECEMBER 1997

81. The activation of sulphide minerals for flotation: a review
N.P. Finkelstein

121. Neural net-based softsensor for dynamic particle size estimation in grinding circuits.
Y. G. Du, R. del Villar and J. Thibault

137. Procedures for the automatic design of flotation networks
G. Schena, M. Zanin and A. Chiarandini

161. Solution interaction of ethyl xanthate and sulphite and its effect on galena flotation and xanthate adsorption
S.R. Grano, C.A. Prestidge and J. Ralston

187. Pyrite flotation in the presence of metal ions and sphalerite
Q. Zhang, Z. Xu, V. Bozkurt and J.A. Finch

INTERNATIONAL JOURNAL OF ROCK MECHANICS AND MINING SCIENCES

MARCH 1998

113. Numerical simulation of cumulative damage and seismic energy release during brittle rock failure-Part I: fundamentals
C. A. Tang and P. K. Kaiser

123. Numerical simulation of damage accumulation and seismic energy release during brittle rock failure- Part II: rib pillar collapse
P. K. Kaiser and C. A. Tang

135. Pore pressure transients, strain and acoustic emission activity during creep in Inada granite
S. R. Carlson, O. Nishizawa, T. Satoh and K. Kusunose

147. Crack coalescence in a rock-like material containing two cracks
R. H. C. Wong and K. T. Chau

165. The stability of a laminated Voussoir beam: back analysis of a historic roof collapse using DDA
Y. H. Hatzor and R. Benary

183. On generalized plane strain poroelasticity
A. H.-D. Cheng

195. Fracture mechanics analysis of cracked discs of anisotropic rock using the boundary element method
" C.-S. Chen, E. Pan and B. Amadei

219. A practical procedure for the back analysis of slope failures in closely jointed rock masses
H. Sönmez, R. Ulusay and C. Gökçeoğlu

235. A micro-velocity tool to assess the excavation damaged zone
S. C. Maxwell, R. P. Young and R. S. Read

249. Experimental procedures to measure volumetric changes and microseismic activity during triaxial compression tests
S. D. Butt and P. N. Calder

255. Poroelastic settlement of hydraulic fill
W. G. Pariseau

INTERNATIONAL JOURNAL OF MINERAL PROCESSING

MARCH-1998

7. Comment Is the zeolite age upon us?
Will these multi-faced minerals finally live up to their promise?

8. World of Minerals

20. Spanish-silica sand A profile of ASSA IM looks at how leading producer faces up to falling demand by concentrating on export sales and product diversity

25. Cement kiln refractories Spinel still in the heat of the action IM reviews the current status of kiln lining practice together with leading refractory trends and examines how magnesia-spinel formulations may face tough competition.

39. CaCO₃ in paper PCC versus the competition Peter Harben weighs up the pros and cons of the use of PPC against alternative minerals in paper and looks at how regional/local availability controls the price and choice of mineral used.

51. Chromite supply A question of ownership This article highlights recent trends and events in the non- metallurgical chromite market. In a market limited to three main consuming sectors, consumption has shrunk due to dwindling demand for chromite refractories while chemical and foundry grades remain stable.

Mf\KK\i.sLM;IM':l:Kl.V;

OCTOBER 1997

1047. Engineering, equipment and materials: developments in the design of a bacterial oxidation reactor
T. Hayward, D. M. Satalic and P. A. Spencer

1057. The identification of perturbations in a base metal flotation plant using computer vision of the froth surface
M. Bezuidenhout, J. S. J. Van Deventer and D. W. Moolman

1075. An image processing algorithm for measurement of flotation froth bubble size and shape distributions
N. Sadr-Kazemi and J. J. Cilliers

1085. An approach to rock measurement based on a model of the human visual system
R. C. Crida and G. de Jager

1095. An automated data acquisition technique for settling tests
J. M. Vergouw, J. Anson, R. Dalhke, Z. Xu, C. Gomez and J. A. Finch

1107. Electroacoustic measurements of sulfide mineral particles
C. A. Prestidge and W. N. Rowlands

1119. Mechanochemical processing of refractory pyrite
C. J. Warris and P. G. McCormick

1127. The effect of external gas / slurry contact on the flotation of fine particles
J. P. Tortorelli, J. W. Craven, J.J.Vt. Toguri, G.S.Dobby and G. E. Agar

1139. An investigation of galena recovery problems in the Hilton Concentrator of Mount ISA Mines Limited and Australia
S. R. Grano, D. W. Lauder, N. W. Johnson J. Ralston

1165. Thermal decomposition of dolomite and the extraction of its constituents
P.,G. Caceres and E. K. Attiogbe

1177. The recovery of palladium with the use of ion exchange resins
E. R. Els, L. Lorenzen and C. Aldrich

NOVEMBER 1997

1193. Effects of oxygen on kinetics of conditioning in sulphide ore flotation
H. Kuopanportti, T. Suorsa and E. Pöllänen

1207. Relationship between surface froth features and process conditions in the batch flotation of a sulphide ore
C. Aldrich, D. W. Moolman, and S.-J. Bunkell, M. C. Harris and D. A. Theron

1219. Wetting of franco!ite and quartz and its significance in the flotation .of phosphate rock
Y. Lu, J. Drelich and J. D. Miller

1233. A laboratory study of the performance characteristics of mill pulp lifters
S. R. Latchireddi and S. Morrell •

1245. Remediation of heavy metal ions utilizing cellophane
M. Fuerstenau, K. Zhong, W. Hu and Y. Liu

1253. The recovery of ferrochrome from slag at Zimasco
H. P. Mashanyare and R. N. Guest

1259. The mechanism of gold lock-up in refractory wood chips
F. W. Petersen, P. J. Van der Plas and C. J. Van Zyl

1269. Liquid-liquid extraction separation of uranium(VI) and nickel(H) by a substituted oxo-pyrazole
M. O. C. Ogwuegbu and E. Orji

1279. Dynamic redox potential measurement for determining the ferric leach kinetics of pyrite
N. May, D. E. Ralph and G. S. Harrsford

1291. Flotation concentration of a xenotime pre-concentrate
C. A. Pereira and A. E. C. Peres

DECEMBER 1997

1311. Using modelling and simulation for the design of full scale ball mill circuits
S. Morrell and Y. T. Man

1329. Measurement system of the mill charge in grinding ball mill circuits
J. Kolacz

1339. Interaction of Bacillus polymyxa with some oxidie minerals with reference to mineral beneficiation and environmental control
N. Deo and K. A. Natarajan

1355. A review of the minerals industry in Zimbabwe
T. J. Veasey

1363. Upgrading titanium bearing Na-feldspar by flotation using sulphonates, succinamate and soaps of vegetable oils
!. Bayraktar, S. Ersaym and Ö. Y. Gülsoy

1375. 2-Mercaptobenzothiazole and derivatives in the flotation of galena, chalcocite and sphalerite: a study of flotation, adsorption and micrtfcalorimetry
G. S. Maierand B. Dobiâs

1395. A new collector for rare earth mineral flotation
J. Ren, S. Lu, S. Song and J. Niu

1405. Studies on adsorption of guar gum onto biotite mica
R. K. Rath and S. Subramanian

1421. Membrane transport of copper with LIX-860 from acid leach waste solutions
F. R. Valenzuela, C. Basualto, J. Sapag and C. Tapia

JANUARY 1998

1. The influence of chalcocyanite, galena and pyrite on the selective extraction of zinc from base metal sulphide concentrates
T. J. Harvey and W. T. Yen

23. The removal of nickel from copper electrorefining bleed-off electrolyte
R. L. Nyirenda and W. S. Phiri

39. Effect of electrochemical control on selective flotation of copper and zinc from complex ores
J. O. Leppinen, V. V. Hintikka and R. P. Kalapudas

53. A new approach to variable pressure cake filtration
E. S. Tarleton

71. Flotation of silicated gangue iron ores: mechanism and effect of starch
S. Montes-Sotomayor, R. Houot and M. Kongolo

77. Cascading mill:
a phenomenological design for improving grinding
B. K. Mishra and R. Ahuja

FEBRUARY 1998

113. A shortcut procedure for the design of mineral separation circuits
E. D. Galvez

125. Shape potential of rock
C. Briggs and C. M. Evertsson

133. Rapid estimation of floatability components in industrial flotation plants
D. J. Alexander and R. D. Morrison

145. Effect of collectors, conditioning pH and gases in the separation of sphalerite from pyrite
W. Z. Shen, D. Fornasiero and J. Ralston

159. An agglomeration study of sulphide minerals using zeta-potential and settling rate. Part J: pyrite and galena
J. M. Vergouw, A. Difeo, Z. Xu and J. A. Finch

171. Increasing fine copper recovery at the Ok Tedi concentrator, Papua New Guinea
D. Orwe, S. R. Grano and D. W. Lauder

189. Zeta potential of silver absorbing Thiobacillus ferrooxidans
R. J. West, G. M. Stephens and J. J. Cilliers

195. The mutual effect of mixed Thiobacilli; and Leptospirilli populations on pyrite
F. Battaglia-Brunet, P. d' Hugues, T. Cabrai, P. Cezac, J. L.-Garcia and D. Morin

MARCH 1998

215. Output prediction of cone crushers
C. M. Evertsson

233. Determination of solids hold up in thickeners from measurement of electrical conductivity using flow cells
F. J. Tavera, R. Escudero, C. O. Gomez and J. A. Finch

243. An empirical model for entrainment in industrial flotation plants
O. N. Savassi, D. J. Alexander, J. P. Franzidis and E. V. Manlapig

257. The effect of surfactant concentration on batch flotation mineral flux and froth structure
R. A. Asplin, N. Sadr-Kazemi and J. J. Cilliers

271. Modified flotation rate constant and selectivity index
M. Xu

279. Leaching kinetics of sphalerite with pyrite in chlorine saturated water
Z. Ekinci, S. Çolak, A. Cakici and H. Sarac

APRIL 1998

313. Operating practices in the beneficiation of major porphyry copper/molybdenum plants from Chile: innovated technology and opportunities, a review
S. M. Bulatovic, D. M. Wyslouzil and C. Kant

333. Dynamic modelling and advanced multivariable control of conventional flotation circuits
R. Perez-Correa, G. Gonzalez, A. Casali, A. Cipriano, R. Barrera and E. Zavala

347. Flotation rate measurements to optimize an operating circuit
G. E. Agar, J. Chia and L. Requis-C

361. Density simulations in magnetic fluid-based separators
M. Fofana and M. S. Klima

375. A soft-sensor for solid concentration in hydrocyclone overflow
A. Casali, G. Vallebuona, M. Bustos, G. Gonzalez and P. Gimenez

385. Application of IBES process to a Zn sulphide concentrate: effect of Cu²⁺ ion
F. Carranza and N. Iglesias

MINING ENGINEERING

OCTOBER 1997

29. Shovel maintenance at Sierrita
Terry Ritzel and Michael Lenz

35. Using dozers to remove coal overburden
Thomas G. Hayes

39. Daily work schedule essential for maintenance productivity
John Rushton and John Ballantyne

44. Gravity concentration at Placer Dome's Campbell mill - John A. Folinsbee and Brad Hewitt

48. Looking back - hard-rock mining in Silverton, Colorado
John Marshall

53-55. TECHNOLOGY NEWS: Urethane foam stops metal corrosion at salt mine

- Hyperspectral imaging is a success in Kazakstan
- Minewide communications system works underground

65. Geomechanical considerations for coal combustion byproducts in engineering applications

K.G. Sutterer, T.C. Hopkins, U. Graham and R.J. Sweigard

69. Engineering and cost analyses of coal combustion byproduct transportation and handling systems

H. Sevim, S.M. Gwamaka and D.D. Lei

75. Commodity prices from a monetary perspective

G. Pierson

NOVEMBER W97

37. Exploration revival in Sweden

40. Depressuring the pit wall at Sleeper and at the Mag pit
Geoff Beale, Arnie Luther and Joe Foster

47. Jerritt Canyon's transition to underground mining

Wade W. Bristol and Benjamin W. Guenther

50. RETC innovative solutions for tunneling projects

Tim O'Neil

57. Smithsonian reopens geology, gems and minerals hall

William R. Yernberg

59. Minerals education for teachers-Colorado's "show me" approach

Dan Witkowsky

64. Mining Foundation of the Southwest honors mining greats

73. Use of high-resolution ground-penetrating radar in kimberlite delineation

J.M. Kruger, A. Martinez and P. Berendsen

80. Comparison of belt loading models and simulated belt capacity

S.D. Thompson and X. Wang

87; Barite: World sources and the US market

S.D. Bearden

DECEMBER 1997

24. Comparing Robinson and Tintaya

K.L. Browne II and Eloise Montoya-Nelson

36. Outfall / diffuser system works well at Coloso in Chile

Deborah Muggli, Lino Mastrangelo and Pierre C. Pelletier

42. Managing environmental and economic risk for engineered systems

William S. Eaton, Ram Kulkarni, Richard R. Davidson,

Verle Martz and Jenifer S. Heath

46. Processing techniques used to recover secondary materials- Michael J. Mankosa, Robert Carver and Partha Venkatraman

52. Impacts and opportunities: EPA's advanced measurement initiative

Frederick B. Henderson

54. US gold mine production and reserves in 1996

US Geological Survey

58. Technology advances improve truck haulage productivity

Steve Krai

63. Induction banquet showcases National Mining Hall of Fame Tim O'Neil

65. Modeling mine ventilation networks using five basic elements

Y.J. Wang and Jan M. Mutmanský

70. Increased ore grindability and plant throughput with controlled blasting

M.C. Fuerstenau, G. Chi, R.C. Bradt and A. Ghosh

76. Physical limnology of existing mine pit lakes

G.A. Doyle and D.D. Runnells

JANUARY 1998

39. Heap leaching at Newmont's Muruntau operation

D. Scott Barr and Tim Acton

45. Equipment reliability improved at Barrick Goldstrike

Dirk Bleazard, Don Hepler and Larry Dearman

50. Short history of man and gold

Thomas V. Mullen Jr. and I.S. Parrish

57. Multidisciplinary teams aid minerals exploration

David M. Spatz

IS. SME Annual Meeting and Exhibit showguide

61. Horizontal stress and longwall headgate ground control

C. Mark, T.P. Mucho and D. Dolinar

69. Pressure oxidation problems and solutions: Treating carbonaceous gold ores containing trace amounts of chlorine (halogens)

Gary L. Simmons, David R. Baughman, John C. Gathje and K.C. Oberg

74. DISCUSSION General poroelastic model for hydraulic fracturing

X. Huang

FEBRUARY 1998

33. Syncrude: Biggest oil-sand miner gets biggest hydraulic shovel

Tim O'Neil

40. Practical geostatistics at Newmont Gold: A story of adaptation

J.M. Rendu

46. Technology research improves phosphate economics

Paul Clifford, G. Michael Lloyd Jr. and Patrick Zhang

52. Origin of kaolin of the southeastern US

R.S. Austin

58. Sierrita and Morenci upgrade their process technology

Steve Kral

62. NSTA conventions again well received by teachers
Sue Sawyer

65. Determination of natural background concentrations of dissolved components in water at mining, milling and smelting sites
D.D. Runnells, D.P. Dupon, R.L. Jones and D.J. Cline

72. Numerical modeling of large-scale block cave physical models using PFC^{2D}
R.L. McNearny and K.A. Barker

76. Roof and rib hazard assessment for underground stone mines
A.T. Iannacchione and L.J. Prosser

MARC» 1998

31. Ihor Kunasz: An interview with SME's 1998 president

36. Mechanical hard rock mining: present and future
Levent Özdemir

38. Roadheader applications in mining and tunneling
H. Copur, L. Özdemir and J. Rostami

43. Using a roadheader for underground gold mining
M.E. Breitrick

47. US Geological Survey details its mapping programs
William R. Yernberg

49. Kyrgyzstan adopts new mining code!
Scott Horton, Temirbek Kenenbaev and Zhaniya Ussen

53. Pit and quarry operators get productivity tips from a utility
William R. Yernberg

55. Argentina seeks foreign investment for its mining industry
Steve Kral

5y. Risk management important in mining
Steve Kral

65. Characteristic curves revisited: A more logical approach to determining operating points
L.M. English and Y.J. Wang

69. Economic decision making for methane drainage systems for underground coal mines
A. Wang and J.M. Mutmanský

75. TECHNICAL NOTE: Laboratory assessment of the rock-fragmentation process by continuous miners
V.B. Achanti and A.W. Khair