SÜRELİ YAYINLAR

CIM BULLETIN

MARCH/APRIL 2005

- 34 Major solutions for miner emregencies H. Weldon
- 57 Hardwork grabs the gold- Copper Rand re-enters the production C. Chen

INTERNATIONAL JOURNAL OF ROCK MECHANICS AND MINING SCIENCES

APRIL 2005

- 331 Influence of daily surface temperature fluctuations on rock slope stability: case study of the Rochers de Valabres slope (France)
- Y. Gunzburger, V. Merrien-Soukatchoff and Y. Guglielmi
- 350 Investigations of water inrushes from aquifers under coal seams
 Jincai Zhang
- 361 Transverse drilling-induced tensile fractures in the West Tuna area, Gippsland Basin, Australia: implications for the in situ stress regime
- E.J. Nelson, J.J. Meyer, R.R. Hillis and S.D. Mildren
- 372 The new three-dimensional subsidence influence function denoted by n–k–g
- C. González Nicieza, M.I. Álvarez Fernández, A. Menéndez Díaz and A.E. Álvarez Vigil
- 388 Characterizing the deformation behavior of Tertiary sandstones
- M.C. Weng, F.S. Jeng, T.H. Huang and M.L. Lin

- 402 Non-dilatant deformation and failure mechanism in two Long Valley Caldera rocks under true triaxial compression C. Chang and B. Haimson
- 415 Stability analyses of dam abutments by 3D elasto-plastic finite-element method: a case study of Houhe gravity-arch dam in China
- X. Yu, Y.F. Zhou and S.Z. Peng
- 431 Relation between the Mogi and the Coulomb failure criteria Adel M. Al-Ajmi and Robert W. Zimmerman
- 440 Rock mass ratings (RMRs) predicted from slope angles of natural rock outcrops 440-449
- D. Banks
- 450 Characterization of microstructures and fracture toughness in five granitic rocks M.H.B. Nasseri, B. Mohanty and P.-Y. F. Robin
- 461 A mode II fracture analysis of double edge cracked Brazilian disk using the weight function method
- Feng Chen, Ping Cao, Q.H. Rao, C.D. Ma and Z.Q. Sun $\,$
- 466 A comparative study of Schmidt hammer testing procedures with reference to rock cutting machine performance prediction
- R.M. Goktan and N. Gunes
- 473 Drillability studies of surface-set diamond drilling in Zonguldak region sandstones from Turkey
 M.E. Akün and C. Karpuz

MINERALS ENGINEERING

MARCH 2005

293 Chalcopyrite leaching at moderate

temperature and ambient pressure in the presence of nanosize silica M. Misra and M.C. Fuerstenau

299 Extraction of alumina from coal fly ash generated from a selected low rank bituminous South African coal R.H. Matjie, J.R. Bunt and J.H.P. van Heerden

311 Influence of sodium dodecyl sulphate and Dowfroth frothers on froth stability P.A. Harvey, A.V. Nguyen, G.J. Jameson and G.M. Evans

317 The froth stability column: linking froth stability and flotation performance N. Barbian, K. Hadler, E. Ventura-Medina and J.J. Cilliers

325 Particle breakage kinetics in horizontal stirred mills
J. Yue and B. Klein

333 Tumbling mill steel media abrasion wear test development
Peter Radziszewski, Rena Varadi, Tapiwa Chenje, Lena Santella and Anthony Sciannamblo

343 Application of charge contrast imaging in mineral characterization K. Robertson, R. Gauvin and J. Finch

353 Destruction of cyanide by hydrogen peroxide in tailings slurries from low bearing sulphidic gold ores
M. Kitis, A. Akcil, E. Karakaya and N. O. Yigit

363 Leaching of Ovacık gold ore with cyanide, thiourea and thiosulphate M. Tanrıverdi, H. Mordoğan and Ü. İpekoğlu

367 Effect of fineness of grind on semi-batch flotation test results Claude Bazin, Carole Fortin, Daniel Hodouin and Jean Cayouette

371 Bioflotation of Sarcheshmeh copper ore using Thiobacillus Ferrooxidans

T. R. Hosseini, M. Kolahdoozan, Y. S. M. Tabatabaei, M. Oliazadeh, M. Noaparast, A. Eslami, Z. Manafi and A. Alfantazi

375 Influence of charge size distribution on net-power draw of tumbling mill based on DEM modelling Nenad Djordjevic

APRIL 2005

385 A field demonstration of gold phytoextraction technology Christopher Anderson, Fabio Moreno and John Meech

393 Mechanisms of galvanic interactions between gold and sulfide minerals in cyanide solution M.M. Aghamirian and W.T. Yen

409 Role of copper(II), carbonate and sulphite in gold leaching and thiosulphate degradation by oxygenated alkaline non-ammoniacal solutions

Gamini Senanayake

427 Testing the ability of a low grade sphalerite concentrate to achieve autothermality during biooxidation heap leaching

M.I. Sampson, J.W. Van der Merwe, T.J. Harvey and M.D. Bath

439 Influence of explosive energy on the strength of the rock fragments and SAG mill throughput

S. Michaux and N. Djordjevic

449 The modelling of the separation process in a ferrohydrostatic separator V. Murariu, J. Svoboda and P. Sergeant

459 The influence of particle size and collector on the flotation of a very low grade auriferous ore

S.V.C. Bravo, M.L. Torem, M.B.M. Monte, A.J.B. Dutra and L.A. Tondo

463 Effluent treatment and by-product recovery from the sludge of an alumina plant

Archana Agrawal

APRIL 2005 (2)

- 473 Crushing plant optimisation by means of a genetic evolutionary algorithm Per Svedensten and C. Magnus Evertsson
- 481 Corrosion protection of mild carbon steel media in phosphate grinding mill using impressed current technology D. Tao, G.L. Chen and B.K. Parekh
- 489 An alternative solution to the grinding equation in cumulative size distribution form Pages 489-493 C. Hosten
- 495 Froth collapse in column flotation: a prevention method using froth density estimation and fuzzy expert systems O.D. Chuk, V. Ciribeni and L.V. Gutierrez
- 505 XPS characterisation of chalcopyrite chemically and bio-leached at high and low redox potential

ke Sandström, Andrei Shchukarev and Jan Paul

- 517 Gold recovery by microwave augmented ashing of waste activated carbon R.K. Amankwah, C.A. Pickles and W.-T. Yen
- 527 Oxidative leaching of a Vietnamese chromite ore in highly concentrated potassium hydroxide aqueous solution at 300 °C and atmospheric pressure H.-B. Xu, S.-L. Zheng, Y. Zhang, Z.-H. Li

H.-B. Xu, S.-L. Zheng, Y. Zhang, Z.-H. Li and Z.-K. Wang

- 537 Nickel recovered from solution by oxidation using ozone: some physical properties
- Luis E. Calzado, Cesar O. Gomez and James A. Finch
- 545 Removal and recovery of copper from aqueous solution by eggshell in a packed column
- K. Vijayaraghavan, J. Jegan, K. Palanivelu and M. Velan

- 549 The effect of ferrous and ferric iron on sphalerite bioleaching with Acidithiobacillus sp.
- P.S. Pina, V.A. Leão, C.A. Silva, D. Daman and J. Frenay
- 553 Coupling leaching of sphalerite concentrate
 Peng Peng, Huiqin Xie and Lizhu Lu
- 557 Analytical expressions for classifier product size
 B. Venkoba Rao

MAY 2005

- 567 Quantitative assessment of hydrophobic agglomeration performance X.Q. Wu, A.J. Monhemius and R.J. Gochin
- 575 Electrochemical and Raman spectroscopic studies of the interaction of ethyl xanthate with Pd–Bi–Te M.K.G. Vermaak, P.C. Pistorius and J.A. Venter
- 585 Kinetics of gold and a gold–10% silver alloy dissolution in aqueous cyanide in the presence of lead
- K. Cerovic, H. Hutchison and R.F. Sandenbergh
- 591 Testing the k-Sb relationship at the microscale
- J.R. Hernandez-Aguilar, S.R. Rao and J.A. Finch
- 599 Dynamic adsorption of sodium dodecylbenzene sulphonate and dowfroth 250 onto the air—water interface
- C.M. Phan, A.V. Nguyen and G.M. Evans
- 605 Selective flotation of enargite from chalcopyrite by electrochemical control H. Guo and W.-T. Yen
- 613 Residence time distribution of an industrial mechanically agitated cyanidation tank
- L.R.P. de Andrade Lima and D. Hodouin

- 623 Heap leaching kinetics are proportional to the irrigation rate divided by heap H.M. Lizama, J.R. Harlamovs, D.J. McKay and Z. Dai
- 631 Flotation properties of unusual carbonates: huntite and hydromagnesite O. Kangal, C. Firat and A. Güney
- 635 Production and properties of cordieritebased glass-ceramics from gold tailings H. Shao, K. Liang, F. Peng, F. Zhou and A. Hu
- 639 Buffer behavior of brucite in removing copper from acidic solution
- L. Shao, Y. Zhou, J.F. Chen, W. Wu and S.C. Lu
- 643 Do old spoils contain large amounts of economically valuable minerals?
 E.V. Samykina, A.V. Surkov, L.V. Eppelbaum and S.V. Semenov

MINING ENGINEERING

MARCH 2005

TECHNICAL PAPERS (peer reviewed and approved)

- 33 Evaluation of proposed panel-closure modifications at the Waste Isolation Pilot Plant
- L.E. Allen, J.F. Abel Jr. and D.R. Morgan
- 37 Fragmentation method: a ground-control tool
- J. Girard-Dwyer, J. Johnson,
- 43 Economics of conveyor systems component selection: the total cost of ownership approach
- T. Oxley and M. Myers
- 48 Openpit slope design and pit stability challenges at the Rio Tinto Borax Boron Mine J.R. Mattern

APRIL 2005

TECHNICAL PAPERS

(peer reviewed and approved)

- 61 Simple program for estimating multipleseam interactions
- K.A. Heasley and O. Akinkugbe
- 67 Review of pyrometallurgical treatment of electronic scrap
- S.A. Shuey and P. Taylor
- 71 Application of reflection-seismic method to leached cap exploration over porphyry copper deposits J.W. Cooksley
- 76 Asbestos exposurein the mining industry: a case for revisingthe MSHA standard E.P. Blumenstein and P.E. Ross