

ARTICLE INDEX

ISSUE 2021/1

Is procalcitonin a good marker for Acinetobacter infections?..... 3(1); 1-4
The medical center preference of patients with head and neck cancer and factors that affect this preference..... 3(1); 5-9
Favorable effects of close telephone follow-up on Helicobacter pylori eradication success..... 3(1); 10-14
The effect of C-reactive protein, procalcitonine, neutrophil/ lymphocyte levels on mortality and duration of hospital stay in pneumonia..... 3(1); 15-19
Evaluation of oxidative stress in pregnant with chronic hepatitis B and C..... 3(1); 20-25
Treatment outcomes of pulmonary multidrug-resistant tuberculosis: 10 year follow up study..... 3(1); 26-30
Female sacrococcygeal pilonidal sinus features and EQ-5D life quality survey and body image survey results: a clinical study 3(1); 31-35
Evaluation of factors which determining survival of SARS-COV-2 infected patients in intensive care unit 3(1); 36-43
Invasive home mechanical ventilation (I-HMV) experience at a palliative care center 3(1); 44-47
Analysis of JAM-A T>C (rs790056) and LFA-1 2120 G>C (rs2230433) gene variations in uterine leiomyoma: a pilot study..... 3(1); 48-52
Intracytoplasmic sperm injection and the risk of gestational diabetes in patients with polycystic ovarian syndrome..... 3(1); 53-58
The effect of opioid receptor gene polymorphism (A118g) on postop tramadol consumption after gynecologic surgery performed with pfannenstiell incision..... 3(1); 59-65
An atypical presentation of cutaneous leishmaniasis 3(1); 66-68
Corpus spongiosum abscess presented as new-onset diabetes in an adult patient: a case presentation 3(1); 69-71
A rare Meckel's diverticulum complication in inguinal hernia: case report of Littre hernia 3(1); 72-74
A rare case of atypical accessory bile duct: Luschka channel 3(1); 75-77
Revealing the dilemma in COVID-19 pneumonia: use of the prone thorax CT imaging in differentiation of opacities due to dependent zone and pneumonic consolidation 3(1); 78-80
Radiologic features of pulmonary cement embolism after percutaneous vertebroplasty in a case report..... 3(1); 81-84

ISSUE 2021/2

Surgical nurses' knowledge levels about hemodynamic monitoring..... 3(2); 85-92
Evaluation of spleen volume in thoracic computed tomography in patients with COVID-19 pneumonia 3(2); 93-97
Monocyte/HDL ratio in women with polycystic ovary syndrome and healthy controls 3(2); 98-103
COVID-19 pandemic and the quality of couples' sexual relationships 3(2); 104-108
Determination of measles, rubella, mumps and chickenpox seropositivity of district public hospital healthcare workers..... 3(2); 109-114
Evaluation of long-term effect of tuberculosis chemoprophylaxis in patients using anti tumor necrosis factor alpha agents..... 3(2); 115-119
Local plus sedoanalgesia or spinal analgesia in endovascular aortic aneurysm repair experiences in a single center..... 3(2); 120-123
The effect of adding morphine to intratecal bupivacaine on postoperative analgesia in patients with anorectal surgery..... 3(2); 124-129
The relationship between health-related quality of life and demographic characteristics in patients with chronic hepatitis B 3(2); 130-135
Flap versus primary closure for treatment of pilonidal sinus disease: a comparative study between adolescent and adult patients..... 3(2); 136-139
Recurrence rates and factors affecting recurrence after traumatic anterior shoulder dislocation 3(2); 140-144
The thorax tomography correlation in COVID-19 RT-PCR positive patients 3(2); 145-150
The effects of folic acid on vascular reactivity in a hyperhomocysteinemic rat model..... 3(2); 151-157
Nosocomial infection rates of three-years in neurological intensive care unit and relationship to mortality..... 3(2); 158-164
The effectiveness of percutaneous nephrolithotomy for the treatment of large impacted upper ureteral stones 3(2); 165-170
Relationship between vitamin D levels and mortality rates of critically ill patients in intensive care unit..... 3(2); 171-176
Detected frequency of bacteremia in pressure ulcer and the decision to systemic antibiotic..... 3(2); 176-180
Angiomyofibroblastoma of the uterine cervix in a patient with triple negative breast cancer: a case report 3(2); 181-184
Alopecia areata after hepatitis C virus infection treatment: a case report..... 3(2); 185-187

ISSUE 2021/3

Thromboprophylaxis decreases the risk of pulmonary embolism in COVID-19 3(3); 188-191
The role of serum RDW level in predicting the short term mortality of community-acquired pneumonia, acute attack chronic pulmonary disease, and acute pulmonary thromboembolism 3(3); 192-197
Comparison of hospitalized patients with idiopathic pulmonary fibrosis and obstructive sleep apnea outpatients in terms of general characteristics and polysomnographic features 3(3); 198-203
Comparison of lesion level and ischemic modified albumin in peripheral artery disease..... 3(3); 204-207
The level of C-erbB-2 in patients with esophageal and gastric cancers..... 3(3); 208-213

ARTICLE INDEX

ISSUE 2021/3

| | |
|---|---------------|
| The role of thiol-disulfide and ischemia-modified albumin levels in the diagnosis of childhood appendicitis..... | 3(3); 214-219 |
| Comparative analysis of the anaesthesia management of gynecological operations between the normal period and COVID-19 pandemic | 3(3); 220-226 |
| A new grading system for evaluation of uroflowmetry-EMG results (Gülhane Grading System) | 3(3); 227-233 |
| Evaluation of YouTube videos related to intubation in the pandemic process in terms of quality and content in Turkish and English..... | 3(3); 234-238 |
| Real-life data of tenofovir disoproxil fumarate and tenofovir alafenamide fumarate in the patients with chronic hepatitis B: A single-center experience | 3(3); 239-245 |
| Investigation of the potential use of VCAM-1, TNF- α , IL-10 and IL-6 as biomarkers of nickel exposure..... | 3(3); 246-250 |
| Aging and geriatric palliative care..... | 3(3); 251-255 |
| A rare case: acute ischemic stroke that developed in a case with severe COVID-19 pneumonia..... | 3(3); 256-258 |
| Mortal disseminated intravascular coagulopathy and cutaneous involvement in a COVID-19- positive patient: a case report | 3(3); 259-261 |
| Tigecycline induced acute pancreatitis: Suspicion is the first step in diagnosis..... | 3(3); 262-263 |

ISSUE 2021/4

| | |
|---|---------------|
| A comparison of cleavage-stage embryo transfer and blastocyst transfers in patients with low anti-Mullerian hormone levels..... | 3(4); 264-268 |
| Social media and breastfeeding: an Instagram study..... | 3(4); 269-273 |
| Are the blood urea nitrogen/creatinine ratio and the mean platelet volume able to act as predictors of mortality and morbidity in patients with upper gastrointestinal bleeding?..... | 3(4); 274-278 |
| Baseline demographic, clinical and laboratory risk factors for predicting admission to intensive care unit in patients diagnosed with COVID-19 in the emergency department | 3(4); 279-283 |
| Blood gas analysis syringes containing spray-dosed droplet liquid heparin may decrease sample rejection ratios..... | 3(4); 284-290 |
| Levels of methylated arginines and L-arginine in patients with polycystic ovary syndrome: a promising approach in clinical evaluation..... | 3(4); 291-299 |
| Association between serum ferritin level and thyroid hormones in hypothyroid pediatric patients..... | 3(4); 300-302 |
| The validity and agreement of PI-RADS v2 in the diagnosis of prostate cancer | 3(4); 303-309 |
| Bilayer repair technique with mesh in petit lumbar hernia..... | 3(4); 310-314 |
| Prediction of hospitalization and blood transfusion requirement in patients with macroscopic hematuria | 3(4); 315-318 |
| Combined effects of the implementation of magnesium and ascorbic acid on myocardial ischemia-reperfusion in open heart surgery..... | 3(4); 319-326 |
| The relationship between ⁶⁸ Ga-PSMA uptake and Gleason Score and PSA levels in patients with prostate cancer..... | 3(4); 327-332 |
| Seven cases of imported malaria with recurrence | 3(4); 333-335 |

SUBJECT INDEX

- A**
A118G polymorphism, 3(1); 59-65
Accessory Luschka channel, 3(1): 75-77
Acinetobacter, 3(1); 1-4
Acute pancreatitis, 3(3); 262-263
ADMA, 3(4); 291-299
Adult, 3(2); 136-139
Advers effect, 3(3); 262-263
Alopecia areata, 3(2); 185-187
Anaesthesia management, 3(3); 220-226
Angiomyofibroblastoma, 3(2); 181-184
Ankle-brachial index, 3(3); 204-207
Anomalies of the biliary tract, 3(1): 75-77
Anorectal surgery, 3(2); 124-129
Anti TNF alpha, 3(2); 115-119
Antibiotic resistance, 3(1); 10-14, 3(2); 158-164
Anti-Mullerian hormone, 3(4); 264-268
Antioxidant activity, 3(1); 20-25
Appendicitis, 3(3); 214-219
Ascorbic acid, 3(4); 319-326
Assisted reproductive technique, 3(4); 264-268, 3(1); 53-58
Atypical presentation, 3(1); 66-68
- B**
Bilayer repair technique, 3(4); 310-314
Blastocyte, 3(4); 264-268
Blood collection device, 3(4); 284-290
Blood gas analysis, 3(4); 284-290
Blood transfusion, 3(4); 315-318
Blood urea nitrogen/creatinine ratio, 3(4); 274-278
Bottle feeding, 3(4); 269-273
Breast carcinoma, 3(2); 181-184
Breastfeeding, 3(4); 269-273
Bupivacaine, 3(2); 124-129
- C**
C-erbB-2, 3(3); 208-213
Cervix Uteri, 3(2); 181-184
Chemoprophylaxis, 3(2); 115-119
Chemoradiotherapy, 3(1): 5-9
Chicken Pox, 3(2); 109-114
Children, 3(3); 214-219, 3(4); 300-302
Cholecystectomy, 3(1): 75-77
Chronic hepatitis B, 3(1); 20-25, 3(2); 130-135, 3(3); 239-245
Chronic hepatitis C, 3(1); 20-25
Cleavage, 3(4); 264-268
Coating workers, 3(3); 246-250
Community acquired pneumonia, 3(3); 192-197
Computed tomography, 3(2); 93-97, 3(2); 145-150
Coronavirus, 3(3); 188-191
Coronavirus-19, 3(3); 259-261
Coronavirus disease, 3(2); 93-97
Corpus spongiosum abscess, 3(1): 69-71
Cosmesis, 3(1); 31-35
COVID-19, 3(1): 78-80, 3(2); 104-108, 3(2); 145-150, 3(2); 93-97, 3(3); 188-191, 3(3); 220-226, 3(3); 256-258, 3(4); 279-283
C-reactive protein, 3(1); 1-4, 3(1); 15-19
Critically ill, 3(2); 171-176
CT, 3(1): 81-84
Cutaneous involvement, 3(3); 259-261
- D**
Decubitus infections, 3(2); 176-180
Demographic characteristics, 3(2); 130-135
Dependent zone opacity, 3(1): 78-80
DIC, 3(3); 259-261
Dysfunctional voiding, 3(3); 227-233
- E**
Early diagnosis, 3(3); 246-250
Elderly, 3(2); 176-180
Embryo transfer, 3(4); 264-268
Emergency department, 3(4); 279-283
Emergency, 3(2); 145-150
Endovascular aortic repair, 3(2); 120-123
Eradication, 3(1); 10-14
Esophageal cancer, 3(3); 208-213
- F**
Ferritin, 3(4); 300-302
Fever, 3(4); 333-335
First, 3(2); 140-144
Flap, 3(2); 136-139
Folic acid, 3(2); 151-157
Formula, 3(4); 269-273
FSFI, 3(2); 104-108
- G**
Ga-68 PSMA PET/CT, 3(4); 327-332
Gastric cancer, 3(3); 208-213
Gene variations, 3(1); 48-52
Geriatrics, 3(3); 251-255
Gestational diabetes, 3(1); 53-58
Grading system, 3(3); 227-233
Gynecological operations, 3(3); 220-226
- H**
Head and neck cancer, 3(1): 5-9
Health public, 3(1): 5-9
Healthcare workers, 3(2); 109-114
Helicobacter pylori, 3(1); 10-14
Hemodynamic monitoring, 3(2); 85-92
Hepatitis C virüs, 3(2); 185-187
Hernia sac, 3(1): 72-74
High-density lipoprotein, 3(2); 98-103
Hospitalization, 3(3); 198-203, 3(4); 315-318
Human milk, 3(4); 269-273
Hyperhomocysteinemia, 3(2); 151-157
Hypophosphatemia, 3(3); 239-245
Hypothyroidism, 3(4); 300-302
Idiopathic pulmonary fibrosis, 3(3); 198-203
- I**
Intubation, 3(3); 234-238
Invasive ventilation, 3(1); 44-47
Ischemia-modified albumin, 3(3); 204-207
Infection, 3(2); 145-150, 3(3); 259-261
Infectious disease, 3(4); 333-335
Inflammation parameters, 3(3); 246-250
Inflammation, 3(2); 98-103
Inguinal hernia, 3(1): 72-74
Intensive care unit, 3(1); 36-43, 3(2); 171-176, 3(4); 279-283

Internet, 3(3); 234-238
Inter-observer agreement, 3(4); 303-309
Intratechal, 3(2); 124-129
Intubation, 3(1); 36-43
Invasive, 3(2); 85-92
Ischemia-reperfusion, 3(4); 319-326
Ischemic stroke, 3(3); 256-258
Isoniazid, 3(2); 115-119

L

Leiomyoma, 3(1); 48-52
Leishmaniasis, 3(1); 66-68
Lithium heparin, 3(4); 284-290
Littre hernia, 3(1); 72-74
Local anesthesia sedoanalgesia, 3(2); 120-123
Lockdown, 3(2); 104-108
Long term effectiveness., 3(2); 115-119
Lower urinary tract dysfunction, 3(3); 227-233

M

Macroscopic hematuria, 3(4); 315-318
Magnesium, 3(4); 319-326
Malaria, 3(4); 333-335
Mean platelet volume, 3(4); 274-278
Measles, 3(2); 109-114
Meckel's diverticulum, 3(1); 72-74
Methylated arginine, 3(4); 291-299
Monocyte, 3(2); 98-103
Morbidity, 3(4); 274-278
Morphine, 3(2); 124-129
Mortality, 3(1); 36-43, 3(2); 158-164, 3(4); 274-278, 3(3); 259-261
Mu opioid receptor, 3(1); 59-65
Multidrug-resistant, 3(1); 26-30
Mumps, 3(2); 109-114

N

Neurological intensive care unit, 3(2); 158-164
Neutrophil lymphocyte ratio, 3(1); 15-19
New-onset diabetes, 3(1); 69-71
Nickel exposure, 3(3); 246-250
Non-invasive, 3(2); 85-92
Non-invasive ventilation, 3(1); 44-47
Nosocomial infection, 3(2); 158-164

O

Obesity, 3(2); 98-103
Obstructive sleep apnea, 3(3); 198-203
Open heart surgery, 3(4); 319-326
Osteoporosis, 3(3); 239-245
Oxidative stress, 3(1); 20-25, 3(3); 214-219

P

Pain, 3(2); 124-129
Palliative care, 3(1); 44-47, 3(2); 176-180, 3(3); 251-255
Pandemic, 3(2); 104-108
PCOS, 3(4); 291-299
Pediatric, 3(2); 136-139
Percutaneous nephrolithotomy, 3(2); 165-170
Peripheral artery disease, 3(3); 204-207
Petit lumbar hernia, 3(4); 310-314
Pilonidal sinus, 3(2); 136-139
Pilonidal sinus disease, 3(1); 31-35
Plasmodium falciparum, 3(4); 333-335
Pneumonia, 3(1); 15-19, 3(3); 256-258
Poly methyl methacrylate, 3(1); 81-84
Polycystic ovarian syndrome, 3(1); 53-58
Polycystic ovary syndrome, 3(2); 98-103

Polysomnography, 3(3); 198-203
Postoperative pain, 3(1); 59-65
Preanalytical phase, 3(4); 284-290
Pregnancy, 3(1); 20-25
Pressure injury, 3(2); 176-180
Primer midline closure, 3(1); 31-35
Procalcitonin, 3(1); 1-4, 3(1); 15-19
Prostate cancer, 3(4); 303-309, 3(4); 327-332
Prostate specific membrane antigen, 3(4); 327-332
Psychosocial impact, 3(1); 5-9
Pulmonary cement embolism, 3(1); 81-84
Pulmonary embolism, 3(3); 188-191
Pulmonary thromboembolism, 3(3); 192-197
Pulmonary, 3(1); 26-30
Pulse rate, 3(4); 315-318

Q

Quality of life, 3(2); 130-135

R

Recurrence, 3(2); 140-144, 3(4); 310-314
Red blood cell distribution width, 3(3); 192-197
Risk factors, 3(2); 140-144
RT-PCR, 3(2); 145-150
Rubella, 3(2); 109-114

S

Sample rejection ratio, 3(4); 284-290
SARS-COV-2, 3(1); 36-43
SDMA, 3(4); 291-299
Sepsis, 3(1); 1-4
Severity, 3(3); 198-203
Sexual quality of life, 3(2); 104-108
Shock index, 3(4); 315-318
Shoulder dislocation, 3(2); 140-144
Signal infection, 3(1); 69-71
Social media, 3(4); 269-273
Sofosbuvir/ribavirin, 3(2); 185-187
Spinal anesthesia, 3(2); 120-123
Splenomegaly, 3(2); 93-97
Sporotrichoid, 3(1); 66-68
Surgery, 3(1); 5-9
Surgical nurse, 3(2); 85-92
Surgical treatment, 3(2); 140-144
Systemic changes, 3(3); 251-255

T

Telephone follow up, 3(1); 10-14
Tenofovir alafenamide, 3(3); 239-245
Tenofovir disoproxil fumarate, 3(3); 239-245
The prostateimaging reporting and data systems version 2, 3(4); 303-309
Thiol-disulfide, 3(3); 214-219
Thorax CT in prone position, 3(1); 78-80
Thrombosis, 3(3); 188-191
Tigecycline, 3(3); 262-263
Tramadol, 3(1); 59-65
Tuberculosis, 3(1); 26-30, 3(2); 115-119
Turkish women, 3(1); 48-52

U

Upper gastrointestinal bleeding, 3(4); 274-278
Ureteroscopic surgery, 3(2); 165-170
Uroflowmetry-EMG, 3(3); 227-233
Urolithiasis, 3(2); 165-170
Uterus, 3(1); 48-52

V

Vascular reactivity, 3(2); 151-157

Vertebroplasty, 3(1): 81-84

Video, 3(3); 234-238

Vitamin D deficiency, 3(2); 171-176

Y

YouTube, 3(3); 234-238

AUTHOR INDEX

A

Abuşođlu G, 3(4); 291-299
Akar M, 3(1); 20-25, 3(3); 239-245
Akdulum İ, 3(1): 78-80
Akgöl Gür ST, 3(2); 145-150
Akıncı Özyürek B, 3(3); 256-258
Akkurt ES, 3(3); 256-258
Akyüz M, 3(1): 78-80
Alagüney ME, 3(4); 291-299
Alay H, 3(2); 130-135, 3(2); 145-150, 3(4); 333-335
Albayrak A, 3(2); 145-150
Albayrak M, 3(4); 300-302
Alpcan A, 3(4); 300-302
Altındađ SD, 3(2); 181-184
Altun Tuzcu Ş, 3(4); 327-332
Arpađ H, 3(1); 15-19, 3(1); 26-30
Ateş F, 3(1): 81-84
Atilla N, 3(1); 15-19, 3(1); 26-30
Avcı S, 3(4); 274-278
Avcil M, 3(4); 274-278
Aydemir S, 3(3); 192-197
Aydın A, 3(2); 140-144
Aydın Güzey N, 3(3); 220-226
Aydın M, 3(2); 115-119
Aydođmuş H, 3(2); 181-184
Azılı MN, 3(3); 214-219

B

Babayiđit M, 3(2); 124-129, 3(3); 234-238
Babayiđit MA, 3(3); 234-238
Başkol G, 3(1); 20-25
Başlılar Ş, 3(2); 115-119
Bayrak M, 3(3); 259-261
Baysal A, 3(2); 120-123
Bekar Ü, 3(4); 303-309
Beşođul Y, 3(4); 319-326
Beyaz A, 3(1); 15-19
Biçer YÖ, 3(1): 5-9
Bilge A, 3(4); 274-278, 3(2); 158-164
Bostancı S, 3(3); 214-219
Bozkurt ÖF, 3(2); 165-170
Bozkuş F, 3(1); 15-19
Bülbül S, 3(4); 269-273
Büyükkuşcu MÖ, 3(2); 140-144

C-Ç

Cebeci H, 3(1): 81-84
Ceyhan K, 3(2); 120-123
Ceylan M, 3(2); 158-164
Cırık MÖ, 3(1); 44-47
Çadırcı K, 3(3); 259-261
Çađaltay E, 3(3); 262-263
Çakır Güney B, 3(1); 10-14
Çamurcuođlu E, 3(2); 93-97
Çankaya BY, 3(2); 145-150
Çelik C, 3(4); 269-273
Çelik S, 3(1): 69-71
Çetinkaya E, 3(2); 140-144
Çetinkaya HB, 3(4); 315-318
Çiftci M, 3(2); 165-170
Çilingir D, 3(2); 85-92

D

Dađgüllü M, 3(4); 327-332

Dađlı G, 3(1); 59-65
Dalkıran T, 3(2); 136-139
Dayanç M, 3(3); 227-233
Demir R, 3(3); 214-219
Demirel F, 3(2); 171-176
Demirtaş G, 3(3); 214-219
Deniz S, 3(3); 246-250, 3(4); 291-299
Dişçigil B, 3(2); 151-157
Dođukan M, 3(2); 120-123
Dokuzeylül Güngör N, 3(1); 53-58, 3(2); 98-103, 3(4); 264-268
Duran M, 3(2); 120-123
Durmaz MS, 3(1): 81-84
Düzenli T, 3(1); 10-14

E

Ebilođlu T, 3(3); 227-233
Ekiz İşcanlı İG, 3(1); 36-43
Erciřli M, 3(2); 120-123
Erdemir M, 3(2); 176-180
Erdođan G, 3(4); 291-299
Erel Ö, 3(3); 214-219
Ergin G, 3(3); 227-233, 3(4); 303-309
Erođlu E, 3(2); 185-187
Ertan Ö, 3(3); 256-258
Ertürk A, 3(3); 214-219

G

Gemalmaz H, 3(2); 151-157, 3(3); 204-207
Gençdal S, 3(2); 181-184
Gülbağçe A, 3(4); 269-273
Güler AG, 3(2); 136-139
Gülşen G, 3(2); 93-97, 3(2); 93-97
Gülşen T, 3(1): 72-74
Gültekin Y, 3(4); 319-326
Güneş H, 3(4); 315-318
Güney D, 3(3); 214-219
Güngör S, 3(1); 26-30
Güngörer B, 3(4); 279-283
Gür A, 3(2); 145-150
Gürbüz Onbaşıođlu M, 3(4); 303-309
Gürbüz T, 3(1); 53-58, 3(2); 104-108, 3(2); 98-103, 3(4); 264-268
Gürçün U, 3(2); 151-157
Gürsu ŞS, 3(2); 140-144
Gürün E, 3(1): 78-80
Güven BB, 3(1); 59-65
Güven C, 3(2); 120-123
Güzel A, 3(4); 319-326
Güzel F, 3(4); 327-332
Güzel Tanođlu E, 3(1); 48-52
Güzel Y, 3(4); 327-332

H

Hoşgün D, 3(3); 192-197

I-İ

İrkılata HC, 3(3); 227-233
İbiş MA, 3(2); 165-170

K

Kahraman A, 3(1); 44-47
Kahraman H, 3(1); 15-19
Kahveci K, 3(3); 251-255
Kandur Y, 3(2); 136-139, 3(4); 300-302
Kantekin B, 3(4); 274-278
Kaşçı M, 3(4); 274-278

Kaplan İ, 3(4); 327-332
Kaplan M, 3(1); 10-14, 3(2); 171-176
Karagöl C, 3(3); 214-219
Karakaya A, 3(4); 319-326
Karlı P, 3(2); 104-108
Kadı Ö, 3(2); 136-139
Kaya M, 3(2); 136-139
Kayalar N, 3(3); 204-207
Keser Şahin HH, 3(1): 75-77
Kesmez Can F, 3(2); 130-135, 3(2); 145-150, 3(4); 333-335
Ketenciler S, 3(2); 151-157, 3(3); 204-207
Kılınçer A, 3(1): 81-84
Kızılgül M, 3(1): 69-71
Kibar Y, 3(3); 227-233
Kocagözoğlu SG, 3(4); 269-273
Köprü B, 3(3); 227-233
Köybaşı Sanal S, 3(1): 5-9
Kulakaç N, 3(2); 85-92
Kulduk A, 3(2); 140-144
Kuyucu T, 3(1); 26-30
Kuzan TY, 3(3); 188-191

N

Nurlu N, 3(4); 284-290

O-Ö

Önal Taştan Y, 3(1); 10-14
Özcan S, 3(3); 204-207
Özden K, 3(2); 145-150
Özer Şimşek Z, 3(1); 1-4
Özge KK, 3(1); 48-52
Özkan E, 3(2); 85-92
Özkan S, 3(1); 59-65
Özkurt Z, 3(2); 145-150
Öztan Ö, 3(3); 246-250, 3(4); 291-299,
Öztekin S, 3(1): 69-71
Öztin H, 3(2); 176-180
Öztorun Cİ, 3(3); 214-219
Öztürk İ, 3(2); 176-180
Özyiğit Büyüktalancı D, 3(2); 181-184
P
Parlak E, 3(2); 145-150, 3(2); 158-164
Parlak M, 3(2); 130-135, 3(4); 333-335
Peñçe HH, 3(1); 48-52
Pirhan Y, 3(1): 75-77
Pür N, 3(2); 130-135

S-Ş

Sağır M, 3(2); 171-176
Samancı C, 3(2); 93-97
Sarıçam O, 3(3); 251-255
Sarıkaya K, 3(2); 165-170
Saydam M, 3(1); 31-35
Saylan B, 3(2); 93-97
Sezikli İ, 3(4); 310-314
Şahin M, 3(1); 31-35
Şahin Özdemirel T, 3(3); 256-258
Şaylan B, 3(1); 36-43, 3(3); 198-203
Şen H, 3(1); 59-65
Şenel E, 3(3); 214-219
Şenocak Ç, 3(2); 165-170
Şenol Z, 3(1): 72-74
Şentürk M, 3(2); 104-108
Şimşek F, 3(2); 158-164
Şimşek T, 3(1): 5-9
Şimşir C, 3(4); 291-299

T

Tanoğlu A, 3(1); 10-14, 3(2); 171-176, 3(3); 262-263
Tanrıdan Okçu N, 3(2); 98-103
Taşdemir B, 3(4); 327-332
Tekin SB, 3(3); 208-213
Tenekeçigil A, 3(3); 204-207
Tezcan Ş, 3(4); 303-309
Topcu H, 3(4); 310-314
Topcu R, 3(4); 310-314
Topuz B, 3(3); 227-233
Törel Ergür A, 3(4); 300-302
Tursun S, 3(4); 300-302
Tutkun E, 3(3); 246-250
Tutkun L, 3(4); 291-299
Türksoy VA, 3(3); 246-250, 3(4); 291-299

U

Uçar KT, 3(4); 284-290
Uğur M, 3(3); 188-191
Uğur MG, 3(1); 48-52
Uğuz FA, 3(1); 15-19
Uludağ Ö, 3(2); 120-123
Ustabaşoğlu FE, 3(2); 93-97
Uyar A, 3(4); 327-332
Uyar Türkyılmaz E, 3(3); 220-226
Uzun Şahin C, 3(2); 85-92

Y

Yalçın B, 3(1); 66-68
Yalçınsoy M, 3(1); 26-30
Yekenkurul D, 3(2); 109-114
Yeşildal M, 3(2); 93-97
Yevgi R, 3(2); 158-164
Yılmaz AN, 3(1); 66-68
Yılmaz M, 3(2); 151-157
Yılmaz S, 3(2); 130-135, 3(2); 145-150
Yiğit S, 3(2); 181-184
Yiyit N, 3(3); 188-191
Yorulmaz A, 3(1); 66-68
Yurci A, 3(1); 53-58, 3(4); 264-268
Yurt EF, 3(3); 214-219
Yücel C, 3(2); 151-157, 3(3); 204-207
Yücesoy M, 3(1); 20-25

REVIEWER LIST

A

AKINCI ÖZYÜREK Berna
ALPASLAN Mete
ASLAN Yasemin
AVCI Meltem

B

BUTURAK Şadiye

C

CESUR Salih

Ç

ÇADIRCI Kenan
ÇAPRAZ Mustafa
ÇİFCİ Aydın

D

DEMİR Mehmet Emin
DEMİREL Bulut
DEMİRÖZ Şevki Mustafa
DOĞAN Murat
DÜĞEROĞLU Harun
DUMAN Kazım

E

EROĞLU Oğuz
ERTEN Şükran

G

GUL Vahit
GÜNGÜNEŞ Aşkın

K

KABALCI Mehmet
KAÇMAZ Birgül
KAHVECİ Mürsel
KARAHAN İrfan
KARATAY Eylem
KEKİLLİ Murat
KETEN Hamit Sırrı
KIZILGUL Muhammed
KÜLTÜR Turgut
KURTİPEK Ercan

Ö

ÖZDEMİR Coşkun
ÖZTÜRK Ramazan

P

PEHLİVANLI Faruk
PEKMEZCİ PURUT Hilal

S

SARAK Taner
SARI Oktay
SAVCI Ünsal
SAYAR İlyas
SAYGUN Meral

Ş

ŞENCAN Ziya

T

TANOĞLU Alpaslan

TARHAN Gülnur
TOPÇU Hülya
TULMAÇ Özlem Banu

U

UCAN Bekir

V

VERGİLİ Özge

Y

YALÇIN Selim
YILMAZ Yücel