

Corrigendum



Corrigendum

Corrigendum to “Water Quality Assessment for Irrigation Water Use in Lake Hazar Basin, Elazığ, Turkey” [Türk Tarım ve Doğa Bilimleri Dergisi 7(1): 231–247, 2020]

Murat ÇELİKER^{1,*}, Nurettin PARLAKYILDIZ², MUALLA ÖZTÜRK²

¹T.C. Tarım ve Orman Bakanlığı, DSİ 9. Bölge Müdürlüğü, Elazığ

² Fırat Üniversitesi, Mühendislik Fakültesi, İnşaat Mühendisliği, Elazığ

The author wishes to notify a small change as follows. The original Table 2 had a miscalculation, it should be replaced with the correct one as the following: The author would like to apologize to the readers if any inconvenience this may have caused.

DOI of original article: <https://doi.org/10.30910/turkjans.680077>

Corresponding author.

E-mail address: mceliker23@gmail.com (Murat ÇELİKER)

Corrigendum

Table 2. Irrigation water quality parameters

No	Wet period							Dry period						
	EC	Na%	SAR	RSC	MR	KR	PI	EC	Na%	SAR	RSC	MR	KR	PI
SK-1	458	16.58	0.26	1.76	51.41	0.20	70.04	507	12.79	0.29	-0.92	37.17	0.15	49.60
SK-2	345	8.90	0.35	-0.13	36.70	0.10	55.94	436	9.45	0.32	-1.15	43.19	0.10	47.26
SK-3	417	11.96	0.33	-0.07	40.42	0.14	59.04	442	11.70	0.34	-0.94	37.45	0.13	52.09
SK-4	357	8.07	0.53	-1.16	26.72	0.09	44.18	361	11.49	0.64	-0.74	39.28	0.13	53.67
SK-5	563	14.86	0.42	0.86	48.19	0.18	57.09	563	12.34	0.34	-0.30	38.83	0.14	47.38
SK-6	378	13.02	0.26	-0.40	32.06	0.15	52.64	389	13.27	0.24	-0.90	35.89	0.15	52.24
SK-7	399	7.65	0.40	-0.65	31.62	0.08	47.17	432	7.83	0.38	-0.76	33.40	0.09	49.90
SK-8	467	11.50	5.92	0.14	41.04	0.13	52.67	493	10.24	0.31	-0.90	37.40	0.11	47.84
SK-9	1184	62.24	0.24	2.98	44.87	1.65	82.22	576	8.44	2.11	-2.14	25.96	0.09	39.32
SK-10	461	8.31	0.40	0.46	37.23	0.09	54.85	807	38.58	0.39	-0.44	39.96	0.63	64.03
SK-11	447	10.19	0.24	-0.67	34.25	0.11	47.14	476	13.15	0.26	-0.59	29.86	0.15	52.26
SK-12	511	7.56	0.19	0.84	33.56	0.08	53.97	513	6.76	0.25	-1.25	31.51	0.07	42.46
A-13	491	4.10	0.93	-1.07	35.38	0.04	38.03	528	6.34	0.31	-1.62	38.21	0.07	39.33
SK-14	784	24.85	0.34	1.51	38.22	0.33	62.51	893	5.27	0.25	-2.14	40.34	0.06	32.20
SK-15	455	13.00	0.16	1.06	36.01	0.15	64.96	469	10.48	0.14	-0.96	29.10	0.12	47.46
K-16	576	3.65	0.09	0.77	66.39	0.04	46.89	574	3.57	0.11	-1.43	60.19	0.04	38.27
K-17	312	4.37	0.08	0.12	32.77	0.05	57.23	364	4.98	0.08	-0.89	36.39	0.05	48.30
K-18	288	2.61	0.14	-0.67	16.79	0.03	47.90	288	3.37	0.19	0.21	21.89	0.03	61.96
K-19	424	3.57	0.12	-0.35	25.41	0.04	44.78	475	4.25	0.15	-1.57	29.41	0.04	39.28
K-20	529	5.05	0.27	2.14	35.79	0.05	69.44	517	3.95	0.89	-2.23	25.08	0.04	34.97
SK-21	355	8.78	0.74	-0.09	27.44	0.10	55.40	284	32.77	4.10	-1.17	28.96	0.49	62.83
SK-22	491	18.62	0.16	0.57	27.70	0.23	59.71	890	12.37	0.06	-31.10	38.86	0.14	17.98
SK-23	593	5.39	0.20	2.49	45.22	0.06	63.80	385	5.10	0.20	-2.01	35.66	0.05	38.39
SK-24	386	11.38	0.16	2.24	55.89	0.13	94.97	391	6.97	0.13	-1.10	39.86	0.08	46.84
SK-25	205	5.18	0.20	-1.12	23.50	0.05	48.22	202	8.77	0.30	-0.50	42.69	0.10	65.74
K-26	433	7.14	0.12	0.58	46.55	0.08	62.94	383	7.06	0.16	-1.23	39.02	0.08	46.32
A-27	348	5.68	0.15	1.13	51.60	0.06	78.71	340	6.67	0.11	-0.68	39.92	0.07	53.56
K-28	201.8	13.80	0.25	1.04	59.50	0.17	135.68	196	6.79	0.18	-0.43	32.24	0.07	66.94
SK-29	134.3	3.98	0.22	-3.32	17.22	0.04	25.36	134	13.26	0.35	-0.26	63.79	0.15	84.81
SK-30	484	10.41	0.20	1.78	54.11	0.12	80.72	420	6.18	0.15	-1.05	29.95	0.07	46.69
SK-31	218.3	10.72	0.24	0.99	35.74	0.12	90.25	210	9.76	0.26	-0.31	33.15	0.11	70.75
K-32	220	7.79	0.03	-0.27	27.43	0.08	60.69	256	10.11	0.05	-0.35	35.73	0.12	66.65
K-33	241	1.76	0.08	0.96	11.93	0.02	83.42	238	2.01	0.07	-0.68	11.30	0.02	54.92
K-34	412	1.76	0.14	2.14	49.38	0.02	59.31	357	1.87	0.19	-1.46	53.48	0.02	40.74
K-35	411	4.83	0.15	0.16	35.60	0.05	52.85	419	5.29	0.12	-2.03	39.68	0.06	38.00
SK-36	469	4.25	0.14	2.30	36.94	0.04	57.76	486	3.87	0.13	-1.05	40.25	0.04	42.68
SK-37	499	3.24	0.21	0.43	28.19	0.03	42.22	499	3.94	0.25	-1.15	38.97	0.04	42.26
SK-38	729	7.31	0.13	4.39	56.93	0.08	64.97	707	5.00	0.11	-1.82	37.09	0.05	35.26
SK-39	256	6.20	0.11	0.28	22.00	0.07	61.74	266	6.84	0.12	-0.25	24.46	0.07	59.99
SK-40	282	6.82	0.11	1.54	20.48	0.07	96.49	294	4.79	0.09	0.12	14.07	0.05	62.66
K-41	236	3.55	0.13	-0.02	27.47	0.04	58.71	257	4.49	0.15	-0.47	35.16	0.05	59.99
SK-42	352	7.25	0.09	2.74	28.89	0.08	104.45	310	5.54	0.07	-0.68	21.56	0.06	54.56
K-43	149	2.46	0.22	-1.85	8.05	0.03	38.16	188	4.67	0.31	0.17	15.64	0.05	79.77
SK-44	513	9.60	0.10	2.77	72.71	0.11	86.63	513	5.38	0.08	0.37	38.84	0.06	48.45
SK-45	130	10.14	0.29	1.42	40.82	0.12	145.06	138	9.07	0.30	0.46	34.61	0.10	106.48
SK-46	179.9	10.13	0.12	1.22	45.34	0.12	95.74	281	7.93	0.10	0.12	33.30	0.09	65.86
K-47	167	5.55	0.17	-0.36	25.46	0.06	66.14	190	5.93	0.25	0.32	28.27	0.06	82.68
SK-48	221	8.98	0.21	0.57	35.41	0.10	88.65	311	7.20	0.16	0.35	28.79	0.08	63.65
SK-49	182.9	9.70	0.29	0.15	39.23	0.11	80.28	183	9.55	0.16	0.11	38.35	0.11	78.64
SK-50	247	5.19	1.22	-0.14	23.53	0.05	46.87	203	7.41	0.68	0.25	32.13	0.08	79.48
SK-51	763	33.85	0.25	2.75	60.96	0.51	78.75	603	9.51	0.21	0.39	43.75	0.11	46.97
SK-52	288	7.78	0.24	-1.22	26.66	0.08	46.17	520	6.45	0.24	-0.35	35.89	0.07	45.69
SK-53	513	9.60	0.36	1.47	53.86	0.11	70.39	305	13.18	0.40	0.17	42.15	0.15	69.26
K-54	344	10.99	0.17	-0.17	39.62	0.12	56.52	344	13.30	0.20	0.55	49.37	0.16	68.55
SK-55	452	4.92	0.26	0.30	50.07	0.05	52.22	433	5.44	0.60	0.38	50.58	0.06	53.61
SK-56	408	10.46	0.13	-0.40	35.97	0.12	56.88	207	38.33	0.19	0.69	36.09	0.62	102.05
SK-57	574	1.69	0.54	-3.45	64.35	0.02	26.84	788	1.62	0.55	-0.92	82.21	0.02	31.87
SK-58	2010	4.27	0.20	-10.10	88.20	0.04	18.86	2010	4.21	0.20	-10.49	86.95	0.04	18.60
SK-59	461	16.22	0.18	0.58	49.40	0.19	62.18	520	12.74	0.17	-0.13	37.24	0.15	51.00
SK-60	344	17.25	16.19	2.29	92.05	0.21	144.95	492	4.87	8.16	-0.17	31.40	0.05	46.21
L-61	2075	62.54	0.34	2.48	100.00	1.70	78.61							

K:Spring, SK:Well, A: Creek, L: Lake