



Research article/Araştırma makalesi

Flora of Tunca Valley Natural Park and environs (Ardeşen-Rize/Turkey)

Hüseyin BAYKAL^{*1}, Vagif ATAMOV², Turan YÜKSEK³

¹ Department of Plant and Animal Breeding, Pazar Vocational School, Recep Tayyip Erdogan University, Rize, Turkey

² Department of Biology, Faculty of Arts and Sciences, Recep Tayyip Erdogan University, Rize, Turkey

³ Department of Landscape Architecture, Faculty of Fine Art, Design and Architecture, Recep Tayyip Erdogan University, 53100- Rize, Turkey

Abstract

The aim of the study is to determine the flora of Tunca Valley Natural Park and environs (Ardeşen, Rize, Turkey). During the years 2016-2017, 1756 plant specimens were collected through comprehensive surveys. 408 taxa belonging to 244 genera and 64 families were identified. 1 of them is Lycopodiophyta, 16 of them are Pteridophyta and 391 were Magnoliophyta. The dispersion of Magnoliophyta is as follows; 2 Pinophytina and 389 Magnoliophytina. According to the total number of taxa, Asteraceae (44), Poaceae (31), Fabaceae (26), Caryophyllaceae (25) and Rosaceae (19) are the richest families. The distribution of phytogeographic elements are as follows: Euro-Siberian 237 (58.1%), Irano-Turanian 14 (3.4%), Mediterranean 5 (1.2%), and multiregional or of unknown phytogeographic origin 152 (37.3%). The life spectrum distribution is as: hemicryptophytes 196 (48.0%), cryptophytes 110 (26.9%), therophytes 46 (11.3%), chamaephytes 28 (6.8%), phanerophytes 28 (6.8%), vascular parasites 1 (0.2%). The endemism ratio is 4.9% (20 takson).

Key words: flora, natural park, Tunca Valley, Rize, Turkey

----- * -----

Tunca Vadisi Tabiat Parkı ve çevresinin florası (Ardeşen-Rize/Türkiye)

Özet

Çalışmanın amacı Tunca Vadisi Tabiat Parkı ve çevresinin florasının belirlenmesidir. 2016-2017 yılları arasında kapsamlı arazi çalışmaları sonucu 1756 bitki örneği toplanmıştır. 64 familya ve 244 cinse ait 408 bitki taksonu teşhis edilmiştir. Tespit edilen taksonların 1'i Lycopodiophyta, 16'sı Pteridophyta ve 391'i ise Magnoliophyta'dır.. Toplam takson sayısı bakımından Asteraceae (44), Poaceae (31), Fabaceae (26), Caryophyllaceae (25) ve Rosaceae (19) familyaları en zengin familyalardır. Fitocoğrafik elemanların dağılımı şu şekildedir: Avrupa-Sibirya 237 (%58,1), İran-Turan 14 (%3,4), Akdeniz 5 (%1,2), ve çok ya da bilinmeyen bölgeli 152 (%37,3). Hayat formu dağılımı: hemikriptofitler 196 (%48,0), kriptofitler 110 (%26,9), terofitler 46 (%11,3), kamefitler 28 (%6,8), fanerofitler 28 (%6,8), vasküler parazitler 1 (0,2%) şeklindedir. Endemizm oranı %4.9 (20 takson).'dır.

Anahtar kelimeler: flora, tabiat parkı, Tunca Vadisi, Rize, Türkiye.

1. Introduction

1.1. Geographical Features of The Study Area

Tunca Natural Park is in Rize, 55 km away from city centre and 18 km away from Ardeşen district. The study area covers a total 40820 decare. It lies between the latitudes 41° 08' 506 and 41° 07' 031 and the longitudes 41° 20' 491 and 41° 35' 769. Tunca Natural Park is at A8 square of Euro-Siberian phytogeographical region Davis (1965-1985). The lowest part of the study area is 1350 m and the highest part is 3159 m (Figure 1).

* Corresponding author / Haberleşmeden sorumlu yazar: Tel.: + +904646127317; Fax.: + 90464 6127316; E-mail: huseyin.baykal@erdogan.edu.tr
© 2008 All rights reserved / Tüm hakları saklıdır BioDiCon. 714-1017

1.2. Geology and Edaphic Features

Rize composed of Hemşimdere, Rize, Kaplıca, Melyat, Pazar and Hamidiye geological formations. Even though the generalized columnar section is such mentioned the formation at the surface, changes in different part of Rize. Tunca Natural Park totally composed of Hemşindere formation of upper Cretaceous age, which comprises basic and acid volcanic such as basaltic andésite, rhyodacite, dacite, rhyolite, and some andesitic intermediate volcanies (Gedik et al., 1992).

The high parts of the study area consists of scars and rifts, the rest of the area has three main soil types, namely non-calcareous forest soil, grey-brown podzol soil and high mountain meadow soils (Anonymous, 2005).

1-3. Climatical Features

The climatic data of Pazar station (Anonymous, 2011) were interpolated (Çepel, 1978; Doğan 1977) for the altitude of 1700 m. According to these interpolated data Walter climate diagram for the research area was drawn. The climate in the study area is very-humid, mesothermal without any dry season. The precipitation regime is as autumn, winter, spring and summer (Au.Wi.Su.Si.). January, February, March and December are the frosty months while April and November are the probable frosty months (Figure 2).




Figure 1. Map of the study area




Figure 2. Climatical diagram of the area

2. Materials and methods

The materials of the study are the vascular plant taxa collected (1756 plant taxa) from Tunca Valley Natural Park between the years 2016-2017. The samples for each taxon were dried and stuck according to herbarium rules (Erik et al., 1996) and preserved in the herbarium of Biology Department, Faculty of Arts and Sciences, Recep Tayyip Erdoğan University. The taxa were identified using The Flora of Turkey and the Aegean Islands (Davis, 1965-1985; Davis et al., 1988; Güner et al., 2000). The taxa also checked with Russian flora (Komarov and Shishkin, 1933-1964), Flora of Georgia (Ketzhoveli and Gagnidze, 1971-2001) and related studies (Eminağaoğlu, 2003, 2004; Baykal & Atamov, 2016). The list of the identified taxa are given according to APG III (Angiospermi Phylogeny Group) in alphabetical order (Güner et al., 2012). The family and taxon name (including in Turkish), author and locations are given correspondingly (Güner et al., 2012). The endemism status (Güner, 2012), threatened categories (Ekim et al., 2000; Anonymous, 2017), phytogeographical regions (Davis, 1965-1985; 1988), and life forms (Raunkiaer, 1934; Ellenberg and Mueller-Dombois, 1967) were also given.

Abbreviations

- m.: meter
- Euro-Sib: Euro-Siberian element
- Eux: Euxine element
- Hyrc-Eux: Hyrcano-Euxine element
- Ir-Tur: Irano-Turanian element
- Medit: Mediterranean element
- Cosm: Cosmopolitan
- Hyrc-Eux, and Eux were evaluated as subcategories of Euro-Sib.
- EN: Endangered

- LC: Least concern
- NE: Not evaluated
- NT: Near threatened
- VU: Vulnerable
- HB: Hüseyin Baykal
- Hcrp: Hemicryptophytes
- Crp: Cryptophytes
- Thp: Therophytes
- Chp: Chamaephytes
- Php: Phanerophytes

3. Results

The Floristic List

Lycopodiophyta / Kibritotu Bölümü Lycopodiidae / Kibritotu Altsınıflı

Lycopodiaceae / Kibritotugiller

Huperzia selago (L.) Bernh. / dik hibritotu.

Among Rhododendron shrubs, 1550 m, 22.07.2016, HB 1564
Euro-Sib, Hcrp.

Pteridophyta / Eğreliti Bölümü	Pinaceae / Çamgiller
Equisetidae / Atkuyruğu Altınlı	<i>Picea orientalis</i> (L.) Peterm. / ladin.
Equisetaceae / Atkuyruğulları	Mixed forest, 1700 m, 23.06.2016, HB 1325
<i>Equisetum arvense</i> L. / atkuyruğu.	Eux, Php.
Streamsides, 1650 m, 08.06.2016, HB 1237, Crp.	
Polypodiidae / Eğrelti Altınlı	Magnoliophytina / Kapalı Tohumlular Sınıfı
Aspleniaceae / Saçakotugiller	Adoxaceae / Mürvergiller
<i>Asplenium adiantum-nigrum</i> L. / kara saçakotu.	<i>Sambucus ebulus</i> L. / mürver otu.
On damp rocky surfaces, 1700 m, 12.08.2017, HB 1864	Forest, 1700 m, 14.07.2017, HB 1824
Crp.	Euro-Sib, Chp.
<i>A. scolopendrium</i> L. / geyikdili.	<i>S. nigra</i> L. / ağac mürver.
Shady rocky surfaces, 2000 m, 06.08.2016, HB 1645	Edge of forest, 1700 m, 23.06.2016, HB 1347
Crp.	Euro-Sib, Php.
<i>A. septentrionale</i> (L.) Hoffm. / devesakalı	<i>Viburnum orientale</i> Pall. / katkat çalısı.
At grikes, 1550 m, 05.09.2016, HB 1751	Shrub communities, 1750 m, 07.07.2016, HB 1485
Eux, Crp.	Eux, Php.
<i>A. trichomanes</i> L. / saçakotu.	Amaryllidaceae / Nergisgiller
On rocky surfaces, 1900 m, 20.08.2016, HB 1699	<i>Allium schoenoprasum</i> L. / peynir sirmosu.
Crp.	Alpine meadows, 2500 m, 06.08.2016, HB 1668
<i>A. woronowii</i> H. Christ. / kırmızı baldırıkara.	Crp.
Scree, 2200 m, 22.07.2016, HB 1588	<i>A. scorodoprasum</i> L. subsp. <i>rotundum</i> (L.) Stearn / deli pirasa.
Euro-Sib, Crp.	Stony places, 1500 m, 24.05.2016, HB 1166
Athyriaceae / Yeleğreltisigiller	Crp.
<i>Athyrium filix-femina</i> (L.) Roth. / yel eğreltisi.	<i>A. szovitsii</i> Regel / yayla körmeni.
Above forest, 1750 m, 14.07.2017, HB 1839	Alpine meadows, 2550 m, 20.08.2016, HB 1710
Crp.	Eux (mt), Crp.
<i>A. alpestre</i> (Hoppe). Clairv. / dağyeli.	Apiaceae / Maydonozgiller
Rocky surfaces, 2050 m, 06.08.2016, HB 1624	<i>Bupleurum falcatum</i> L. subsp. <i>polyphyllum</i> (Lebed.) H.Wolff / bolşeytan.
Crp.	Meadows, 2250 m, 06.08.2016, HB 1615
Cystopteridaceae / Gevrekeğreltiler	Eux (mt), Hcrp.
<i>Gymnocarpium dryopteris</i> (L.) Newman / baldırıcıplak.	<i>Carum carvi</i> L. / kimyon.
Rocky slopes, 1700 m, 23.06.2016, HB 1350	Damp meadows, 2500 m, 22.07.2016, HB 1573
Crp.	Chp.
Dennstaedtiaceae / Eğreltiler	<i>Caulis platycarpos</i> L. / kavkal.
<i>Pteridium aquilinum</i> (L.) Kuhn / eğrelti.	Meadows, 2300 m, 27.07.2017, HB 1849
Above forest, 1850 m, 23.06.2016, HB 1330	Thp.
Crp.	<i>Chaerophyllum astrantiae</i> Boiss. & balnsa ex Boiss. / yilandokotu.
Dryopteridaceae / Piluçgiller	Stony places, 2600 m, 20.08.2016, HB 1713
<i>Dryopteris dilatata</i> (Hoffm.) A. Gray. / ayu piluncu.	NT, Eux, Hcrp.
Scree, 1900 m, 12.08.2017, HB 1868	<i>Chamaesciadium acaule</i> (Bieb.) Boiss. / hamotu.
Crp.	Pastures, 2450m, 22.07.2016, HB 1592
<i>D. filix-mas</i> (L.) Schott. / erkek eğrelti.	Hyrc-Eux, Hcrp.
Among rocks, 1600 m, 28.06.2017, HB 1804	<i>Heracleum apiifolium</i> Boiss. / telehaş.
Crp.	Streamsides, 1800 m, 22.07.2016, HB 1577
<i>Polystichum woronowii</i> Fomin. / çat piluncu.	Eux (mt), Hcrp.
Among rocks, 1600 m, 22.07.2016, HB 1540	<i>H. platytaenium</i> Boiss. / ögrekotu.
VU, Hyrc-Eux, Crp.	Streamsides, 1700 m, 07.07.2016, HB 1471
Osmundaceae / Kraleğretisigiller	LR (Ic), Eux, Hcrp.
<i>Osmunda regalis</i> L. / kral eğreltisi.	<i>H. sphondylium</i> L. subsp. <i>cyclocarpum</i> (C.Koch.) P.H.Davis / çember koçuk.
Damp streamsides, 1600 m, 07.07.2016, HB 1450	Streamsides, 1700 m, 07.07.2016, HB 1490
Crp.	Eux, Hcrp.
Polypodiaceae / Benlieğreltiler	<i>Pimpinella affinis</i> Lebed. / enisen.
<i>Polypodium vulgare</i> L. var. <i>vulgare</i> / benli eğrelti.	Meadows, 2100 m, 14.07.2017, HB 1822
On rocky surfaces, 1600 m, 07.07.2016, HB 1480	Hcrp.
Crp.	<i>Sanicula europaea</i> L. / sanikel.
Pteridaceae/ Baldırıkaragiller	Forest, 1700 m, 23.06.2016, HB 1358
<i>Cryptogramma crispa</i> (L.) R. Br. ex Hook. / saklı eğrelti.	Euro-Sib, Hcrp.
Scree, 2050 m, 27.07.2017, HB 1853	<i>Seseli libanotis</i> Koch / dağ havucu.
Euro-Sib, Crp.	Meadows, 1700 m, 07.07.2016, HB 1454
Magnoliophyta / Tohumlu Bitkiler Bölümü	Euro-Sib, Crp.
Pinophytina / Açık Tohumlular Sınıfı	Aquifoliaceae / İşılgangiller
Pinidae / Çamlar altınlı	<i>Ilex colchica</i> Pojark / işılgan.
Cupresaceae / Servigiller	Forest, 1700 m, 08.06.2016, HB 1228
<i>Juniperus oxycedrus</i> L. subsp. <i>oxycedrus</i> / katran ardıcı.	Eux, Php.
Mixed forest, 1700 m, 23.06.2016, HB 1317	
PHP.	

Araliaceae / Sarmaşıkçiler

Hedera colchica (K.Koch.) K.Koch / kara sarmaşık.
On trees and rocky surfaces, 1700 m, 23.06.2016, HB 1355
Eux, Crp.

Asparagaceae / Kuşkonmazgiller

Muscari aucheri (Boiss.) Baker / gök müşkürüm.
Stony meadows, 2200 m, 08.06.2016, HB 1232
Crp.
Ornithogalum oligophyllum E. D. Clarke / kurt soğanı.
Stony slopes, 2500 m, 16.06.2017, HB 1791
Crp.

Polygonatum verticillatum (L.) All. / mührüsüleyman.
Rhododendron shrubs, 2150 m, 08.06.2016, HB 1245
Euro-Sib, Crp.

Scilla monanthos K. Koch / sümbülçük.
Subalpine meadows, 2100 m, 24.05.2016, HB 1169
Eux, Crp.

Asteraceae / Papatyagiller

Achillea biserrata Bieb. / aksırıkotu.
Damp meadows, 2100 m, 22.07.2016, HB 1558
Eux, Hcrp.
A. latiloba Ledeb. ex.Nordm. / siporiş.
Alpine meadows, 2800 m, 06.08.2016, HB 1620
Eux (mt), Crp.
A. millefolium L. subsp. *millefolium* / civanperçemi.
Alpine meadows, 2900 m, 05.09.2016, HB 1757
Euro-Sib, Hcrp.
Anthemis cretica L. subsp. *iberica* (M. Bieb.) Grierson / kaf papatyası.
Scree, 2950 m, 20.08.2016, HB 1720
Eux (mt), Hcrp.

Archantemis marschalliana (Willd.) Lo Presti & Oberpr.
subsp. *pectinata* (Boiss.) Lo Presti & Oberpr. / sarı sıçrgözü.
Scree, 2850 m, 06.08.2016, HB 1653
Eux, Hcrp.

Arctium platylepis (Boiss. & Balansa) Sosn. ex. Grossh. / baldikeni.
Streamsides, 2350 m, 05.09.2016, HB 1760
Eux, Hcrp.

Aster amellus L. subsp. *ibericus* (Stev.) V.E.Avet / patçıeği.
Stony slopes, 2350 m, 06.08.2016, HB 1629
Eux, Crp.

Bidens tripartita L. / üçsuketeni.
Streamsides, 1850 m, 20.08.2016, HB 1693
Thp.

Carduus adpressus C.A.Mey. / tomara.
Pastures, 2400 m, 22.07.2016, HB 1548
Eux, Hcrp.

Centaurea helenioides Boiss. / döknel sarıbaş.
Pastures, 2350 m, 22.07.2016, HB 1576
Endemic, NT, Hcrp.

Cirsium arvense (L.) Scop. / köygöçüren.
Streamsides, 2300 m, 12.10.2016, HB 1781
Hcrp.

C. echinus (M. Bieb.) Hand.-Mazz. / kirpi kangalı.
Scree, 2300 m, 22.07.2016, HB 1593
Ir-Tur, Hcrp.

C. osseticum (Adams) Petr. subsp. *osseticum* / garip kangal.
Pastures, 1700 m, 27.07.2017, HB 1852
Hcrp.

Crepis paludosa (L.) Moench. / su kıskısı.
Meadows, 1800 m, 22.07.2016, HB 1565
Euro-Sib, Crp.

Cyanus nigritimbrius (C.Koch) Sojak / tay boncuğu.
Alpine meadows, 2500 m, 27.07.2017, HB 1846
Eux (mt), Hcrp.

Doronicum orientale Hoffm. / kaplanotu.

Under shrubs, 1750 m, 07.07.2016, HB 1491

Crp.
Erigeron annuus (L.) Pers. / hemşin şifatotu.
Streamsides, 1700 m, 12.08.2017, HB 1867
Hcrp.

E. caucasicus Steven subsp. *caucasicus* / kaf şifaotu.
Stony slopes, 2850 m, 22.07.2016, HB 1597
Euro-Sib, Hcrp.
E. caucasicus Stev. subsp. *venustus* (Botsch.) Grierson / zarif şifaotu.
Stony slopes, 2600 m, 22.07.2016, HB 1567
Hcrp.

Helichrysum arenarium (L.) Moench subsp. *aucherri* (Boiss.) Davis & Kupicha / yayla çiçeği.
Meadows, 2700 m, 06.08.2016, HB 1613
Ir-Tur, Hcrp.

Hieracium djimilense Boiss. & Balansa / cimil şahinotu.
Meadows among screes, 1750 m, 08.06.2016, HB 1239
Endemic, VU, Eux, Hcrp.

H. labillardierei Arv-Touv. / kızıl şahinoyu.
Stony slopes, 1900 m, 23.06.2016, HB 1336
Hcrp.

Inula orientalis Lam. / şark andızotu.
Damp pastures, 2600 m, 22.07.2016, HB 1563
Eux (mt), Crp.
Lactuca intricata Boiss. / güzel merhemotu.
Stony slopes, 1700 m, 27.07.2017, HB 1856
Euro-Sib, Hcrp.

L. serriola L. / eşekhelvası.
Stony slopes, 2300 m, 22.07.2016, HB 1546
Medit, Hcrp.

Lapsana communis L. subsp. *intermedia* (Bieb.) Hayek. / şebrek.
Streamsides, 2200 m, 20.08.2016, HB 1695
Hcrp.

Leontodon hispidus L. var. *hispidus* / gülkazer.
Scree, 2400 m, 22.07.2016, HB 1534
Euro-Sib, Crp.

Petasites albus (L.) P. Gaertn. / lapaza çiçeği.
Damp slopes close to stream, 1750 m, 24.05.2016, HB 1161,
Euro-Sib, Crp.

P. hybridus ((L.) P. Gaertn. / kabalak.
Streamsides, 1750 m, 08.06.2016, HB 1227
Euro-Sib, Crp.

Pilosella officinarum Vaill. / tırnakotu.
Stony slopes, 1700 m, 07.07.2016, HB 1458
Chp.

Prenanthes abietina (Boiss. & Balansa) Kirp. / sarı eğikçiçek.
Close to forest border, 2600 m, 06.08.2016, HB 1626
Eux, Hcrp.

Psephellus appendicigerus (K. Koch) Wagenitz / ovit tülübaşı.
Scree, 2600 m, 06.08.2016, HB 1635
Endemic, EN B2ab (ii, iii, v), Eux (mt), Hcrp.

Sonchus asper (L.) Hill subsp. *glaucescens* (Jord.) Ball / eşekgevreği.
Forest clearings, 1700 m, Hcrp.

Tanacetum kotschyii (Boiss.) Grierson. / pireotu.
Stony slopes, 2600 m, 06.08.2016, HB 1651
Ir-Tur, Hcrp.

T. macrophyllum (Waldst. & Kit.)Sch. / koca pireotu.
Pastures, 2200 m, 06.08.2016, HB 1622
Euro-Sib, Hcrp.

Taraxacum butleri Van. Soest / karahindiba.
Roadsides, 2100 m, 23.06.2016, HB 1349
Hcrp.

T. stevenii DC. / gelingöbeği.

- Alpine meadows, 2550 m, 06.08.2016, HB 1669
Ir-Tur, Hcrp.
Telezia speciosa (Schreber.) Baumg. / puğre.
Stony meadows, 1700 m, 28.08.2017, HB 1874
Euro-Sib, Hcrp.
Tragopogon aureus Boiss. / sarı yemlik.
Pastures, 2150 m, 22.07.2016, HB 1578
Endemic, LC (lc), Eux, Hcrp.
Tripleurospermum caucasicum (Willd.) Hayek / akbabotu.
Damp meadows, 2550 m, 20.08.2016, HB 1709
Crp.
T. oreades (Boiss.) Rech. var. *tchihatchewii* (Boiss.) E. Hossain / hoşhoş.
Meadows, 2200 m, 22.07.2016, HB 1550
Crp.
Tussilago farfara L. / öksürükoyu.
Damp slopes, 2200 m, 24.05.2016, HB 1165
Euro-Sib, Crp.
Turanecio taraxacifolius (Bieb.) Hamzaoğlu var. *taraxacifolius* / kar turanotu.
Stony slopes, 2550 m, 22.07.2016, HB 1557
Hcrp.
Xanthium spinosum L. / pitrak.
Roadsides, 1700 m, 20.08.2016, HB 1716
Cosmopolite, Thp.
- Betulaceae / Hüşgiller**
Alnus glutinosa (L.) Gaertn. subsp. *barbata* (C.A. Mey.) Yalt. / yeşkin.
Streamsides, 1650 m, 24.05.2016, HB 1160
Euro-Sib, Php.
Betula medwediewii Regel. / moşı.
Forest, 2000 m, 24.05.2016, HB 1171
Eux, Php.
- Boraginaceae / Hodangiller**
Asperugo procumbens L. / nevazilotu.
Stony places, 2100 m, 28.06.2017, HB 1819
Euro-Sib, Thp.
Buglossoides arvensis (L.) I. M. Johnston. / tala taşkeseni.
Stony slopes, 2300 m, 23.06.2016, HB 1342
Thp.
Cynoglossum holosericeum Steven / yayla köpekcdili.
Screes, 3000 m, 22.07.2016, HB 1568
VU, Eux (mt), Hcrp.
Echium vulgare L. / engerekotu.
Roadsides, 2100 m, 27.07.2017, HB 1854
Euro-Sib, Crp.
Myosotis alpestris F.W. Schmidt. subsp. *alpestris* / boncukotu.
Alpine meadows, 2600 m, 20.08.2016, HB 1701
Hcrp.
M. laxa Lehm. subsp. *caespitosa* (Schutz) Hyl. ex Nordh. / hüthütgözü.
Damp meadows, 1900 m, 22.07.2016, HB 1570
LR (lc), Thp.
M. lazica M. Popov / laz kuşgözü.
Damp stony places, 07.07.2016, HB 1483
VU, Eux, Thp.
M. sylvatica Hoffm. subsp. *rivularis* Vestergr. / keleş unutmabeni.
Damp meadows, 2500 m, 06.08.2016, HB 1666
Hyrc-Eux (mt), Hcrp.
Nonea versicolor (Steven.) Sweet / çayır sormuğu.
Pastures, 2350 m, 14.07.2017, HB 1837
Eux (mt), Thp.
Symphytum ibericum Steven ex M. Bieb. / orman kafesotu.
Shady meadows, 1750 m, 07.07.2016, HB 1475
Eux, Hcrp.
- Trachystemon orientalis* (L.) G. Don / kaldırık.
Streamsides, 1700 m, 08.06.2016, HB 1241
Eux, Hcrp.
Brassicaceae / Turpgiller
Aethionema arabicum (L.) Andr. ex DC. / arap taşçantası.
Stony slopes, 2000 m, 23.06.2016, HB 1320
Cosmopolite, Thp.
Alyssum murale Waldst & Kit. var. *alpinum* Boiss. ex Nyar. / seki kuduzotu.
Meadows, 2200 m, 07.07.2016, HB 1474
Hcrp.
A. murale Waldst & Kit. var. *murale* / seki kuduzotu.
Roadsides, 1900 m, 28.06.2017, HB 1806
Hcrp.
Barbarea plantaginea DC. / götlezgötü.
Streamsides, 2050 m, 23.06.2016, HB 1333
Hcrp.
Capsella bursa-pastoris (L.) Medik. / çobançantası.
Roadsides, 1900 m, 12.08.2017, HB 1866
Cosmopolite, Thp.
C. hirsuta L. / killı kodim.
Damp meadows, 2250 m, 22.07.2016, HB 1545
Cosmopolite, Crp.
Cardamine impatiens L. subsp. *Impatiens* / sultan kadimotu.
Shady slopes, 2300 m, 28.08.2017, HB 1871
Euro-Sib, Crp.
C. impatiens L. subsp. *pectinata* (Pall. ex DC.) Stoj. & Stef. / taraklı kadimoyu.
Damp spaces, 1750 m, 06.08.2016, HB 1649
Euro-Sib, Crp.
Draba hispida Willd. / killı dolama.
Rocky surfaces, 2500 m, 27.07.2017, HB 1857
Hyrc-Eux (mt), Chp.
D. huetii Boiss. / çayır dolaması.
Meadows, 1700 m, 24.05.2016, HB 1167
Chp.
D. polytricha Ledeb. / rize dolaması.
Rocky surfaces, 2600 m, 22.07.2016, HB 1536
Chp.
D. siliquosa M. Bieb. / yıldız dolama.
Rocky surfaces, 2100 m, 28.06.2017, HB 1809
Hyrc-Eux (mt), Chp.
Erysimum pulchellum (Willd.) J. Gay. / kaba zarife.
Screes, 2100 m, 28.08.2017, HB 1872
Thp.
Hesperis matronalis L. / akşam yıldızı.
Damp slopes, 2200 m, 22.07.2016, HB 1559
Crp.
Murbeckiella huetii (Boiss.) Rothm. / ovitkodimi.
Rocky slopes 2300 m, 14.07.2017, HB 1835
Hcrp.
Nasturtium officinale L. Br. / su teresi.
Streamsides, 1700 m, 23.06.2016, HB 1329
Crp.
Rorippa sylvestre (L.) Besser / çakandura.
Damp places, 1750 m, 05.09.2016, HB 1759
Hcrp.
Thlaspi arvense L. / ekin dağarcığı.
Ridgeways, 1750 m, 20.05.2017, HB 1787
Cosmopolite, Thp.
- Campanulaceae / Çançığigiller**
Asyneuma amplexicaule (Willd.) Hand.-Mazz. subsp. *amplexicaule* / hoşdeğnek.
Stony slopes, 2350 m, 27.07.2017, HB 1847
Hcrp.
Campanula collina Sims / çayır cingirağı.
Pastures, 2600 m, 22.07.2016, HB 1584

Eux, Crp.	VU, Eux(mt), Hcrp.
<i>C. lactiflora</i> M. Bieb. / kupida.	<i>Minuartia imbricata</i> (M. Bieb.) Woronow / kaya tistisi.
Alpine meadows, 2400 m, 05.09.2016, HB 1746	Rocky slopes, 2700 m, 06.08.2016, HB 1612
Eux, Hcrp.	Eux(mt), Hcrp.
<i>C. olympica</i> Boiss. / orman çanı.	<i>M. recurva</i> (All) Schinz & Thell. subsp. <i>oreine</i> (Mattyf.)
Alpin meadows, 2500 m, 06.08.2016, HB 1665	McNeil / eğri tistisi.
Eux, Hcrp.	Mountain slopes, 2900 m, 20.08.2016, HB 1690
<i>C. rapunculoides</i> L. / elmacık.	Hcrp.
Meadows, 2100 m, 22.07.2016, HB 1575	<i>M. verna</i> (L.) Hiern subsp. <i>verna</i> / yaz tistisi.
Euro-Sib, Hcrp.	Alpine meadows, 2700 m, 06.08.2016, HB 1636
Caprifoliaceae / Hanımeliğiller	Chp.
<i>Cephalaria gigantea</i> (Lebed.) Bobrov / dev pelemir.	<i>Petrorrhagia saxifraga</i> (L.) Link / şimal zarçiceği.
Streamsides, 1800 m, 07.07.2016, HB 1453	Meadows, 1700 m, 12.08.2017, HB 1862
Eux, Hcrp.	Euro-Sib, Hcrp.
<i>Knautia involucrata</i> Sommier & Levier / deli eşekkulağı.	<i>Sagina saginoides</i> (L.) Karst / yayla saginotu.
Alpine slopes, 2600 m, 12.08.2017, HB 1863	Meadows, 2250 m, 28.06.2017, HB 1811
Eux (mt), Hcrp.	Thp.
<i>Lonicera orientalis</i> Pall. / has çakkana.	<i>Saponaria orientalis</i> L. / deli sabunotu.
Roadsides close to shrub communities, 1800 m, 07.07.2016, HB 1478	Rocky slopes, 1900 m, 06.08.2016, HB 1664
Endemic, LR (lc), Chp.	LC, Thp.
<i>Scabiosa columbaria</i> L. subsp. <i>columbaria</i> / uyuzotu.	<i>Silene italica</i> (L.) Pers. subsp. <i>italica</i> / yuğuşüreği.
Meadows close to roadsides, 1800 m, 20.08.2016, HB 1717	Meadows close to streams, 2100 m, 22.07.2016, HB 1542
Hcrp.	Hcrp.
<i>Valeriana alliariifolia</i> Adams / piot.	<i>S. lazica</i> Boiss. / laz nakılı.
Streamsides, 2300 m, 22.07.2016, HB 1598	Roadsides, 2050 m, 07.07.2016, HB 1476
Euro-Sib, Hcrp.	Eux (mt), Hcrp.
<i>V. alpestris</i> Steven / yayla kediotu.	<i>S. odontopetala</i> Fenzl / kunduzotu.
Meadows, 2850 m, 06.08.2016, HB 1611	Meadows on rocky slopes, 2700 m, 05.09.2016, HB 1748
Eux (mt), Hcrp.	Hcrp.
Caryophyllaceae / Karanfilgiller	<i>S. saxatilis</i> Sims / simotu.
<i>Agrostemma githago</i> L. / büğday karamuğu.	Rocky slopes, 2500 m, 06.08.2016, HB 1643
Roadside, 1700 m, 07.07.2016, HB 1484	Hcrp.
Thp.	<i>S. vulgaris</i> (Moench) Garcke var. <i>vulgaris</i> / ecibüçü.
<i>Arenaria rotundifolia</i> M. Bieb. subsp. <i>rotundifolia</i> / yer kumotu.	Meadows, 2600 m, 06.08.2016, HB 1633
Crevices, 2550 m, 20.08.2016, HB 1718	Hcrp.
Thp.	<i>Stellaria holostea</i> L. / urgancık.
<i>A. serpyllifolia</i> L. / tarla kumotu.	Under shrubs, 1750 m, 16.06.2017, HB 1790
Meadows on rocky places, 2400 m, 22.07.2016, HB 1555	Euro-Sib, Thp.
Thp.	<i>S. media</i> (L.) Vill. / kuşotu.
<i>Cerastium cerastoides</i> (L.) Britt. / yumak boynuzotu.	Meadows, 2200 m, 08.06.2016, HB 1243
Pastures, 06.08.2016, 2200 m, HB 1661	Thp.
Hcrp.	Celastraceae / İğäğacıkları
<i>C. glomeratum</i> Thuill. / boynuzotu.	<i>Parnassia palustris</i> L. / yürek yaprağı.
Meadow slopes, 1700 m, 12.08.2017, HB 1869	Streamsides, 2300 m, 20.08.2016, HB 1711a
Cosmpolite, Thp.	Crp.
<i>C. purpurascens</i> Adams / alaca boynuzotu.	Cistaceae / Ladengiller
Screes, 2300 m, 22.07.2016, HB 1547	<i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>nummularium</i> / güngülü.
Euro-Sib(mt), Hcrp.	Meadow slopes, 2150 m, 22.07.2016, HB 1561
<i>Dianthus crinitus</i> Sm. var. <i>crinitus</i> / uzunçanak.	Hcrp.
Rocky slopes, 2300 m, 06.08.2016, HB 1672	Colchicaceae / Açığdemgiller
Hcrp.	<i>Colchicum speciosum</i> Steven / şepart.
<i>D. orientalis</i> Adams / yar karanfili.	Alpine meadows, 2450 m, 05.09.2016, HB 1756
Screes, 2400 m, 05.09.2016, HB 1737	Euro-Sib, Crp.
Hcrp.	Convolvulaceae / Tarlasarmaşığiller
<i>Eremogone lachnidea</i> (M. Bieb.) Rupr. / topaç kumotu.	<i>Calystegia silvatica</i> (Kit.) Griseb. / bürük.
Rocky surfaces, 2400 m, 06.08.2016, HB 1627	Edge of forest, 1700 m, 23.06.2016, HB 1348
Thp.	Hcrp.
<i>Gypsophila glandulosa</i> (Boiss.) Walp. / yer çevgeni.	<i>Convolvulus arvensis</i> L. / tarla sarmaşığı.
Meadows, 2650 m, 20.08.2016, HB 1703a	Roadsides, 1850 m, 07.07.2016, HB 1460
Eux(mt), Hcrp.	Cosmpolite, Hcrp.
<i>G. silenoides</i> Rupr. / furtuna çöveni.	Crassulaceae / Damkoruğugiller
Meadows, 2400 m, 06.08.2016, HB 1621	<i>Phedimus spurius</i> (M. Bieb.) 't Hart / al pisikulağı.
Endemic, Eux (mt), Hcrp.	Rocky surfaces, 2300 m, 07.07.2016, HB 1451
<i>G. tenuifolia</i> M. Bieb. / kaçkar çevgeni.	Hyrc-Eux, Crp.
Meadows, 2600 m, 20.08.2016, HB 1703b	<i>P. stoloniferum</i> (S.G.Gmel) 't Hart / pisikulağı
	Screes, 2100 m, 28.06.2017, HB 1820

- Hyrc-Eux, Crp.
Prometheum pilosum (M. Bieb) H. Obha / hoş kayagöbeği.
 Rocky surfaces, 2200 m, 23.06.2016, HB 1353
- Hyrc-Eux, Crp.
Sedum album L. / çobankavurgası.
 Rocky surfaces, 2200 m, 22.07.2016, HB 1544
- Hcrp.
S. alpestre Vill. / dağ koruğu.
 Scree, 2450 m, 06.08.2016, HB 1628
- Hcrp.
S. tenellum M. Bieb. / narin damkoruğu.
 Rock fractures, 2900 m, 05.09.2016, HB 1738
- Hcrp.
Sempervivum armenum Boiss. & A. Huet. var. *armenum* / gelinparmağı.
 Rocky surfaces, 2900 m, 05.09.2016, HB 1749
- Endemic, LC, Eux (mt), Hcrp.
- Cyperaceae / Hasırrotugiller.**
- Carex atrata* L. subsp. *atrata* / karasaparna.
 Subalpine meadows, 2050 m, 12.08.2017, HB 1870a
- Euro-Sib (mt), Crp.
C. digitata L. / parmakşaz.
 Meadows, 2100 m, 22.07.2016, HB 1541
- Eux, Crp.
C. echinata Murray subsp. *echinata* / küt ayakotu.
 Marshy meadows, 2100 m, 14.07.2017, HB 1828
- Euro-Sib, Crp.
C. nigra (L.) Reichard subsp. *dacica* (Heuffel) Soo / rumen ayakotu.
 Marshy pastures, 2150 m, 27.07.2017, HB 1851
- Eux, Crp.
C. nigra (L.) Reichard. subsp. *nigra* / kara ayakotu.
 Marshy pastures, 2200 m, 22.07.2016, HB 1591
- Crp.
C. oligantha Steudel / garipsaz.
 Damp meadows, 2350 m, 14.07.2017, HB 1823
- DD, Hyrc-Eux, Crp.
C. panicea L. / dari ayakotu.
 Streamside, 2300 m, 06.08.2016, HB 1662
- Crp.
C. sylvatica Huds. subsp. *latifrons* (V.I.Krecz) Ö.Nilsson / enlisaz.
 Damp meadows, 1900 m, 20.08.2016, HB 1711b
- Eux, Crp.
Cyperus glaber L. / könütotu.
 Streamside, 1700 m, 05.09.2016, HB 1745
- Crp.
Pycreus flavescens (L.) P. Beauv. & Rchb. / samanberdi.
 Streamside, 1600 m, 05.09.2016, HB 1753
- Crp.
Ericaceae / Fundagiller
Epigaea gaultherioides (Boiss. & Balansa) Takht. / dağelması.
 Among *Vaccinium* sp. and *Rhododendron* sp. communities, 2200 m, 16.06.2017, HB 1792
- Eux, Php.
Pyrola minor L. / emrudotu.
 Damp meadows, 2250 m, 07.07.2016, HB 1489
- Euro-Sib, Hcrp.
Rhododendron luteum Sweet / zifin.
 Subalpine slopes, 1800 m, 23.06.2016, HB 1361
- Eux, Php.
R. ponticum L. / kumar.
 Edge of *Piceae* forest, 1800 m, 23.06.2016, HB 1345
- Eux, Php.
R. smirnovii Trautv. / kızıl kumar.
 Under *Piceae* forest, 1900 m, 28.06.2017, HB 1801
- Eux, Php.
V. arctostaphylos L. / likarpa.
 Edge of forests, 1700 m, 14.07.2017, HB 1827
- Eux, Php.
Vaccinium myrtillus L. / ayiüzümü.
 Alpine meadows, 2500 m, 22.07.2016, HB 1590
- Euro-Sib, Chp.
V. uliginosum L. / avciüzümü.
 Alpine meadows, 2600 m, 20.08.2016, HB 1700
- Eux, Chp.
Euphorbiaceae / Sütleğengiller.
Euphorbia djimilensis Boiss. / cimil sütleğeni.
 Alpine meadows, 2350 m, 06.08.2016, HB 1650
- Endemic, NT, Eux, Hcrp.
E. squamosa Willd. / hemşin sütleğeni.
 Stony slopes, 1660 m, 08.06.2016, HB 1229
- Hyrc-Eux, Hcrp.
Mercurialis annua L. / parşen.
 Scree, 1600 m, 07.07.2016, HB 1466
- Thp.
M. ovata Sternb. & Hoppe / ağaçotu.
 1700 m, 23.06.2016, HB 1351
- Euro-Sib, Hcrp.
Fabaceae / Baklagiller
Astragalus falcatus Lam. / orak geveni.
 Meadows, 2150 m, 06.08.2016, HB 1641
- Eux (mt), Hcrp.
A. fragrans Willd. / mis geven.
 Alpine meadows, 230 m, 22.07.2016, HB 1537
- Ir-Tur, Hcrp.
A. frickii Bunge / artvin geveni.
 Alpine meadows, 2700 m, 22.07.2016, HB 1581
- Eux (mt), Hcrp.
A. glycyphyllos L. / dev geven.
 Meadows, 1900 m, 20.08.2016, HB 1689
- Euro-Sib, Hcrp.
A. incerus Ledeb. / koçtaşığı.
 Scree, 2700 m, 27.07.2017, HB 1848
- Ir-Tur, Hcrp.
Lathyrus aureus (Steven) D. Brandza / koru mürdümüğü.
 Under shrubs, 1900 m, 07.07.2016, HB 1448
- Eux, Hcrp.
L. pratensis L. / yılan gürülü.
 Streamside, 1900 m, 14.07.2017, HB 1821
- Euro-Sib, Hcrp.
L. roseus Steven subsp. *roseus* / gül mürdümüğü.
 Under shrubs, 1700 m, 07.07.2016, HB 1482
- Hyrc-Eux, Hcrp.
Lotus corniculatus L. var. *corniculatus* / gazalboynuzu.
 Meadows, 2400 m, 22.07.2016, HB 1566
- Hcrp.
Medicago falcata L. / kart yonca.
 Meadows, 2000m, 06.08.2016, HB 1659
- Crp.
M. lupulina L. / bitçikotu.
 Meadows, 1900 m, 07.07.2016, HB 1465
- Crp.
Melilotus officinalis (L.) Desr. / kokulu yonca.
 Roadsides, 1750 m, 28.08.2017, HB 1873
- Hcrp.
Securigera orientalis (Mill.) Lassen subsp. *balansae* (Boiss.) Keskin / hoş körigen.
 Alpine meadows, 2400 m, 07.07.2016, HB 1449
- Hcrp.
S. varia (L.) Lassen subsp. *varia* / körigen.
 Near scree, 2100 m, 12.08.2017, HB 1865
- Medit, Hcrp.

Trifolium ambiguum M. Bieb. / pisikulağı.
Alpine meadow, 2500m, 06.08.2016, HB 1644
Hcrp.

T. aureum Pollich subsp. *aureum* / altuni üçgül.
Rocky slopes, 2100 m, 27.07.2017, HB 1855
Euro-Sib, Thp.

T. campestre Schreb. / üçgül.
Meadows, 2050 m, 08.06.2016, HB 1236
Thp.

T. canescens Willd. / sarı üçgül.
Meadows, 1900 m, 22.07.2016, HB 1572
Hyrc-Eux, Hcrp.

T. pratense L. var. *pratense* / çayır üçgülü.
Meadows, 2100 m, 05.09.2016, HB 1740
Hcrp.

T. repens L. var. *repens* / ak üçgül.
Pastures, 2400 m, 20.08.2016, HB 1696
Hcrp.

T. spadiceum L. / çayır dutu.
Damp meadows, 2100 m, 14.07.2017, HB 1831
Euro-Sib, Hcrp.

Vicia cracca L. subsp. *cracca* / kuş figi.
Damp meadows, 2200 m, 06.08.2016, HB 1673
Euro-Sib, Hcrp.

V. sativa L. subsp. *incisa* (Bieb) Arc. / ekin figi.
Rock surfaces, 1700 m, 16.06.2017, HB 1794
Thp.

V. sativa L. subsp. *nigra* (L.) Ehrh. / eşek gürülü.
Scree, 1800 m, 08.06.2016, HB 1231
Thp.

V. sepium L. / dere baklaşı.
Among *Rhododendron* sp., 1800 m, 07.07.2016, HB 1459
Euro-Sib, Hcrp.

V. villosa Roth subsp. *villosa* / tüylü fig.
Damp meadows, 1650 m, 23.06.2016, HB 1321
Hcrp.

Fagaceae / Kayingiller

Castanea sativa Mill. / kestane.
Mixed forests, 1550 m, 07.07.2016, HB 1479
Euro-Sib, Php.

Fagus orientalis Lipsky / kayın.
Mixed forests, 1800 m, 24.05.2016, HB 1164
Euro-Sib, Php.

Quercus pontica K.Koch. / yayla peliti.
Mixed forests, 2000 m, 20.08.2016, HB 1705
Eux, Php.

Gentianaceae / Gentiyangiller

Centaureum erythraea Rafn. subsp. *turicum* (Velen.)
Melderis / tukulotu.

Meadows, 2150 m, 28.06.2017, HB 1817
Euro-Sib, Hcrp.

Gentiana aquatica L. / su gentiyani
Alpine meadows, 2900 m, 06.08.2016, HB 1614
Thp.

G. asclepiadea L. / sütlü güşad.
Meadows, 1900 m, 20.09.2016, HB 1770
Euro-Sib, Hcrp.

G. gelida M. Bieb. / dağ gentiyani.
Pastures, 2600 m, 20.09.2016, HB 1771
Eux, Hcrp.

G. pyrenaica L. / pir gentiyani.
Alpine meadows, 2550, 20.08.2016, HB 1694
Euro-Sib, Hcrp.

Swertia iberica Fisch ex C.A. Mey. / safraca.
Damp streamsides, 2300 m, 06.08.2016, HB 1637
LR (lc), Eux (mt), Hcrp.

Geraniaceae / Turnagagasigiller

Geranium subacutum (Boiss.) Aedo. / hoş itir.
Scree, 2600 m, 20.08.2016, HB 1702
Endemic, EN, Ir-Tur, Crp.

G. platypetalum Fisch & C. A. Mey. / koru itiri.
Under shrubs, 1750 m, 23.06.2016, HB 1339
Hyrc-Eux, Crp.

G. psilostemon Ledeb. / zarif itir.
Meadows, 2100 m, 22.07.2016, HB 1574
Eux (mt), Crp.

G. purpureum Vill. / ebedön.
Damp meadows, 1800 m, 24.05.2016, HB 1159
Thp.

G. pyrenaicum Burm. / gelinçarşafı.
Streamsides, 2100 m, 07.07.2016, HB 1472
Crp.

G. rotundifolium L. / helilok.
Scree, 1750 m, 20.05.2017, HB 1785
Thp.

Hypericaceae / Kantarongiller

Hypericum hirsutum L. / tüylü kantaron.
Streamsides, 1950 m, 06.08.2016, HB 1618
Euro-Sib, Hcrp.

H. orientale L. / sandık çiçeği.
Meadow slopes, 2100 m, 14.07.2017, HB 1826
Eux, Hcrp.

H. perforatum L. / kantaron.
Meadows, 2000 m, 07.07.2016, HB 1452
Hcrp.

Iridaceae / Süsengiller

Crocus scharojanii Rupr. / yaylakovan.
Alpine meadows, 2400 m, 06.08.2016, HB 1671
VU, Eux, Crp.

C. vallicola Herb. / hozmancuk.
Subalpine meadows, 2100 m, 20.09.2016, HB 1765
Eux, Crp.

Juncaceae / Kofagiller

Juncus articulatus L. subsp. *articulatus* / camışotu.
Streamsides, 2300 m, 08.06.2016, HB 1240
Euro-Sib, Hcrp.

J. effusus L. subsp. *effuses* / has kofa.
Damp meadows, 1800 m, 07.07.2016, HB 1481
Cosm, Hcrp.

J. tenaginea Ehrh. ex L. subsp. *tenaginea* / kum kofası.
Damp meadows, 1800 m, 23.06.2016, HB 1356
Euro-Sib, Hcrp.

Luzula pallescens Sw. / çayır luzulu.
Meadows, 1650 m, 23.06.2016, HB 1332
Euro-Sib, Hcrp.

Lamiaceae / Balhbabagiller

Ajuga reptans L. / meryemsaçı
Meadows, 1650 m, 23.06.2016, HB 1319
Euro-Sib, Crp.

Ballota nigra L. subsp. *nigra* / yalancı isırgan.
Among shrubs, 1700 m, 07.07.2016, HB 1464
Euro-Sib, Hcrp.

Clinopodium grandiflorum (L.) Kuntze / kaba feslegen.
Damp stony surfaces, 2100 m, 05.09.2016, HB 1739
Euro-Sib, Hcrp.

C. vulgare L. subsp. *vulgare* / yabani feslegen.
Scree, 2400 m, 22.07.2016, HB 1586
Hcrp.

Lamium album L. subsp. *album* / balıcak.
Stony meadows, 2300 m, 14.07.2017, HB 1825
Euro-Sib, Hcrp.

L. album L. subsp. *crinitum* (Montbret & Aucher ex Beth.)
Mennema / kovanlık.
Meadows among screes, 2350 m, 22.07.2016, HB 1539

- Eux, Hcrp.
L. moschatum Miller subsp. *micranthum* (Boiss.) Mennema / mis balıcak.
 Meadows, 1650 m, 16.06.2017, HB 1795
- Hcrp.
L. purpureum L. var. *purpureum* / ballıbabası.
 Streamsides, 1700 m, 08.06.2016, HB 1233
- Euro-Sib, Hcrp.
Melissa officinalis L. subsp. *officinalis* / oğulotu.
 Forest clearings, 1750 m, 23.06.2016, HB 1340
- Medit, Hcrp.
Mentha longifolia (L.) L. subsp. *longifolia* / punk.
 Streamsides, 2100 m, 22.07.2016, HB 1589
- LR (lc), Eux, Crp.
Nepeta nuda L. subsp. *albiflora* (Boiss.) Gams / karaküncü.
 Alpine meadows, 2550 m, 07.07.2016, HB 1462
- Chp.
Origanum vulgare L. subsp. *virdulum* (Martin-Donos)
 Nyman / İstanbul kekiği.
 Roadsides, 1700 m, 22.07.2016, HB 1595
- Hcrp.
Prunella vulgaris L. / gelinciklemeotu.
 Streamsides, 2650 m, 05.09.2016, HB 1736
- Euro-Sib, Hcrp.
Salvia glutinosa L. / oklu şalba.
 Damp shrub communities, 1700 m, 07.07.2016, HB 1456
- Hyrc-Eux, Hcrp.
S. verticillata L. subsp. *verticilla* / dadırak.
 Stony meadows, 2150 m, 14.07.2017, HB 1834
- Euro-Sib, Hcrp.
Stachys macrantha (K.Koch.) Stearn. / koca soğulcan.
 Alpine meadows, 2750 m, 05.09.2016, HB 1744
- Eux, Hcrp.
S. sylvatica L. / hamısırgan.
 Screes, 2350 m, 20.08.2016, HB 1719
- Crp.
Teucrium chamaedrys L. subsp. *trapezunticum* Rech. / dalakotu.
 Screes, 1630 m, 14.07.2017, HB 1840
- Euro-Sib, Chp.
Thymus longicaulis C. Presl subsp. *longicaulis* / aş kekiği.
 Pastures, 2100 m, 07.07.2016, HB 1473
- Euro-Sib, Chp.
Ziziphora clinopodioides Lam. / dağ reyhanı.
 Rocky slopes, 2300 m, 05.09.2016, HB 1750
- Ir-Tur, Hcrp.
- Liliaceae / Zambakgiller**
- Fritillaria latifolia* Willd. / yayla lalesi.
 Alpine meadows, 2500m, 23.06.2016, HB 1346
- Eux (mt), Crp.
Gagea glacialis K.Koch. / buz yıldızı.
 Alpine meadows, 2600 m, 08.06.2016, HB 1238
- Ir-Tur, Crp.
- Melanthiaceae / Dokuztepegiller**
- Paris incompleta* M. Bieb. / tilkiüzümü.
 Damp slopes, 1800 m, 24.05.2016, HB 1168
- Crp.
Veratrum album L. / dokuztepeli.
 Damp slopes, 1800 m, 20.08.2016, HB 1712
- Euro-Sib, Crp.
- Oleaceae / Zeytingiller**
- Osmanthus decorus* (Boiss. & Balansa) Kasaplıgil / poci.
 Mixed forest, 1650 m, 08.06.2016, HB 1241
- Eux, Php.
- Onagraceae / Yakıtotugiller**
- Epilobium angustifolium* L. / yakıtotu.
 Streamsides, 2200 m, 06.08.2016, HB 1663
- Crp.
Eponicum Hausskn. / garapılı.
 Streamsides, 2900 m, 05.09.2016, HB 1755
- Crp.
- Orchidaceae / Salepgiller**
- Cephalanthera longijolia* (L.) Fritsch. / kuğu salebi.
 Edge of *Piceae orientalis* forest, 20.05.2017, 1800 m, HB 1788
- Euro-Sib, Crp.
Dactylorhiza euxina (Nevski) H. Baumann & Künkele var. *euxina* / laz salebi.
 Damp meadows, 2350 m, 28.06.2017, HB 1807
- NT, Eux, Crp.
D. urvilleana (Steudal) Baumen & Künkele subsp. *urvilleana* / balkaymak.
 Streamsides, 2200 m, 23.06.2016, HB 1354
- Eux, Crp.
Listera ovata (L.) R. Br. / çalı salebi.
 Meadows, 1750 m, 08.06.2016, HB 1235
- Euro-Sib, Crp.
Orchis palustris Jacq. / çayır salebi.
 Damp meadows, 1850 m, 16.06.2017, HB 1793
- Crp.
- Orobanchaceae / Canavarotugiller**
- Euphrasia lebardensis* Kem.-Nath. / yamaç gözotu.
 Stony meadows, 2550 m, 06.08.2016, HB 1642
- Eux (mt), Thp.
E. minima Jacq. ex DC. subsp. *davisi* Yeo / gözlükkiran.
 Alpine meadows, 2650 m, 05.09.2016, HB 1742
- Endemic, LR(lc), Eux, Thp.
Melampyrum arvense L. var. *arvense* / inek buğdayı.
 Stony slopes, 2000 m, 20.08.2016, HB 1715
- Euro-Sib, Thp.
- Orobanche caesia* Rchb. / mavi veremotu.
 Parasite on *Telekia speciosa*, 1700 m, 28.06.2017, HB 1802
- Vp.
- Pedicularis caucasica* M. Bieb. / kesgerotu.
 Alpine meadows, 2500 m, 06.08.2016, HB 1632
- Hyrc-Eux, Hcrp.
P. condensata M. Bieb. / kırk bitotu.
 Alpine meadows, 2600 m, 20.08.2016, HB 1704
- Eux, Hcrp.
P. pontica Boiss. / şimal bitotu.
 Alpine meadows, 2650 m, 06.08.2016, HB 1648
- Eux, Hcrp.
- Rhinanthus angustifolius* C. C. Gmel. subsp. *grandifolius* (Wallr.) D. A. Webb. / horozotu.
 Meadows, 2100m, 07.07.2016, HB 1470
- Thp.
- Rhynchocorys elephas* (L.) Griseb. subsp. *elephas* / filburnu.
 Meadows, 2300 m, 22.07.2016, HB 1552
- Euro-Sib, Hcrp.
- Papaveraceae / Haşhaşgiller**
- Chelidonium majus* L. / kirlangışotu.
 Under forest, 1600 m, 27.07.2017, HB 1845
- Euro-Sib, Hcrp.
Corydalis alpestris C.A. Mey. / gök kaz gagası.
 Rocky slopes, 2100 m, 22.07.2016, HB 1583
- Eux, Crp.
- Fumaria schleicheri* Soy.-Will. subsp. *microcarpa* (Hausskn.) Liden / şetere
 Screes, 1700 m, 06.08.2016, HB 1652
- Thp.
- Papaver dubium* L. subsp. *dubium* / köpek yağı.

- Roadsides, 1500 m, 23.06.2016, HB 1334
Thp.
P. lateritium K. Koch subsp. *lateritium* / potot.
Scree, 2000 m, 06.08.2016, HB 1657
Endemic, VU, Eux, Hcrp.
- Plantaginaceae / Sinirotugiller**
- Digitalis ferruginea* L. subsp. *ferruginea* / arikovani.
Rocky alpine meadows, 2400 m, 20.08.2016, HB 1707
Euro-Sib, Hcrp.
Linaria simplex DC. / yalın nevruzotu.
Stony slopes, 1700 m, 28.06.2017, HB 1812
Medit, Hcrp.
P. lanceolata L. / damarlıca.
Streamsides, 1500 m, 23.06.2016, HB 1335
Hcrp.
Plantago major L. subsp. *major* / sinirotu.
Roadsides, 2100 m, 06.08.2016, HB 1619
Hcrp.
Veronica anagallis-aquatica L. / sugedemesi.
Streamsides, 1700 m, 22.07.2016, HB 1556
LR (lc), Hcrp.
V. biloba Schreber. / çifte mavış.
Meadows among screes, 2000 m, 28.06.2017, HB 1818
Ir-Tur, Thp.
V. chamaedrys L. / cancan.
Under shrubs, 1700 m, 23.06.2016, HB 1337
Euro-Sib, Crp.
- Poaceae / Buğdaygiller**
- Agrostis stolonifera* L. / tavusotu.
Damp meadows, 1700 m, 22.07.2016, HB 1594
Euro-Sib, Crp.
Alopecurus arundinaceus Poir. / kamış tilkikuyruğu.
Roadsides, 2000 m, 06.08.2016, HB 1623
LR (lc), Euro-Sib, Crp.
A.laguroides Balansa / kar tilkikuyruğu.
Reefy slopes, 2600, 20.08.2016, HB 1708
Endemic, LR (lc), Euro-Sib(mt), Crp.
Brachypodium sylvaticum (Huds.) P.Beauv. / koru kılçanı.
Rocky slopes, 2300 m, 05.09.2016, HB 1747
Euro-Sib, Crp.
Briza marcowiczii Woronow / çingirdak.
Alpine meadows, 2400 m, 06.08.2016, HB 1617
Thp.
Bromus danthoniae Trin. subsp. *Danthoniae* / ibubukotu.
Scree, 2200 m, 23.06.2016, HB 1357
Thp.
B. japonicus Thunb. subsp. *japonicus* / iyeotu.
Meadows, 1800 m, 28.06.2017, HB 1813
Thp.
B. scoparius L. / ibubuk ekini.
Meadows, 2000 m, 14.07.2017, HB 1830
Crp.
Calamagrostis arundinacea (L.) Roth. / kandıraotu.
Close to *Rhododendron* sp. shrubs, 1700 m, 06.08.2016, HB 1656
Euro-Sib, Crp.
Cynosurus cristatus L. / tarakotu.
Damp meadows, 2200 m, 12.10.2016, HB 1780
Euro-Sib, Hcrp.
Dactylis glomerata L. subsp. *glomerata* / domuzayrıği.
Meadows, 2100 m, 07.07.2016, HB 1488
Euro-Sib, Crp.
Elymus lazicus (Boiss.) Melderis / yayla buğdayı.
Rocky meadows, 1600 m, 05.09.2016, HB 1758
Endemic, VU, Eux, Hcrp.
Festuca anatolica Markgr.-Dann. subsp. *anatolica* / yurt yumağı.
- Stony meadows, 2100 m, 20.08.2016, HB 1714
Endemic, LC, Chp.
F. cyllenica Boiss & Heldr. subsp. *uluana* Markgr.-Dann. / ulu yumak.
Subalpine meadows, 1750 m, 14.07.2017, HB 1836
Endemic, Eux, Chp.
F. woronowi Hack. subsp. *woronowi* / yayla yumağı.
Meadows, 2300 m, 22.07.2016, HB 1587
VU, Eux (mt), Chp.
Glyceria notate Cheval. / kıvrık tatlıçım.
Meadows close to streams, 2100 m, 20.09.2016, HB 1767
Hcrp.
Helictotrichon planiculme (Schrad.) Pilg. / cimil yulafı.
Rocky slopes, 2300 m, 05.09.2016, HB 1752
Eux, Crp.
Koeleria macrantha (Lebed) Schult. / koca kırål.
Scree, 2100 m, 23.06.2016, HB 1326
Hcrp.
Lolium perenne L. / çim.
Pastures, 1900 m, 06.08.2016, HB 1660
Euro-Sib, Hcrp.
Melica uniflora Retz. / seyrek inciotu.
Rocky slopes, 1600 m, 05.09.2016, HB 1754
Euro-Sib, Crp.
Nardus stricta L. / kılottedi.
Alpine meadows, 2400m, 20.09.2016, HB 1769
Euro-Sib, Hcrp.
Phleum phleoides (L.) Karsten / bayır itkuyruğu.
Pastures, 2100 m, 20.09.2016, HB 1766
Euro-Sib, Hcrp.
P. pratense L. / çayırlı itkuyruğu.
Damp meadows, 2450 m, 06.08.2016, HB 1654
Euro-Sib, Chp.
Poa alpina L. subsp. *fallax* F. Herm. / yayla salkımotu.
Alpine slopes, 2000 m, 20.08.2016, HB 1706
Chp.
P. angustifolia L. / dar salkımotu.
Pastures, 2250 m, 12.10.2016, HB 1783
LR (lc), Chp.
P. annua L. / salkımotu.
Damp meadows, 1900 m, 28.06.2017, HB 1808
Thp.
P. bulbosa L. / yumrulu salkımotu.
Pastures, 2300 m, 08.06.2016, HB 1244
Crp.
P. longifolia Trin. / ipek salkımotu.
Alpine meadows, 2400 m, 14.07.2017, HB 1832
Eux, Crp.
P. nemoralis L. / orman salkımı.
Pastures, 2300 m, 22.07.2016, HB 1532
Crp.
P. pratensis L. çayırlı salkımı.
Alpine meadows, 2500 m, 06.08.2016, HB 1658
Chp.
Stipa pontica P. A. Smirn / körpe kilaç.
Mountain slopes, 2400 m, 23.06.2016, HB 1328
- Polygalaceae / Sütötugiller**
- Polygala alpestris* Rchb. / yayla sütötü.
Pastures, 1900 m, 07.07.2016, HB 1455
Euro-Sib, Hcrp.
P. major Jacq. / koca sütötü.
Rocky slopes, 1900 m, 06.08.2016, HB 1630
Euro-Sib, Hcrp.
P. supina Schreb. subsp. *supina* / gihaye sipirge.
Pastures, 2350 m, 27.07.2017, HB 1858
Cosmopolite, Hcrp.
P. vulgaris L. / sütötü.

- Meadows, 1700 m, 28.06.2017, HB 1815
Euro-Sib, Hcrp.
- Polygonaceae / Madımakgiller**
Polygonum alpinum All. / eleyaz.
Screes, 2300 m, 06.08.2016, HB 1639
Euro-Sib, Hcrp.
P. arenastrum Boreau / bezmeceotu.
Arid slopes, 2300 m, 12.10.2016, HB 1782
Thp.
P. bistorta L. subsp. *carneum* (K. Koch) Coode & Cullen / dağlahanasi.
Damp meadows, 22450 m, 22.07.2016, HB 1538
Eux(mt), Hcrp.
P. cognatum Meissn. / madımak.
Alpine meadows, 2500 m, 20.09.2016, HB 1768
Ir-Tur, Hcrp.
Rumex acetosella L. / kuzukulağı.
Arid slopes, 2250 m, 06.08.2016, HB 1647
Cosmopolite, Hcrp.
R. alpinus L. / şortah.
Streamsides, 2300 m, 07.07.2016, HB 1457
Crp.
R. caucasicus Rech. / tırışov.
Alpine slopes, 2800 m, 20.08.2016, HB 1692
Eux (mt), Hcrp.
R. crispus L. / labada.
Bog, 2150 m, 23.06.2016, HB 1331
Cosmopolite, Chp.
R. scutatus L. / ekşimen.
Screes, 2250 m, 22.07.2016, HB 1551
Chp.
- Primulaceae / Çuhaçıçığıiller**
Androsace albana Steven / arınca.
Meadows, 01900 m, 07.07.2016, HB 1477
Hyrc-Eux(mt), Hcrp.
Cyclamen coum Mill var. *coum* / yersomunu.
Forest, 1700 m, 24.05.2016, HB 1172
Crp.
C. parviflorum Pobed. / filiski.
Stony meadows, 08.06.2016, 1900 m, HB 1234
Endemic, LR (lc), Eux (mt), Crp.
Primula algida Adams / dağtutyası.
Damp meadows, 2800 m, 06.08.2016, HB 1640
Hcrp.
P. acaulis (L.) L. Huds. subsp. *rubra* (Sm.) Greuter & Burdet / evvvelbahar çiçeği
Damp slopes, 2000 m, 23.06.2016, HB 1352
Eux, Hcrp.
P. auriculata Lam. / felçotu.
Streamsides, 2400 m, 22.07.2016, HB 1600
Ir-Tur, LR (lc), Hcrp.
P. elatior (L.) L. subsp. *amoena* (Bieb.) Greuter & Burdet / yaylatutyası.
Streamsides, 2300 m, 07.07.2016, HB 1468
Euro-Sib, Hcrp.
P. elatior (L.) L. subsp. *pallasii* (Lehm.) W. W. Sm. & Forrest / sarıtutya.
Alpine meadows, 2600 m, 22.07.2016, HB 1580
Eux, Hcrp.
P. longipes Freyn & Sint. / zarif çuha.
Small streamsides, 2700 m, 20.08.2016, HB 1698
Endemic, LR (nt). Eux, Hcrp.
P. megaseifolia Boiss. & Balansa / martçıçığı.
Edge of Shrub communities, 1700 m, 24.05.2016, HB 1163,
VU, Eux, Hcrp.
- Ranunculaceae / Düğünçiçigiller**
Aconitum orientale Mill. / kurtoğan.
- Meadows, 2100 m, 05.09.2016, HB 1743
Eux, Hcrp.
Adonis aestivalis L. subsp. *aestivalis* / kandamlası.
Pastures, 1600 m, 14.07.2017, HB 1829
Thp.
Anemone narcissiflora L. subsp. *narcissiflora* / mayısçıçığı.
Damp slopes, 1900 m, 23.06.2016, HB 1359
Euro-Sib, Hcrp.
Aquilegia olympica Boiss. / hasekiküpesi.
Damp meadows, 1750 m, 22.07.2016, HB 1533
Hcrp.
Caltha palustris L. / lilpar.
Streamsides, 1800 m, 07.07.2016, HB 1469
LR (lc), Hcrp.
Consolida orientalis (J. Gay.) Schrödinger / morçiçek.
Besides, small gardens, 1700 m, 22.07.2016, HB 1549
Ir-Tur, Thp.
Delphinium flexuosum M. Bieb. var. *buschianum* (Grossh.) Parsa. / eğri hazaren.
Screes, 2000 m, 22.07.2016, HB 1569
Eux, Hcrp.
D. formosum Boiss. & A. Huet / gür hezaren.
Streamsides, 1900 m, 06.08.2016, HB 1616
Endemic, LC, Eux, Hcrp.
Ranunculus arvensis L. / mustafaçıçığı.
Close to small gardens, 1700 m, 28.06.2017, HB 1816
Thp.
R. buhsei Boiss. / çingotu.
Rocky slopes, 1900 m, 06.08.2016, HB 1657
Hyrc-Eux (mt), Crp.
R. constantinopolitanus (DC.) d'Urv. / kağıthane çiçeği.
Damp meadows, 1800 m, 23.06.2016, HB 1341
Hcrp.
R. dissectus M. Bieb. subsp. *huetii* P.H.Davis / kaya kebikedici.
Pastures, 2100 m, 22.07.2016, HB 1535
Endemic, LC, Crp.
R. grandiflorus L. / katırnalı.
Damp meadows, 2000 m, 07.07.2016, HB 1487
Hcrp.
R. repens L. / tiktakdana.
Damp places, 2000 m, 22.07.2016, HB 1596
Hcrp.
Thalictrum foetidum L. / delialan maydonuzu.
Screes, 1850 m, 06.08.2016, HB 1670
Euro-Sib, Hcrp.
T. minus L. var. *minus* / kaytaran.
DAmp meadows, 2050 m, 22.07.2016, HB 1579
Euro-Sib, Hcrp.
Trollius ranunculinus (Sm.) Stearn. / zarif çunkotu.
Damp places, 2100 m, 23.06.2016, HB 1323
Hcrp.
- Rhamnaceae / Cehrigiller**
Frangula dodonei Ard. subsp. *dodonei* / barutağacı.
Mixed forest, 1650 m, 24.05.2016, HB 1156
Euro-Sib, Php.
- Rosaceae / Gülgiller**
Alchemilla caucasica Buser / kaf şebnemliSİ.
Alpine meadows, 2300 m, 22.07.2016, HB 1571
Eux (mt), Crp.
A. retinervis Buser / damarlı kelkat.
Among roks at pastures, 12.08.2017, HB 1870b
Eux (mt), Crp.
A. rizensis B. Pawl. / rize kelkati.
Rocky slopes, 2800 m, 20.08.2016, HB 1697
Endemic, Eux (mt), Crp.
A. sericea Willd. / akpençe.
Rocky slopes, 2500 m, 06.08.2016, HB 1634

- Eux (mt), Crp.
Aruncus vulgaris (Maxim.) Raf ex H. Hara / hoşkeçisakalı.
 Streamsides on rocky surfaces, 1650 m, 07.07.2016, HB 1467
 Euro-Sib, Hcrp.
Filipendula ulmaria (L.) Maxim. / çayırkraliçesi.
 Roadsides, 1650 m, 14.07.2017, HB 1838
 Euro-Sib, Hcrp.
Fragaria vesca L. / dağ çileği.
 Damp places at pastures, 2250 m, 23.06.2016, HB 1338
 Euro-Sib, Hcrp.
Geum urbanum L. / meryemotu.
 Streamsides, 1750 m, 07.07.2016, HB 1486
 Euro-Sib, Crp.
Laurocerasus officinalis Roemer. / karayemiş.
 Forest, 1700 m, 28.06.2017, HB 1810
 Php.
Padus avium Mill. / kuş kirazı.
 Screes, 1900 m, 23.06.2016, HB 1318
 Php.
Potentilla crantzii (Crantz.) Fritsch / beşparmakotu.
 Alpine slopes, 2900 m, 20.09.2016, HB 1764
 Euro-Sib, Hcrp.
P. elatior Wild ex Schlecht / ak parmakotu.
 Damp meadows, 2000 m, 20.08.2016, HB 1691
 Eux, Hcrp.
P. erecta (L.) Rauschel. / kurtpençesi.
 Damp meadows, 2150 m, 06.08.2016, HB 1655
 Eux, Crp.
P. ruprechtii Boiss. / mis parmakotu.
 Pastures, 2300 m, 06.08.2016, HB 1625
 Chp.
Rubus hirtus Waldst. & Kit. / tüntürük.
 Mixed forest, 1700 m, 28.06.2017, HB 1803
 Euro-Sib, Chp.
R. idaeus L. subsp. *ideaus* / ahududu.
 Forest clearings, 1800 m, 07.07.2016, HB 1463
 Php.
R. saxatilis L. / köslek.
 Meadows, 1900 m, 23.06.2016, HB 1343
 Hcrp.
Sibbaldia parviflora Willd. var. *parviflora* / findikotu.
 Pastures, 2300 m, 22.07.2016, HB 1560
 Chp.
Sorbus aucuparia L. / kuş üvezisi.
 Close to forest, 1700 m, 23.06.2016, HB 1327
 Euro-Sib, Php.
Rubiaceae / Kökboyagiller
Asperula taurina L. / küçük fevve.
 Meadows, 2000 m, 06.08.2016, HB 1638
 Hyrc-Eux, Crp.
Crucianella gilanica Trin. subsp. *pontica* (Ehrend.) Ehrend. / köse haçotu.
 Crevices, 1650 m, 28.06.2017, HB 1814
 Eux, Crp.
Cruciata laevipes Opiz / sarılıkotu.
 Pastures, 2550 m, 22.07.2016, HB 1585
 Euro-Sib, Hcrp.
C. taurica (Pallas ex Willd.) Ehrend. / kırim güzeli.
 Screes, 2900 m, 22.07.2016, HB 1562
 Ir-Tur, Chp.
Galium album Mill. subsp. *prusense* (K. Koch.) Ehrend et Krendl / bursa iplikçiği.
 Meadows, 2300 m, 06.08.2016, HB 1646
 Hcrp.
G. odoratum (L.) Scop. / orman iplikçiği.
 Forest, 1750 m, 22.07.2016, HB 1553
 Euro-Sib, Hcrp.
- G. spurium* L. subsp. *spurium* / arsız iplikçiğ.
 Screes, 2100 m, 23.06.2016, HB 1324
 Euro-Sib, Thp.
G. verum L. subsp. *verum* / boyalık.
 Stream beds, 2200 m, 06.08.2016, HB 1631
 Euro-Sib, Hcrp.
Salicaceae / Söğütgiller
Populus tremula L. subsp. *tremula* / titrek kavak.
 Mixed forests, 2000 m, 24.05.2016, HB 1158
 Euro-Sib, Php.
Salix caprea L. / sorgun.
 Streamsides, 2150 m, 24.05.2016, HB 1157
 Euro-Sib, Php.
Sapindaceae / Akçaağaçgiller
Acer heldreichii Orp. ex Boiss subsp. *trautvetteri* (Medw.) A.E. Murray / kafkas akçaağacı.
 Mixed forest, 1650 m, 24.05.2016, HB 1170
 Eux, Php.
A. platanoides L. / çınar akçaağacı.
 Mixed forest, 1700 m, 20.05.2017, HB 1786
 Euro-Sib, Php.
Scrophulariaceae / Siracaotugiller
Scrophularia kotschyana Benth. / darbeotu.
 Shady screes, 2300 m, 22.07.2016, HB 1554
 Hcrp.
S. nodosa L. / tavuk sıracası.
 Stony meadows, 2050 m, 22.07.2016, HB 1582
 Euro-Sib, Hcrp.
S. scopolii Hoppe ex Pers. var. *adenocalyx* Sommier & Levier / elköprüten.
 Stony streamsides, 2000 m, 14.07.2017, HB 1833
 Eux, Hcrp.
Verbascum gnaphalodes M. Bieb. / uslu siğirkuyruğu.
 DAmp places, 2150 m, 27.07.2017, HB 1850
 Eux, Hcrp.
V. thapsus L. / burunca.
 Streamsides, 1650 m, 22.07.2016, HB 1599
 Euro-Sib, Hcrp.
Solanaceae / Patlicangiller
Atropa belladonna L. / güzelavratotu.
 Shady paces, 1700 m, 23.06.2016, HB 1322
 Euro-Sib, Hcrp.
Solanum nigrum L. / itüzümü
 Roadsides, 1650 m, 12.10.2016, HB 1784
 Cosmopolite, Hcrp.
Thymelaeaceae / Siyircikgiller
Daphne pontica L. / sırimağ.
 Stony slopes, 2100 m, 22.07.2016, HB 1543
 Eux, Chp.
Ulmaceae / Karaağaçgiller
Ulmus glabra Huds. / dağ karaağaç.
 Mixed forest, 1700 m, 24.05.2016, HB 1162
 Euro-Sib, Php.
U. minor Mill. / ova karaağaç.
 Streamsides, 1650 m, 23.06.2016, HB 1360
 Medit, Php.
Urticaceae / Isırgangiller
Urtica dioica L. subsp. *dioica* / ısırgan.
 Streamsides, 2300 m, 05.09.2016, HB 1741
 Euro-Sib, Hcrp.
Violaceae / Menekşegiller
Viola altaica Ker.-Gawl. / altay menekşesi.
 Meadows, 2200 m, 07.07.2016, HB 1461
 Hcrp.
V. sieheana W. Becker / çayır menekşesi.
 Under shrubs, 1750 m, 08.06.2016, HB 1230
 Hcrp.

V. tricolor L. / hercái menekşe
Under shrubs, 1900 m, 23.06.2016, HB 1344

Thp.

4. Conclusions and discussion

The vascular flora results of the current study (CS.) are summarized and discussed below. Three specimens for each taxon were collected from Tunca Valley Park between the years 2016-2017. After detailed identification and checking 408 vascular plant taxa belonging to 244 genera and 64 families were determined. 1 of them is Lycopodiophyt, 16 of them are Pteridophytes and 391 were Magnoliophytes. The dispersion of Magnoliophytes are as follows; 2 Pinophytina and 389 Magnoliophytina (Table 1). The forest vegetation covers 2565 hectare of the study area (62.7%). The high dominancy of tree species can be one of the most important reasons of the low taxa number in the study area.

Table1. The dispersion of taxa into large taxonomical groups

Systematic categories	Families	Genera	Species	Subsp.	Var.	Taxa	Endemics
Lycopodiophyt	1	1	1	-	-	1	-
Pteridophyt	9	10	15	-	1	16	-
Magnoliophyt	54	231	284	88	19	391	-
Pinophytina	2	2	1	1	-	2	-
Magnoliophytina	52	229	283	87	19	389	20
Total	64	244	300	88	20	408	20

The order, number and ratio of the phytogeography element status are Euro-Siberian (Eux and Hyrc-Eux included) 237 (58.1%), Irano-Turanian 14 (3.4%), Mediterranean 5 (1.2%), and multiregional or of unknown phytogeographic origin 152 (37.3%), respectively (Table 2). The dominancy of the Euro-Siberian elements in the study (Table 2) confirms that the study areas are in the Euro-Siberian floristic province. The microclimates and microhabitats in the study area can be the reason of the Mediterranean and Irano-Turanian elements.

Table 2. Phytogeography elements

Phytogeography regions	Number	%
Euro-Sib.	105	25.7
Eux	114	28.0
Hyrc-Eux	18	4.4
Ir-Tur.	14	3.4
Medit.	5	1.2
Cosm and others	152	37.3
Total	408	100

In alpine and subalpine parts of any study the endemism ratio is much higher than the other parts. Even though there are alpine and subalpine vegetation in the study area, as mentioned above 62.7% of the study area covered with the tree species and this is the main reason of the low endemism.




Figure 3. Life form spectrum of taxa

In the study area, Hemicryptophytes (196 taxa and 48.0%) are the dominant life spectra and cryptophytes 110 (26.9%), therophytes 46 (11.3%), chamaephytes 28 (6.8%), phanerophytes 28 (6.8%), vasicular parasites 1 (0.2%) are following them respectively (Table 3).

Table 3. The richest families in taxa

Families	Number of taxa	Ratio (%)
<i>Asteraceae</i>	44	10.8
<i>Poaceae</i>	31	7.6
<i>Fabaceae</i>	26	6.4
<i>Caryophyllaceae</i>	25	6.1
<i>Lamiaceae</i>	21	5.1
<i>Rosaceae</i>	19	4.7
<i>Ranunculaceae</i>	17	4.2
<i>Apiaceae</i>	11	2.7
<i>Cyperaceae</i>	10	2.5
<i>Primulaceae</i>	10	2.5
Total	214	52.6

The richest families about total taxa numbers are *Asteraceae* (44), *Poaceae* (31), *Fabaceae* (26), *Caryophyllaceae* (25), *Lamiaceae* (21), *Rosaceae* (19), *Ranunculaceae* (17), *Apiaceae* (11), *Cyperaceae* (10), *Primulaceae* (10) (Table 3).

Poa (8), *Carex* (8), *Trifolium* (7), *Primula* (7), *Geranium* (6), *Ranunculus* (6), *Astragalus* (5), *Rumex* (5), *Vicia* (5), and *Asplenium* (5) are the richest genera in total taxa number (Table 4).

Table 4. The richest genera in taxa.

Genera	Number of taxa	Ratio (%)
<i>Poa</i>	8	2.0
<i>Carex</i>	8	2.0
<i>Trifolium</i>	7	1.7
<i>Primula</i>	7	1.7
<i>Geranium</i>	6	1.5
<i>Ranunculus</i>	6	1.5
<i>Astragalus</i>	5	1.2
<i>Rumex</i>	5	1.2
<i>Vicia</i>	5	1.2
<i>Asplenium</i>	5	1.2
Total	62	15.2

Table 5. Comparison of total taxa number, phytogeographic elements and endemism of study with nearby studies

Studies	Total taxa	Euro-Sib	Ir-Tur.	Medit.	Cosm. and other	End.
Current study	408	58.1	3.4	1.2	37.3	4.9
Eminağaoğlu (2003)	769	35.6	6.9	2.2	55.3	7.4
Eminağaoğlu (2004)	872	39.4	10.3	1.2	49.1	6.3
Baykal (2016)	518	43.2	4.1	2.1	50.6	7.0

The total taxa number in the study area (408) is smaller than the compared studies (Table 5). The total taxa number is closely related with the geographical size, diversity of habitat, and edaphic factors etc. Most of the study area is covered with the forest vegetation, so the vegetation types and habitat diversity is lower than the compared studies. This factor can explain the reason of lower taxa number in the study. The phytogeographical element status of taxa are Euro-Siberian (including Eux and Hyrc-Eux) (58.0%), multiregional or of unknown phytogeographic origin (37.4%), Irano-Turanian (3.4%), Mediterranean (1.2%), respectively. The study area is in the borderlines of Euro-Siberian floristical province and it clarifies the dominancy of Euro-Siberian elements and it is compatible with the compared studies (Table 5). Presence of Mediterranean and Irano-Turanian element can be explained by the presence of microclimates. The endemism ratio of the current study (4.9%) is lower than the compared studies (Table 5). The reasons of low endemism are of course related with homogeneity of climate and environment but especially the presence and abundance of tree species in the study area.

References

- Anonymous (2005). Rize ili arazi varlığı. Ankara: T.C. Tarım ve Köyişleri Bakanlığı Köy Hizmetleri Genel Müdürlüğü Yayıni.
- Anonymous (2011). 1975-2010 dönemi Pazar meteoroloji istasyonuna ait rasat değerleri. Ankara: Devlet Meteoroloji İşleri Genel Müdürlüğü Yayınları.
- Anonymous (2017). The IUCN red list of threatened species. <http://www.iucnredlist.org/> (Erişim tarihi: 26.10.2017).
- Baykal, H., Atamov, V. (2016). Floristic diversity in Basemşin valley of Kaçkar Mountains National Park of Rize, Turkey. *Pakistan Journal of Botany*, 48, 1871-1876.
- Çepel, N. (1978). Orman Ekolojisi. İstanbul: İstanbul Üniversitesi Orman Fakültesi yayınları.
- Davis, P.H. (1965-1985). Flora of Turkey and the East Aegean Islands. Vol. 1-9. Edinburgh: Edinburgh University Press.
- Davis, P.H., Mill, R.R., Tan, K. (1988). Flora of Turkey and the East Aegean Islands. Vol. 10. Edinburgh: Edinburgh University Press.
- Doğan, S. (1977). Türkiye Gerçek Sıcaklık Haritaları. Ankara: Meteoroloji Genel Müdürlüğü Yayınları.
- Ekim, T., Koyuncu, M., Vural, M., Duman, H., Aytaç, Z., Adıgüzell, N. (2000). Türkiye bitkileri kırmızı kitabı, eğrelti ve tohumlu bitkiler (Red data book of Turkish plants, Pteridophyta and Spermatophyta). Ankara: Türkiye Tabiatını Koruma Derneği ile Van Yuzuncuyl Üniversitesi Yayınları.
- Ellenberg, H., Mueller-Dombois, D. (1967). A key to Raunkiaer plant life forms with revised subdivisions. Berlin Geobotische Institute, ETH Stiftg Rubel Zurich 37, 56-73.
- Eminağaoğlu, Ö., Anşin, R. (2003). Flora of Hatilla Valley National Park and its Close Environs (Artvin). *Turkish Journal of Botany*, 27, 1-27.
- Eminağaoğlu, Ö., Anşin, R. (2004). Flora of the Karagöl-Sahara National Park (Artvin) and Its Environs. *Turkish Journal of Botany*, 28, 557-590.
- Erik, S., Guner, A., Yıldırımlı, Ş., Sümbül, H. (1996). Tohumlu bitkiler sistemiği laboratuvar kılavuzu. Ankara: Literature Yayınları.
- Gedik, A., Ercan, T., Korkmaz, S., Karataş, S. (1992). Rize-Fındıklı-Çamlıhemşin arasında (Doğu Karadeniz) yer alan magmatik kayaçların petrolojisi ve doğu pontitlerdeki bölgesel yayılımları. *Türkiye Jeoloji Bülteni*, 35.
- Güner, A., Özhatay, N., Ekim, T., Başer, K.H.C. (2000). Flora of Turkey. Vol. 11. Edinburgh: University Press.
- Güner, A., Aslan, S., Ekim, T., Vural, M., Babaç, M. T. (ed.). (2012). *Türkiye Bitkileri Listesi (Damarlı Bitkiler)*. İstanbul: Nezahat Gökyigit Botanik Bahçesi ve Flora Araştırmaları Derneği Yayımları.
- Ketzhoveli, N.N., Gagnidze, R.I. (Eds.). (1971-2001). Flora of Georgia. Vols. 1-13. Tbilisi: Metsnireba Press.
- Komarov, V.L., Shishkin, B.K. (Eds.). (1933-1964). Flora of USSR. Vols. 1-30. Moscow and Leningrad: Akademiya Nauk Press.
- Raunkiaer, C. (1934). The life form of plants and statistical plant geography. London: Oxford University Press.
- Saraç, D.U., Özkan, Z.C., Akbulut, S. (2013). Ethnobotanical features of Rize/Turkey province. *Biological Diversity and Conversation*, 6(3), 57-66.

(Received for publication 02 November 2017; The date of publication 15 August 2018)