

THE ERYTHRAE HOARD FROM GERMİYAN VILLAGE, ÇEŞME

MELİH ARSLAN *

The hoard was found in April 2002 in the village of Germiyan in the Çeşme district of İzmir province in western Turkey. It was subsequently acquired by purchase by the. The discovery was made by accident while the foundations for a water supply tank were being dug in the village. Initially 43 coins were uncovered by the workmen, who promptly informed the village headman, and he in turn reported the news to the Çeşme Museum. When staff from the museum arrived, they immediately realized that the coins belonged to a hoard and so initiated a rescue dig and a careful sieving of all the earth that had already been excavated. This work, together with a search amongst the workmen, produced another 185 coins, making a total of 228 (see. Fig. 1: View of hoard in situ).

Germiyan is only 8 km distant from the village of İldırı, the site of ancient Erythrae. The discovery of a large hoard of bronzes so close to their place of origin is of particular interest since it suggests that there was little chance for dispersion before the coins were buried. The hoard comprises 1 silver hemidrachm and 227 small bronzes known as the 'trichalkon' series. Early publications of the bronze coinage of Erythrae placed this series between 300 and 200 BC (BMC Ionia, pp. 128-131, nos. 104-125; SNG von Aulock 1954-1964), but a more recent study by Philip Kinns (P. Kinns, *Studies in the Coinage of Ionia: Erythrae, Teos, Lebedus, Colophon c. 400-30 BC*. Unpublished PhD Dissertation, University of Cambridge, 1980, pp. 144-8 and 465-7) has convincingly argued that the coins can be dated to 240-230 BC.

* Museum of Anatolian Civilizations, Hisar, 06240 Ankara, Turkey. e-mail: arslanmelih@ttnet.net.tr.

The details of the hoard were recorded during a visit to Çeşme Museum in September 2002. I wish to thank Sn. Emrullah Karaturgut, the Director of the Çeşme Museum, for permission to publish this report. During my stay I was also greatly assisted by Gamze Aliefendioğlu and all the staff at the museum. In addition, I am grateful to Richard Ashton and Chris Lightfoot for their help during the preparation of this publication.

The silver hemidrachm has the head of a young Herakles on the obverse (BMC Ionia, p. 128, 101), while on the reverse there are the letters EPY inscribed above a monogram, all within an oak wreath. This reverse type appears to be unknown.

The 227 bronze coins divide unevenly into two obverse types (BMC Ionia, p. 129, 104-116). - one of 200 specimens with the head of a young Herakles wearing a lion's skin headdress, the other of 27 specimens with the head of Dionysos wearing an ivy wreath. The reverse types of the two groups are similar, each bearing the letters EPY and the name and patronymic of a magistrate, but the Dionysos type also has a bunch of grapes to the right of the letters EPY. The Herakles type provides the names of 12 different magistrates, while 11 of the same names appear on specimens of the Dionysos type; only the issue with the name ΒΑΤΑΚΟΣ ΠΑΡΑΜΑΝΟΥ is not duplicated in the Dionysos group. In addition, one of the coins of the Herakles type is preserved in such poor condition that it has not been possible to read the magistrates' name on the reverse.

The total weight of the hoard is 739.68 g. Excluding the single silver hemidrachm (2.25 g.), the weight of the 227 bronze coins comes to 737.43 g. Of these the lightest is the badly preserved example of the Herakles type (cat. no. 201), which weighs only 2.00 g, while the heaviest weighs 4.64 g (cat. no. 88). For the Herakles type, therefore, the average weight is 3.26 g; that for the Dionysos type is slightly less, 3.16 g.

An attempt has been made to find die-links within the two main types, based on details such as the formation of the letters on the reverse and, in the case of the Dionysos type, the shape, size and orientation of the bunch of grapes. However, obverse die-links within each main group between issues of different magistrates have not been noted. There are, therefore, 23 different groups within which die-links have been found.

Magistrates' names on the Herakles type :

Group I. ΑΓΑΣΙΚΛΕΣ ΑΝΤΙΠΑΤΡΟΥ (8 coins, catalogue nos. 2-9)

Group II. ΑΠΟΛΛΩΝΙΟΣ ΑΠΟΛΟΔΟΤΟΥ (20 coins, catalogue nos. 10-29)

Group III. ΑΠΟΛΛΩΝΟΔΟΤΟΣ ΗΡΑΚΛΕΙΤΟΥ (17 coins, catalogue nos. 30-46)

- Group IV. ΑΥΤΟΝΟΜΟΣ ΑΥΤΟΝΟΜΟΥ (32 coins, catalogue nos. 47-78)
- Group V. ΒΑΤΑΚΟΣ ΠΑΡΑΜΟΝΟΥ (9 coins, catalogue nos. 79-87)
- Group VI. ΓΝΑΤΟΣ ΕΚΑΤΩΝΥΜΟΥ (7 coins, catalogue nos. 88-94)
- Group VII. ΔΑΜΑΛΗΣ ΑΡΧΕΑΝΑΚΤΟΣ (20 coins, catalogue nos. 95-114)
- Group VIII. ΔΙΟΝΥΣΙΟΣ ΙΑΤΡΟΚΛΕΟΥΣ (20 coins, catalogue nos. 115-134)
- Group IX. ΕΡΜΩΝ ΔΙΟΦΑΝΤΟΥ (4 coins, catalogue nos. 135-138)
- Group X. ΜΗΤΡΑΣ ΔΑΜΑΛΟΥ (18 coins, catalogue nos. 139-156)
- Group XI. ΠΟΛΥΚΡΙΤΟΣ ΠΟΛΥΚΡΙΤΟΥ (27 coins, catalogue nos. 157-183)
- Group XII. ΦΙΛΩΝ ΗΡΟΣΩΝΤΟΣ (17 coins, catalogue nos. 184-200)

Magistrates' names on the Dionysos type :

- Group I. ΑΓΑΣΙΚΛΕΣ ΑΝΤΙΠΑΤΡΟΥ (2 coins, catalogue nos. 202-203)
- Group II. ΑΠΟΛΛΩΝΙΟΣ ΑΠΟΛΟΔΟΤΟΥ (3 coins, catalogue nos. 204-206)
- Group III. ΑΠΟΛΛΩΝΟΔΟΤΟΣ ΗΡΑΚΛΕΙΤΟΥ (2 coins, catalogue nos. 207-208)
- Group IV. ΑΥΤΟΝΟΜΟΣ ΑΥΤΟΝΟΜΟΥ (1 coins, catalogue nos. 209)
- Group V. ΓΝΑΤΟΣ ΕΚΑΤΩΝΥΜΟΥ (4 coins, catalogue nos. 210-213)
- Group VI. ΔΑΜΑΛΗΣ ΑΡΧΕΑΝΑΚΤΟΣ (2 coins, catalogue nos. 214-215)
- Group VII. ΔΙΟΝΥΣΙΟΣ ΙΑΤΡΟΚΛΕΟΥΣ (1 coin, catalogue nos. 216)
- Group VIII. ΕΡΜΩΝ ΔΙΟΦΑΝΤΟΥ (4 coins, catalogue nos. 217-220)
- Group IX. ΜΗΤΡΑΣ ΔΑΜΑΛΟΥ (3 coins, catalogue nos. 222-223)
- Group X. ΠΟΛΥΚΡΙΤΟΣ ΠΟΛΥΚΡΙΤΟΥ (2 coins, catalogue nos. 224-225)
- Group XI. ΦΙΛΩΝ ΗΡΟΣΩΝΤΟΣ (3 coins, catalogue nos. 226-228)

CATALOGUE

Circa B.C. 300 - 200

1. AR Hemidrachm.

Obv. Head of young Heracles right, wearing lionskin : border of dots.

Rev. **EPY** and magistrate monogram : the whole in oak-wreath.

Inv. 1, 2.25 g, 13 mm, 12h

Ref. Kinns, ? ; as BMC Ionia, p. 128, 101 (obverse similar).

Herakles Type (AE trichalkon, 201 coins)

Obv. Head of young Herakles right, wearing lion's skin headdress; border of dots.

Rev. Magistrate's name in two to four lines. **EPY** below or above.

B.C. 240-230

Group 1. ΑΓΑΣΙΚΛΗΣ ΑΝΤΙΠΑΤΡΟΥ

(8 examples, 5 OD and 2 RD)

2 OD 1 / RD 1, Inv. 67, 3.44 g, 16 mm, 12h

3 OD 2 / RD 1 Inv. 175, 3.13 g, 18 mm, 12h

4 OD 3 / RD 2, Inv. 48, 2.82 g, 17 mm, 12h

5 OD 3 / RD 2, Inv. 83, 2.74 g, 17 mm, 12h

6 OD 4 / RD 1, Inv. 119, 2.76 g, 15 mm, 12h

7 OD 4 / RD 1, Inv. 174, 2.33 g, 16 mm, 12h

8 OD 5 / RD 1, Inv. 206, 3.18 g, 16 mm, 12h

9 OD 5 / RD 1, Inv. 224, 2.69 g, 16 mm, 12h

Ref. Kinns, 214; as BMC Ionia, 103-105; SNG von Aulock, 1956.;
Betancourt, Erythrae, 31-32.

Group 2. ΑΠΟΛΛΩΝΙΟΣ ΑΠΟΛΛΟΔΟΤΟΥ

(20 examples, 6 OD and 10 RD)

- 10 OD 1 / RD 1, Inv. 52, 3.16 g, 17 mm, 5h
- 11 OD 1 / RD 2, Inv. 61, 3.12 g, 17 mm, 12h
- 12 OD 1 / RD 2, Inv. 71, 3.26 g, 18 mm, 12h
- 13 OD 1 / RD 3, Inv. 69, 3.21 g, 16 mm, 12h
- 14 OD 1 / RD 4, Inv. 128, 3.26 g, 17 mm, 12h
- 15 OD 2 / RD 5, Inv. 60, 3.20 g, 17 mm, 12h
- 16 OD 2 / RD 6, Inv. 194, 3.01 g, 17 mm, 12h
- 17 OD 2 / RD 7, Inv. 202, 3.33 g, 17 mm, 12h
- 18 OD 2 / RD 7, Inv. 219, 3.66 g, 17 mm, 4h
- 19 OD 3 / RD 1, Inv. 96, 3.36 g, 17 mm, 12h
- 20 OD 3 / RD 8, Inv. 183, 3.56 g, 17 mm, 6h
- 21 OD 4 / RD 8, Inv. 76, 3.16 g, 16 mm, 5h
- 22 OD 4 / RD 9, Inv. 91, 3.37 g, 17 mm, 12h
- 23 OD 4 / RD 2, Inv. 95, 3.38 g, 17 mm, 6h
- 24 OD 5 / RD 10, Inv. 103, 3.95 g, 15 mm, 5h
- 25 OD 5 / RD 2, Inv. 195, 3.24 g, 15 mm, 3h
- 26 OD 6 / RD 1, Inv. 108, 3.54 g, 17 mm, 6h
- 27 OD 6 / RD 9, Inv. 196, 2.95 g, 16 mm, 6h
- 28 OD 6 / RD 3, Inv. 201, 2.55 g, 16 mm, 12h
- 29 OD 6 / RD 1, Inv. 228, 3.32 g, 17 mm, 12h

Ref. Kinns, 217; as BMC Ionia, 106.

Group 3. ΑΠΟΛΛΩΝΟΔΟΤΟΣ ΗΡΑΚΛΕΙΤΟΣ

(17 examples, 9 OD and 3 RD)

- 30 OD 1 / RD 1, Inv. 40, 2.95 g, 16 mm, 12h
 31 OD 2 / RD 2, Inv. 72, 3.77 g, 16 mm, 12h
 32 OD 3 / RD 2, Inv. 121, 4.27 g, 17 mm, 12h
 33 OD 4 / RD 3, Inv. 124, 3.44 g, 15 mm, 12h
 34 OD 5 / RD 2, Inv. 184, 2.78 g, 16 mm, 12h
 35 OD 6 / RD 1, Inv. 38, 3.02 g, 16 mm, 12h
 36 OD 6 / RD 1, Inv. 49, 3.27 g, 16 mm, 12h
 37 OD 7 / RD 3, Inv. 50, 3.14 g, 15 mm, 12h
 38 OD 7 / RD 1, Inv. 63, 3.44 g, 17 mm, 12h
 39 OD 8 / RD 1, Inv. 190, 2.99 g, 16 mm, 12h
 40 OD 8 / RD 2, Inv. 205, 3.01 g, 16 mm, 12h
 41 OD 9 / RD 2, Inv. 65, 2.81 g, 15 mm, 12h
 42 OD 9 / RD 2, Inv. 70, 3.40 g, 16 mm, 12h
 43 OD 9 / RD 2, Inv. 74, 3.01 g, 16 mm, 12h
 44 OD 9 / RD 3, Inv. 82, 3.35 g, 15 mm, 12h
 45 OD 9 / RD 3, Inv. 168, 2.90 g, 15 mm, 12h
 46 OD 9 / RD 3, Inv. 213, 3.35 g, 15 mm, 12h
 Ref. Kinns, 210; as BMC Ionia, 107; SNG von Aulock, 1958.

Group 4. ΑΥΤΟΝΟΜΟΣ ΑΥΤΟΝΟΜΟΥ

(32 examples, 2 OD and 6 RD)

- 47 OD 1 / RD 1, Inv. 41, 4.32 g, 16 mm, 12h
 48 OD 1 / RD 1, Inv. 106, 3.01 g, 16 mm, 6h
 49 OD 1 / RD 2, Inv. 118, 4.02 g, 17 mm, 12h

- 50 OD 1 / RD 1, Inv. 140, 3.75 g, 16 mm, 6h
51 OD 1 / RD 3, Inv. 143, 3.63 g, 15 mm, 6h
52 OD 1 / RD 3, Inv. 148, 3.77 g, 16 mm, 6h
53 OD 1 / RD 4, Inv. 155, 4.08 g, 16 mm, 3h
54 OD 1 / RD 2, Inv. 159, 3.11 g, 16 mm, 6h
55 OD 1 / RD 3, Inv. 162, 2.48 g, 16 mm, 12h
56 OD 1 / RD 3, Inv. 164, 3.15 g, 15 mm, 4h
57 OD 1 / RD 4, Inv. 191, 3.65 g, 16 mm, 3h
58 OD 1 / RD 3, Inv. 218, 3.60 g, 16 mm, 3h
59 OD 2 / RD 1, Inv. 31, 3.32 g, 15 mm, 5h
60 OD 2 / RD 3, Inv. 35, 3.91 g, 15 mm, 8h
61 OD 2 / RD 4, Inv. 39, 2.76 g, 16 mm, 6h
62 OD 2 / RD 4, Inv. 46, 3.21 g, 16 mm, 12h
63 OD 2 / RD 4, Inv. 88, 3.65 g, 16 mm, 12h
64 OD 2 / RD 2, Inv. 104, 3.58 g, 17 mm, 6h
65 OD 2 / RD 1, Inv. 107, 3.08 g, 15 mm, 2h
66 OD 2 / RD 5, Inv. 115, 2.97 g, 15 mm, 6h
67 OD 2 / RD 1, Inv. 116, 3.18 g, 16 mm, 12h
68 OD 2 / RD 4, Inv. 122, 2.73 g, 16 mm, 2h
69 OD 2 / RD 4, Inv. 123, 2.57 g, 16 mm, 6h
70 OD 2 / RD 3, Inv. 126, 3.42 g, 16 mm, 12h
71 OD 2 / RD 3, Inv. 157, 2.95 g, 17 mm, 12h
72 OD 2 / RD 4, Inv. 170, 2.92 g, 17 mm, 12h
73 OD 2 / RD 2, Inv. 176, 2.50 g, 16 mm, 6h
74 OD 2 / RD 5, Inv. 199, 3.16 g, 15 mm, 12h
75 OD 2 / RD 5, Inv. 212, 3.50 g, 15 mm, 2h
76 OD 2 / RD 4, Inv. 215, 3.99 g, 17 mm, 6h
77 OD 2 / RD 2, Inv. 222, 2.77 g, 16 mm, 6h
78 OD 2 / RD 5, Inv. 226, 3.77 g, 16 mm, 5h

Ref. Kinns, 218. ; as BMC Ionia, 108.

Group 5. ΒΑΤΑΚΟΣ ΠΑΡΑΜΟΝΟΥ

(9 examples, 3 OD and 2 RD)

- 79 OD 1 / RD 1, Inv. 44, 3.34 g, 16 mm, 12h
 80 OD 1 / RD 1, Inv. 45, 3.08 g, 16 mm, 12h
 81 OD 2 / RD 1, Inv. 62, 3.20 g, 17 mm, 12h
 82 OD 2 / RD 1, Inv. 151, 2.74 g, 16 mm, 12h
 83 OD 2 / RD 2, Inv. 217, 3.49 g, 15 mm, 12h
 84 OD 3 / RD 2, Inv. 84, 3.81 g, 15 mm, 6h
 85 OD 3 / RD 2, Inv. 132, 3.48 g, 16 mm, 6h
 86 OD 3 / RD 2, Inv. 153, 3.18 g, 14 mm, 12h
 87 OD 3 / RD 2, Inv. 154, 3.84 g, 15 mm, 12h
 Ref. Kinns, 209; as BMC Ionia, 109; SNG von Aulock, 1957.; Betancourt, Erythrae, 33.

Group 6. ΓΝΑΤΟΣ ΕΚΑΤΟΝΥΜΟΥ

(7 examples, 5 OD and 7 RD)

- 88 OD 1 / RD 1, Inv. 32, 4.64 g, 16 mm, 11h
 89 OD 2 / RD 4, Inv. 113, 3.23 g, 17 mm, 12h
 90 OD 3 / RD 7, Inv. 221, 2.64 g, 15 mm, 12h
 91 OD 4 / RD 1, Inv. 59, 4.31 g, 16 mm, 12h
 92 OD 4 / RD 3, Inv. 94, 2.64 g, 16 mm, 12h
 93 OD 5 / RD 5, Inv. 185, 2.71 g, 18 mm, 12h
 94 OD 5 / RD 6, Inv. 216, 3.38 g, 17 mm, 12h
 Ref. Kinns, 213; as BMC Ionia, 110; SNG von Aulock, 1959.

Group 7. ΔΑΜΑΛΗΣ ΑΡΧΕΑΝΑΚΤΟΣ

(20 examples, 10 OD and 10 RD)

- 95 OD 1 / RD 1, Inv. 27, 2.71 g, 16 mm, 12h
96 OD 2 / RD 2, Inv. 28, 3.18 g, 15 mm, 12h
97 OD 3 / RD 9, Inv. 178, 3.18 g, 16 mm, 12h
98 OD 4 / RD 6, Inv. 182, 3.15 g, 15 mm, 12h
99 OD 5 / RD 3, Inv. 51, 2.77 g, 15 mm, 12h
100 OD 5 / RD 10, Inv. 189, 2.85 g, 16 mm, 12h
101 OD 6 / RD 10, Inv. 42, 3.57 g, 15 mm, 12h
102 OD 6 / RD 9, Inv. 150, 3.73 g, 15 mm, 12h
103 OD 7 / RD 10, Inv. 109, 2.86 g, 16 mm, 12h
104 OD 7 / RD 5, Inv. 144, 3.19 g, 17 mm, 6h
105 OD 8 / RD 10, Inv. 165, 3.18 g, 15 mm, 12h
106 OD 8 / RD 9, Inv. 220, 2.85 g, 15 mm, 12h
107 OD 9 / RD 7, Inv. 78, 3.06 g, 15 mm, 12h
108 OD 9 / RD 8, Inv. 92, 3.58 g, 15 mm, 12h
109 OD 9 / RD 10, Inv. 101, 3.98 g, 15 mm, 12h
110 OD 9 / RD 9, Inv. 149, 3.60 g, 17 mm, 12h
111 OD 10 / RD 3, Inv. 114, 3.12 g, 16 mm, 12h
112 OD 10 / RD 8, Inv. 167, 2.49 g, 16 mm, 12h
113 OD 10 / RD 7, Inv. 171, 3.06 g, 16 mm, 12h
114 OD 10 / RD 10, Inv. 179, 3.64 g, 15 mm, 12h

Ref. Kinns, 212.; as BMC Ionia, 111.; SNG von Aulock, 1960.;

Betancourt, Erythrae, 30

Group 8. ΔΙΟΝΥΣΙΟΣ ΙΑΤΡΟΚΛΕΟΥΣ

(20 examples, 10 OD and 8 RD)

- 115 OD 1 / RD 8, Inv. 47, 3.19 g, 17 mm, 12h
116 OD 2 / RD 6, Inv. 53, 3.20 g, 16 mm, 12h
117 OD 3 / RD 5, Inv. 129, 3.54 g, 16 mm, 12h
118 OD 4 / RD 6, Inv. 137, 2.96 g, 15 mm, 12h
119 OD 5 / RD 4, Inv. 169, 3.25 g, 16 mm, 12h
120 OD 6 / RD 1, Inv. 58, 3.27 g, 16 mm, 6h
121 OD 6 / RD 8, Inv. 163, 2.98 g, 16 mm, 12h
122 OD 7 / RD 4, Inv. 75, 3.39 g, 17 mm, 12h
123 OD 7 / RD 7, Inv. 135, 3.12 g, 17 mm, 12h
124 OD 8 / RD 6, Inv. 90, 3.43 g, 16 mm, 12h
125 OD 8 / RD 2, Inv. 127, 3.54 g, 16 mm, 12h
126 OD 9 / RD 8, Inv. 43, 3.81 g, 17 mm, 12h
127 OD 9 / RD 6, Inv. 73, 3.27 g, 17 mm, 12h
128 OD 9 / RD 5, Inv. 85, 3.88 g, 15 mm, 12h
129 OD 10 / RD 8, Inv. 33, 3.15 g, 17 mm, 12h
130 OD 10 / RD 7, Inv. 80, 3.53 g, 17 mm, 6h
131 OD 10 / RD 3, Inv. 141, 3.81 g, 17 mm, 6h
132 OD 10 / RD 7, Inv. 142, 3.96 g, 17 mm, 6h
133 OD 10 / RD 7, Inv. 187, 2.58 g, 18 mm, 12h
134 OD 10 / RD 8, Inv. 188, 4.06 g, 18 mm, 12h

Ref. Kinns, 215; as BMC Ionia, 112.

Group 9. EPMON ΔΙΟΦΑΝΤΟΥ

(4 examples, 4 OD and 4 RD)

- 135 OD 1 / RD 1, Inv. 86, 3.32 g, 15 mm, 12h
136 OD 2 / RD 2, Inv. 105, 4.46 g, 16 mm, 12h
137 OD 3 / RD 3, Inv. 146, 3.50 g, 15 mm, 12h
138 OD 4 / RD 4, Inv. 160, 3.47 g, 16 mm, 12h
Ref. Kinns, 211. ; as BMC Ionia, 113.

Group 10. ΜΗΤΡΑΣ ΔΑΜΑΛΟΥ

(18 examples, 4 OD and 5 RD)

- 139 OD 1 / RD 1, Inv. 99, 3.37 g, 16 mm, 11h
140 OD 1 / RD 1, Inv. 136, 3.43 g, 17 mm, 12h
141 OD 1 / RD 4, Inv. 147, 3.08 g, 15 mm, 12h
142 OD 2 / RD 1, Inv. 117, 2.53 g, 16 mm, 12h
143 OD 2 / RD 2, Inv. 145, 3.00 g, 15 mm, 12h
144 OD 2 / RD 4, Inv. 173, 2.85 g, 16 mm, 12h
145 OD 3 / RD 2, Inv. 30, 3.93 g, 15 mm, 12h
146 OD 3 / RD 1, Inv. 36, 3.64 g, 16 mm, 12h
147 OD 3 / RD 2, Inv. 131, 2.40 g, 16 mm, 12h
148 OD 3 / RD 2, Inv. 158, 3.63 g, 15 mm, 12h
149 OD 3 / RD 2, Inv. 186, 2.89 g, 15 mm, 12h
150 OD 3 / RD 4, Inv. 197, 4.33 g, 16 mm, 12h
151 OD 4 / RD 3, Inv. 100, 3.15 g, 17 mm, 12h
152 OD 4 / RD 3, Inv. 134, 3.16 g, 16 mm, 11h
153 OD 4 / RD 3, Inv. 172, 3.23 g, 16 mm, 12h
154 OD 4 / RD 3, Inv. 193, 3.48 g, 15 mm, 11h

- 155 OD 4 / RD 3, Inv. 203, 3.30 g, 17 mm, 12h
156 OD 4 / RD 5, Inv. 223, 3.50 g, 17 mm, 11h
Ref. Kinns, 207; as BMC Ionia, 114.; Betancourt, Erythrae, 29.

Group 11. ΠΟΛΥΚΡΙΤΟΣ ΠΟΛΥΚΡΙΤΟΥ
(27 examples, 6 OD and 6 RD)

- 157 OD 1 / RD 1, Inv. 97, 3.54 g, 15 mm, 12h
158 OD 2 / RD 6, Inv. 87, 2.53 g, 16 mm, 12h
159 OD 2 / RD 2, Inv. 208, 3.00 g, 17 mm, 12h
160 OD 3 / RD 6, Inv. 111, 3.01 g, 16 mm, 12h
161 OD 3 / RD 4, Inv. 120, 3.64 g, 15 mm, 12h
162 OD 3 / RD 4, Inv. 200, 3.52 g, 16 mm, 12h
163 OD 4 / RD 4, Inv. 56, 3.55 g, 16 mm, 12h
164 OD 4 / RD 1, Inv. 68, 3.09 g, 14 mm, 12h
165 OD 4 / RD 2, Inv. 156, 3.32 g, 17 mm, 12h
166 OD 4 / RD 6, Inv. 177, 3.28 g, 15 mm, 12h
167 OD 4 / RD 4, Inv. 181, 3.50 g, 16 mm, 12h
168 OD 4 / RD 6, Inv. 198, 3.58 g, 15 mm, 12h
169 OD 5 / RD 1, Inv. 57, 3.41 g, 15 mm, 12h
170 OD 5 / RD 4, Inv. 66, 2.68 g, 15 mm, 12h
171 OD 5 / RD 1, Inv. 89, 2.96 g, 16 mm, 12h
172 OD 5 / RD 6, Inv. 112, 3.33 g, 17 mm, 12h
173 OD 5 / RD 3, Inv. 133, 4.45 g, 17 mm, 11h
174 OD 5 / RD 5, Inv. 204, 3.05 g, 15 mm, 12h
175 OD 5 / RD 3, Inv. 207, 3.05 g, 16 mm, 12h
176 OD 6 / RD 6, Inv. 37, 2.65 g, 15 mm, 12h
177 OD 6 / RD 1, Inv. 55, 3.33 g, 16 mm, 12h

- 178 OD 6 / RD 6, Inv. 130, 2.87 g, 17 mm, 12h
179 OD 6 / RD 3, Inv. 161, 3.37 g, 16 mm, 6h
180 OD 6 / RD 5, Inv. 180, 3.27 g, 15 mm, 12h
181 OD 6 / RD 5, Inv. 209, 2.67 g, 16 mm, 12h
182 OD 6 / RD 5, Inv. 210, 3.74 g, 16 mm, 12h
183 OD 6 / RD 5, Inv. 225, 2.86 g, 16 mm, 12h

Ref. Kinns, 208; as BMC Ionia, 115.; Betancourt, Erythrae, 25-28.

Group 12. ΦΙΛΩΝ ΗΡΟΣΩΝΤΟΣ

(17 examples, 12 OD and 5 RD)

- 184 OD 1 / RD 1, Inv. 64, 2.89 g, 17 mm, 12h
185 OD 2 / RD 3, Inv. 77, 2.74 g, 17 mm, 12h
186 OD 3 / RD 5, Inv. 79, 2.79 g, 14 mm, 12h
187 OD 4 / RD 3, Inv. 93, 3.09 g, 16 mm, 12h
188 OD 5 / RD 4, Inv. 98, 3.38 g, 15 mm, 12h
189 OD 6 / RD 5, Inv. 110, 3.66 g, 16 mm, 12h
190 OD 7 / RD 1, Inv. 227, 3.05 g, 16 mm, 12h
191 OD 8 / RD 4, Inv. 34, 3.57 g, 18 mm, 12h
192 OD 8 / RD 2, Inv. 166, 2.91 g, 15 mm, 12h
193 OD 9 / RD 5, Inv. 54, 3.41 g, 16 mm, 12h
194 OD 9 / RD 1, Inv. 125, 3.24 g, 15 mm, 12h
195 OD 10 / RD 2, Inv. 29, 3.80 g, 15 mm, 12h
196 OD 10 / RD 5, Inv. 211, 3.25 g, 16 mm, 12h
197 OD 11 / RD 4, Inv. 102, 3.07 g, 16 mm, 12h
198 OD 11 / RD 1, Inv. 139, 2.20 g, 17 mm, 12h
199 OD 12 / RD 1, Inv. 138, 3.62 g, 16 mm, 12h
200 OD 12 / RD 1, Inv. 152, 3.22 g, 17 mm, 12h

Ref. Kinns, 216; as BMC Ionia, 116.

Uncertain

- 201 OD - / RD -, Inv. 214, 2.00 g, 16 mm, 9h Reverse illegible.

Dionysos Type (AE trichalkon, 27 coins)

Obv. Head of young Dionysos right, wearing ivy-wreath.

Rev. Magistrate's name in two to four lines. ΕΡΥ and symbol Bunch of grapes below or above.

Group 1. ΑΓΑΣΙΚΛΗΣ ΑΝΤΙΠΑΤΡΟΥ

(2 examples, 1 OD and 2 RD)

- 202 OD 1 / RD 1, Inv. 2, 3.36 g, 16 mm, 12h

- 203 OD 1 / RD 2, Inv. 19, 3.12 g, 16 mm, 12h

Ref. Kinns, 226; as BMC Ionia, 117.

Group 2. ΑΠΟΛΛΩΝΙΟΣ ΑΠΟΛΛΟΔΟΤΟΥ

(3 examples, 1 OD and 2 RD different, nos. 204-206)

- 204 OD 1 / RD 1, Inv. 5, 3.41 g, 16 mm, 11h

- 205 OD 1 / RD 1, Inv. 81, 3.41 g, 15 mm, 11h

- 206 OD 1 / RD 2, Inv. 11, 3.41 g, 15 mm, 11h

Ref. Kinns, 229. ; as BMC Ionia, 118. ; SNG von Aulock, 1961.

Group 3. ΑΠΟΛΛΩΝΟΔΟΤΟΣ ΗΡΑΚΛΕΙΤΟΥ

(2 examples, 1 OD and 1 RD different, nos. 207-208)

- 207 OD 1 / RD 1, Inv. 12, 3.05 g, 16 mm, 12h

- 208 OD 1 / RD 1, Inv. 24, 3.34 g, 16 mm, 12h

Ref. Kinns, 222. ; as BMC Ionia, 119.

Group 4. ΑΥΤΟΝΟΜΟΣ ΑΥΤΟΝΟΜΟΥ

(1 examples, 1 OD and 1 RD different, nos. 209)

- 209 OD 1 / RD 1, Inv. 6, 4.11 g, 16 mm, 10h

Ref. Kinns, 230. ; as BMC Ionia, 120.

Group 5. ΓΝΩΤΟΣ ΕΚΑΤΩΝΥΜΟΥ

(4 examples, 4 OD and 4 RD different, nos. 210-213)

- 210 OD 1 / RD 1, Inv. 8, 3.66 g, 16 mm, 12h

- 211 OD 2 / RD 2, Inv. 17, 2.88 g, 17 mm, 12h

- 212 OD 3 / RD 3, Inv. 20, 2.91 g, 16 mm, 12h

- 213 OD 4 / RD 4, Inv. 21, 3.54 g, 17 mm, 12h

Ref. Kinns, 225. ; as BMC Ionia, 122.

Group 6. ΔΑΜΑΛΗΣ ΑΡΧΕΑΝΑΚΤΟΣ

(2 examples, 2 OD and 2 RD different, nos. 214-215)

- 214 OD 1 / RD 1, Inv. 13, 3.12 g, 14 mm, 5h

- 215 OD 2 / RD 2, Inv. 23, 2.55 g, 15 mm, 6h

Ref. Kinns, 224; as Weber, 5955.

Group 7. ΔΙΟΝΥΣΙΟΣ ΙΑΤΡΟΚΛΕΟΥΣ

(1 examples, 1 OD and 1 RD different, nos. 216)

- 216 OD 1 / RD 1, Inv. 22, 3.14 g, 16 mm, 12h

Ref. Kinns, 227; as BMC Ionia, 123.; Betancourt, Erythrae, 35.

Group 8. EPMON ΔΙΟΦΑΝΤΟΥ

(4 examples, 2 OD and 4 RD different, nos. 217-220)

- 217 OD 1 / RD 1, Inv. 14, 2.79 g, 14 mm, 12h
 218 OD 1 / RD 2, Inv. 18, 2.61 g, 15 mm, 12h
 219 OD 2 / RD 3, Inv. 26, 2.42 g, 14 mm, 12h
 220 OD 2 / RD 4, Inv. 192, 4.10 g, 15 mm, 12h
 Ref. Kinns, 223; as BMC Ionia, 124.

Group 9. ΜΗΤΡΑΣ ΔΑΜΑΛΟΥ

(3 examples, 1 OD and 2 RD different, nos. 221-223)

- 221 OD 1 / RD 1, Inv. 3, 3.64 g, 17 mm, 12h
 222 OD 1 / RD 2, Inv. 4, 2.94 g, 15 mm, 11h
 223 OD 1 / RD 2, Inv. 10, 2.97 g, 16 mm, 12h
 Ref. Kinns, 219; as Weber 5956.; Betancourt, Erythrae, 34.

Group 10. ΠΙΟΛΥΚΡΙΤΟΣ ΠΙΟΛΥΚΡΙΤΟΥ

(2 examples, 2 OD and 2 RD different, nos. 224-225)

- 224 OD 1 / RD 1, Inv. 9, 2.23 g, 15 mm, 12h
 225 OD 2 / RD 2, Inv. 25, 2.45 g, 14 mm, 12h
 Ref. Kinns, 220; as BMC Ionia, 125.

Group 11. ΦΙΛΟΝ ΗΡΟΣΟΝΤΟΣ

(3 Exemplare, 1 OD and 2 RD different, nos. 226-228)

- 226 OD 1 / RD 1, Inv. 7, 3.33 g, 15 mm, 12h
 227 OD 1 / RD 1, Inv. 16, 2.77 g, 15 mm, 12h
 228 OD 1 / RD 2, Inv. 15, 3.89 g, 14 mm, 12h
 Ref. Kinns, 228; as SNG Cop., 658.



