

## Research Paper

# Gross Anatomy during COVID-19: The Effectiveness of Utilizing a 3-D Anatomy Application among Occupational Therapy Students in a Pandemic-induced Online Course

Martin G. Rosario<sup>\*a</sup><sup>a</sup>(ORCID ID: 0000-0001-7505-1329), Texas Woman's University, Dallas, TX, USA, [mrosario1@twu.edu](mailto:mrosario1@twu.edu)<sup>\*</sup>Corresponding author**ARTICLE INFO**

Received: 05 October 2020

Revised: 19 January 2021

Accepted: 19 January 2021

**Keywords:**3-D Anatomy App  
Online Teaching Tools  
Human Anatomy  
COVID-19 Teaching  
Teaching Tool**ABSTRACT**

As a result of the current COVID-19 pandemic, converting traditional face-to-face instructional methods into online courses have been a challenge. Online teaching offers limited options and means for explaining human anatomy, inflicting significant hardships in perceiving the depth and organization of anatomy among graduate students. This article addresses the integration of a 3-D anatomy application into an online graduate anatomy course among ninety-five Occupational Therapy scholars with various academic backgrounds enrolled via an online survey. Complete 3-D Anatomy app was used as a reinforcement to teaching human anatomy within the format of online Zoom sessions. Students' test scores and survey responses were employed to gather the information presented in this review. Results showed that all scholars believed the anatomy app was a useful supplement to the understanding of human anatomy, while the app-user pupils earned a greater percentage of passing grades in comparison to their peers in the non-app user group. Adopting the 3-D anatomy app as a supplemental tool during online anatomy courses to enhance students' understanding of human anatomy was successful. For prospective anatomy courses, we plan to integrate and explore the influences of an individual tablet/iPad with 3-D apps for each student for distinct insights on the impact of maneuvering and examining anatomical structures.

**INTRODUCTION**

Teaching and understanding the human body has its demands (Houser & Kondrashov, 2018) and as of late, the conventional approach to schooling and implementing content for anatomy courses have been challenged due to new circumstances (Brassett et al., 2020). For anatomy professors and courses around the world, the prevailing COVID-19 pandemic (Wang et al., 2019) forced adaptations from face-to-face delivery to an online set up over a limited period of time (Brassett et al., 2020), further adding uncharted demands to the hardship of both teaching and comprehensively understanding 3-dimensional anatomy.

Historically, content of courses related to gross anatomy are often conveyed with textbooks (Hammond, I., et al., 2003), and in more advanced programs, cadaver dissections and prosections (Houser & Kondrashov, 2018). One constraint of teaching and understanding anatomy with 2-dimensional tools, such as books, is the failure to communicate and recognize the depth perception and positioning of distinct anatomical arrangements. The capability to manipulate structures and adequately discern the relationship between diverse levels, especially for smaller structures like neuromuscular vessels, is restricted in traditional 2-dimensional anatomy learning (Berkowitz et al., 2014).

Typically, to promote thorough instruction-learning processes of gross anatomy, institutions with advanced clinical programs rely on the gold standard technique of cadaver dissection and prosection. To supplement cadaver dissection, there are multiple tools and approaches to ease the understanding of depth perception and the relationship of deeper and more diverse arrangements within the human body, with many of these accessories or teaching techniques focusing on anatomical models, virtual dissection tables, and virtual reality (Iwanaga, 2020). There are additional adjust tools to cadaver dissection to enhance the teaching-learning experience, such as augmented reality (AR), the use of 3-D apps (Uruthiralingam & Rea, 2020) and virtual dissection tables (Bork, 2019), all of which have numerous advantages.

Augmented reality is a valuable supplement for the direction and grasp of human anatomy. AR systems have been shown to be successfully integrated into anatomy courses and are comparable to traditional learning tools for programs with diverse backgrounds or specialties (Bork, 2019; Duncan-Vaidya & Stevenson, 2020).

Other capable instruments that enhance 3-D perspectives, aid with depth perception, allow for the maneuvering of structures, and overall comprehension of anatomy are virtual dissection tables (VDT) such as the Anatomage (<https://www.anatmage.com>). The VDT is advantageous for manipulating and recognizing the relation and integration of anatomical arrangements (Brucoli et al., 2020), as well as meticulously illustrating the details of human anatomy (Rosario et al., 2019). VDT are suitable mechanisms for

supporting the understanding of anatomy and the association between distinct anatomical patterns, while providing the unique the ability to manipulate and navigate through diverse anatomical structural strata (Brucoli, 2019, & Ward, 2018).

Both tools cited above require an interactive face-to-face format to teach and learn anatomy; the VDT is a substantially sized piece of equipment designed to emulate a full-scale human cadaver, and AR is a goggle type gear that requires placing the device on the users' head and face. Unfortunately, due to recent events resulting from the COVID-19 pandemic, a shift from face-to-face to online configuration was mandatory, making the incorporation of both AR and VDT in anatomy courses unfeasible.

One substitute for enhancing learning and instruction in anatomy during the prevailing online situation is 3-Dimensional virtual anatomy apps, which are as detailed and valuable as other supplementary devices employed to strengthen the comprehension of anatomy (Iwanaga J. 2020). The 3-D anatomy app tool has been verified to be innovative and a preference among learners while advancing the knowledge of anatomy in the classroom (Chakraborty & Cooperstein, 2018; Houser & Kondrashov, 2018; Rosario MG et al., 2019). Research indicates that many specialized and advanced programs have adopted the practice of utilizing 3-D applications with dual success by both targeting the student's perceived benefits and reinforcing the comprehension of anatomy among participants (Bairamian, Liu, & Eftekhar, 2019; Ha & Choi, 2019).

It is essential to note that there are no substitutes for physical cadaver dissections, and to reiterate, 3-D apps are a supplement to cadaver dissection and understanding human anatomy. However, as previously mentioned, the obligation for the ongoing movement from hands-on cadaver dissection to the online 2-dimensional configuration has been the norm, lately. For that reason, 3-D applications are proving to be favorable, especially when face-to-face is not a viable option (Uruthiralingam & Rea, 2020). While online instructional formats do have the advantage of allowing for social distancing, it is a 2-dimensional surface that does not facilitate depth perception, anatomical associations, or clinical applications. By integrating 3-D anatomy tools into online lectures and laboratories, this issue can be alleviated by developing a customized understanding during both components of the course.

As previously stated, comprehensively learning human anatomy is difficult for students, even with cadaver dissection, making this new direction of online education, teaching, and learning anatomy even more difficult. One solution to ease this difficulty is by employing 3-D anatomy applications for a further, more in-depth understanding of anatomy as an extension to anatomy courses in different programs. Therefore, considering the above mentioned, this inquiry aims to explore and report the advantages of integrating a 3-D anatomy application into an online anatomy course for occupational therapy students. Today's education model, developed to meet the needs emerging with the industrial revolution, has changed with changing conditions over time. There is a change from time-based student development to proficiency-based student development, norm-based tests to criteria-based tests, passive and teacher-directed students to active and self-supervised students and more (Reigeluth & Karnopp, 2013). This change in education has created new situations such as individualized learning, determining student behaviors and using alternative assessment tools (Lee, Huh, Lin, & Reigeluth, 2018).

## **METHODS**

### **Participants**

Ninety-five students enrolled in the Doctor Program in Occupational Therapy (one male and ninety-four females) taking gross anatomy in an online format partook in this inquiry by completing the online survey.

### **Equipment**

For this examination, a 3-dimensional application ("Complete Anatomy" app on an Apple iPad Pro) was employed as a complement to the anatomy course in an effort to emphasize upon various areas and topics of individual anatomical arrangements. Since the course configuration was online, we used the Zoom platform for virtual sessions for all the lectures and labs (<https://zoom.us/>). The 3-D anatomy app was then implemented to demonstrate the anatomical concept of the assigned area. Examples of topics the app covered included, but was not limited to, muscle function-action, proximal and distal attachment, skeletal landmarks, along with associated neuromuscular structures.

The lecture and laboratory components were prepared to show the applicable anatomical region through PowerPoint presentations that were further highlighted by the 3-D viewpoint. The 3-D allocation of the class was then open for discussion through queries from the anatomy instructor.

### **Survey**

At the concluding stage of the anatomy course, the students were given the option to provide feedback, along with their opinions and beliefs regarding the supplemental teaching strategy of incorporating the 3-D app. The questions were tailored to examine the student's perception of integrating the app into the course via a Likert scale (Albaum, G. 1997) and their preference for the different tools presented during the course. Additionally, pupils were asked if they obtained a 3-D anatomy app and the timeline of when they purchased the app (beginning of the semester compared to mid-semester).

## Midterm and Final Tests

As per course requirements, all students took part in a midterm and a final exam worth 100 points each. The material handled in the midterm was related to the back, upper extremity, and lower extremity regions, whereas the content of the final exam included the thoracic, abdominal, and pelvic cavities, as well as the head and neck regions.

## DATA ANALYSIS

The questionnaire was conducted through Socrative, an online quiz/test program (Socrative, 2019). The information collected from the completed surveys were then placed into an Excel spreadsheet, where descriptive statistics, averages, and percents were analyzed by SPSS version 25.

The benefits of using the 3-D anatomy app were evaluated by comparing 3-D app users to non-users. Accordingly, the partakers were divided into two groups: the app users group (AUG) and the non-app user group (NAUG). All students in the anatomy course were encouraged to purchase the 3-D app at the start of the semester, however, only 66% percent (as seen in Appendix 4) obtained 3-D apps, thus allowing for the allocation of participants to the AUG and NAUG groups. A one-way ANOVA was conducted to contrast both groups and a p-value of 0.05 was considered to be significant for the purposes of this investigation.

## RESULTS

The number of participants and their academic backgrounds are depicted in Table 1; the majority of participants were female and, given the requirements for admission into the occupational therapy program, they had similar levels of academic degrees.

Table 1. Participants gender and academic background

Characteristics	Study Participants n=95
Gender	Male= 1; Female = 94
Academic Background	Biology, Kinesiology or Movement related: 71.9+/-9.6 Other (Psychology): 67.3+/- 12.9

In order to thoroughly understand the effectiveness of the 3-D application, this study compared the average course score of AUG versus NAUG. As seen in Table 2, those in the AUG had better average scores in the course than those in the NAUG, however, the difference was not significant.

Table 2. Comparison among 3-D app user and non-user

Characteristics	Participants n=35 App Non-User	Participants n=60 App user	P value
Course Grade	79.3+/- 12.3	81.7+/- 8.5	0.25*

\*Anova analysis was performed with a P value of 0.05 as significant.

We recognize that the most impactful point of the semester to ascertain the benefits of the 3-D app and the acquisition of anatomical knowledge is at mid-semester, where other factors like mental fatigue and mental exhaustion among other psychosocial determinants (Szemik et al., 2020) had less influence on test scores. Therefore, a grade (>70% pass, <70% fail) comparison was then used to ascertain the percentage of app users in each category. A significant percentage of the scholars that passed the midterm utilized the 3-D app in comparison to those that earned failed, as illustrated in Table 3. An essential factor that could influence scores is their academic background. Therefore, in this study, we assigned students with majors that include anatomy courses or sciences movements in one group, and those with majors in other sciences, such as psychology or music, in the other. More students with anatomy or science movement backgrounds earned a better score in comparison to those with other types of academic backgrounds, as illustrated in Table 4.

Table 3. Grades comparisons related to academic background

Characteristics	Participants n=47 Biology, Kinesiology or Movement related:	Participants n=45 Other (Psychology):	P value
Course Grade	81.5+/-10.0	78.9+/- 10.2	0.54*

\*Anova analysis was performed with a P value of 0.05 as significant.

Table 4. Comparisons of grades related to passed or failed

Characteristics	Participants n=14 Failed	Participants n=76 Passed	P value
Midterm Grade	51.3+/-8.9	75.6 +/- 9.3	*0.01
App User	0.43+/-0.5	0.66+/-0.5	0.11

\*Anova analysis was performed with a P value of 0.05 as significant.

Most of the pupils deemed the 3-D anatomy app as a valuable tool during the online anatomy course, as well as a helpful tool in the comprehending human anatomy. Additionally, a considerable number of students preferred the 3-D app over the atlas during their own anatomy review. However, when it came to acquiring the 3-D app, only 66% of students that completed the survey obtained the app after the semester started. The overall results of the survey can be seen in Table 5.

Table 5. Students' response to survey and percentage

Question	Options	Responses	Percentage %
1. In a scale of 1-5 (1= not helpful, 5 very helpful) did the ipad-anatomy app help you understand some of the anatomy from this lab and course?	1. Very helpful	26/95	27%
	2. Helpful	40/95	42%
	3. Good	16/95	17%
	4. Somewhat helpful	10/95	11%
	5. Not Helpful	3/95	3%
2. From the teaching tools required in the course, please choose the one you liked more:	A. Ipad-Anatomy App	57/95	60%
	B. Book	13/95	13%
	C. Anatomical Models	12/95	12%
	D. Atlas	15/95	16%
3. Do you prefer the 3D anatomy app or atlas?	A. 3D App	72/95	76%
	B. Atlas	23/95	24%
4. Do you believe the 3D anatomy app was helpful for you in the course?	A. Yes	94/95	99%
	B. No	1/95	1%
5. Did the use of the 3-D app in class helped you understand some concepts better?	A. Yes	94/95	99%
	B. No	1/95	1%
6. Did you purchase a 3D anatomy app for this course?	A. Yes	60/95	63%
	B. No	35/95	37%
7. If you purchased a 3D anatomy app, when?	A. Start of course	26/95	27%
	B. Mid June	36/95	38%

## DISCUSSION

This aspiration of performing this inquiry was to explore the benefits of incorporating a 3-Dimensional anatomy application into an online anatomy course for occupational therapy students. Due to recent pandemic restrictions, many of the curriculums were required to shift to an online format. Founded upon the students' feedback and examination results, the supplementation of the 3-D anatomy perspective to the lecture and laboratory was proven to be successful.

Students often experience difficulties in understanding the relationships present among the various structures and depth perception from one-dimensional projections and study aids, such as textbooks and atlases. Resulting from the requirements for social distancing (Wang C, et al., 2019) and having to teach online, 2-dimensional presentations, such as powerpoints, are the standard given that other common methods, such as cadaver dissections, cadaver prosections, augmented reality, and virtual dissection tables are not feasible to incorporate. In an attempt to help students promptly discern the anatomical concepts, this report focused on the impact of adding a 3-D anatomical application perspective to the anatomy course, which revealed several discoveries that are worth sharing.

The first finding from this study revealed the preferred and perceived benefits for most students when utilizing the 3-D app in the given lecture and lab, as depicted in Appendix 5. Numerous pupils chose the app over books, models, and atlases, as they found the app helpful in their overall comprehension of human anatomy (Appendix 5). This report illustrates the usefulness of adding in the 3-D anatomy application to applicable online lecture and lab settings. These results follow other studies which have investigated

the effectiveness of a 3-D anatomy app as an adjunct to established, in-person teaching methods (Ha, JE & Choi, DY., 2019). Thus, based upon the findings above, we recommend adding the 3-D app to anatomy related courses.

One limitation of collecting data regarding the perceived benefits of the 3-D app from the survey was the inability to assess all students' performance and understanding of different anatomical concepts. Therefore, to better discern the impact of adding the 3-D application to the course, as well as the scholars' comprehension of human anatomy, the current study analyzed the said cohorts' test scores. It is worth mentioning that the average score for the midterm exam was 76%, and 76 out of 95 students passed the midterm test, as seen in Appendix 4. From this, we can speculate that the 3-D app could be an influencing factor that aided in the comprehension of anatomy and, therefore, a passing grade. However, another limitation of the present study is having only one cohort participating in the online anatomy course; with this, we recognized that other factors could have attributed to the passing grades, such as students' academic backgrounds (Appendix 3). Taking the aforementioned into consideration, along with the limitation of not having a control group prior to the pandemic to provide a baseline comparison, this study focused on the effect of being a 3-D app user in comparison to those who are non-users.

As seen in Appendix 2, numerous students purchased the app as per the course instructor's recommendation, however, since acquiring the 3-D app was discretionary, several students chose to not obtain the application, thus creating the opportunity to compare app users to non-app users for the purpose of this examination. With this in consideration, the other outcome of this investigation was related to the differences in test scores of the AUG and NAUG; the majority of students that purchased the 3-D app performed satisfactorily with an average passing score for the examinations in comparison to the students that did not obtain the 3-D app (Appendix 4). This suggests quantifiable and noticeable advantages to using and manipulating the 3-D app, translating to an increase in the overall understanding of human anatomy. Various studies had similar approaches in using adjunct tools for an adequate comprehension of anatomy with success. An example of this is the report by Peterson and Mlynarczyk (2016), in which they explain the benefits of using the 3-D perspective as an adjunct for students' conception of complex anatomy regions built into the anatomy curriculum. In their study, students that had the benefit of interacting with this 3-D tool performed better in tests and exhibited a long term understanding of anatomy (Peterson & Mlynarczyk, 2016). With this, we recommend adding time for mastering the skill of working with tablets and other devices which run the 3-D app within the curriculum, a consideration which was also suggested by Chakraborty and Cooperstein (2018). We propose the promotion of 3-D applications as a requirement for anatomy related courses, especially under circumstances where cadaver dissection and prosection poses a challenge. We also suggest using the 3-D app in every anatomy lecture and lab to allow students to become adequately acquainted with the device and 3-D app for a more efficiency in the use of the tool and, ultimately, a better understanding of detailed human anatomy.

Some students desire to exclusively use the tools which they are familiar with, as reported by the small percentage of learners that prefer books over the 3-D app (Appendix 5). Specialized anatomy atlases are reported to be beneficial in reviewing and understanding anatomy, with many courses having them as a requirement alongside the assigned textbooks and proposed references. The standard of mainly every course falls back to the utilization of books and other forms of text, making these tools common and familiar to students. This study ventures to add a 3-D application instrument to the current blend of tools used in anatomy courses, yet does not intend to substitute any standard or previously-established methods.

As mentioned, books and screens are 2-dimensional structures that limit the adequate comprehension of depth perception and location of anatomical structures. Perhaps, rather than substituting books for an app, instructors should incorporate activities into their anatomy courses that allow for the book and 3-D app to work concurrently. It is our belief that in doing so, these activities will educate students to use both their books/atlas and a 3-D app simultaneously to bridge the gap between the concept of the application and the actual comprehension of the content taught in anatomy courses.

After the inclusion of the 3-D app within the lecture and lab, an indisputable growth in interest and urge to learn human anatomy arose; this behavior can be associated with providing students with a multidimensional view and perspective of the anatomical structures (Berkowitz et al., 2014). Some examples of students' feedback were:

*"It helps you understand location, function, and relationships of organs in the body. It was especially helpful when studying the muscles because I could see the location and action of the specific muscle."*

*"With the 3D anatomy app, I like how we can physically see each muscle, bone, nerve, etc. and where they attach onto the body. Although pictures are helpful, more often than not, a piece of an organ or a muscle is missing as it is hidden behind another structure. The 3D model prevents this, and even with the screenshots of the 3D app placed in the PPTs, it is helpful for me to apply the knowledge to the real body."*

*"I like how you (instructor) pulled up the app during lecture and used it "real-time" to show us the muscles you lectured on."*

These comments, coinciding with the outcomes of this report, were notably positive and encouraging for us to conclude that the use of 3-D anatomy apps is advantageous for occupational therapy students.

Although the grades and feedback from many of the students were positive, several other pupils were unable to perceive the same benefits from this approach in online teaching, as they exhibited a more passive demeanor. An example of students' comments is:

*"The navigation is a bit difficult for me to figure out when I am doing it alone vs. being shown in class."*

When asked how we can improve the use of this 3-D anatomy tool, some student suggestions were:

"I think applying it more in class would be helpful, such as in PowerPoint or taking time to utilize it rather than lecture. I also think using those photos on tests, since they are more realistic, would be helpful."

"Because we are doing everything virtually and don't have access to actual anatomical models, I thought the 3D app was used well but not frequently enough in class."

"Perhaps having an allotted time in class to use the tool for everyone's viewing."

Rather than using the app to further their own specific understanding of anatomy, they expected to have more time to view the app within the course as the instructor passively presented it. This type of perspective and mentality was also encountered by Peterson and Mlynarczyk (2016), when pupils reported not perceiving an added benefit to the addition of this 3-D technology.

Students also appreciated and shared the impact of utilizing and manipulating the 3-D app throughout the course. Some of the remarks included, "Using the app yourself and not just seeing a slide of it makes the app more useful in learning," while others pointed out the advantage of discussion when they mentioned aspects such as, "If students have the tool, they can ask you (Instructor) questions about the app based on their experiences." Taking the above into consideration, we recommend the addition of a 3-D perspective into anatomy courses as a requirement, with the added advantage of embedding this tool within the lecture and lab time to build assignments in which students are encouraged to interact with the app every day. We recommend adding activities where students are in charge of demonstrating the anatomical topic or structure of the day to their peers using the 3-D perspective, rather than the professor doing so in order to implement a learn-by-teaching approach. Altogether, we firmly believe 3-D anatomy applications will aid students in programs that require gross anatomy in better experiencing human anatomy in a timely and comprehensive manner.

## CONCLUSION

As previously mentioned, cadaver dissection is an exceptionally unreplaceable experience (Ghosh S.K. 2015). With the ongoing COVID-19 pandemic (Wang et al., 2020 & Sohrabi et al., 2020) courses across various programs had to shift from the classroom setting to an online format, inflicting new challenges to the teaching-learning environment. To aid in students' comprehension of the course content while shortening the partition formed by the lecture and 2-D images during online teaching and minimizing the time employed in binding notions within the lecture and the anatomy lab (Krause et al. 2015), the 3-D application discussed throughout this paper is worth considering as supplemental human anatomy tool. Scholars in diverse scenarios and fields have also examined the effects of utilizing approaches that include such technology, all of which have been deemed successful (Berkowitz et al., 2014; Brucoli et al. 2018; Chakraborty & Cooperstein, 2018; Raney, 2014). As per the findings of this study, we suggest the integration of 3-D anatomy apps into every anatomy related course, regardless of which program, degree, or major the students are enrolled in. Also, since graduates have a tendency to be passive, we advocate building time within the curriculum for learners to manipulate the app and perform assigned activities. We further recognize that to help achieve depth perception, location, and orientation of gross anatomy over a shorter period of time, scholars must interact with their 3-D anatomy application individually, aside from passively observing the instructor demonstrating the tool to the scholars within teaching and lab scenarios. Overall, the integration of 3-D anatomy apps as a supplemental tool into graduate anatomy courses alongside conventional teaching strategies (Alsharif et al. 2018; Lewis et al. 2014; Berkowitz et al. 2014) appear to heighten students' thorough comprehension of human anatomy.

**Funding Statement:** This work was not funded.

**Ethics and Consent:** The author employed the ARECCI tool to specify and justify that this study is categorized under the Program Quality Improvement, for which the ARECCI tool is instructed instead of an Institutional Review Board. The outcomes can be accessed at this URL: <http://www.aihealthsolutions.ca/arecci/screening/448743/f17a879016848c0e6198c2b1dbd60a8c>

**Acknowledgements:** The authors wish to thank all the scholars that completed the survey in which this work was based. They declare no conflicts of interest.

## REFERENCES

- Albaum, G. (1997). The Likert scale revisited. *Market Research Society. Journal*, 39(2), 1-21. <https://doi.org/10.1177/147078539703900202>
- Alsharif, W., Davis, M., Rainford, L., Craddock, A., & McGee, A. (2018). Validation of the educational effectiveness of a mobile learning app to improve knowledge about MR image quality optimization and artefact reduction. *Insights into Imaging*, 9(5), 721-730. <https://doi.org/10.1007/s13244-018-0635-0>
- Apple (2019). *Apple iPad Pro*. One Apple Park Way Cupertino, CA 95014. URL:<https://www.apple.com/shop/buy-ipad/ipad-pro-10-5> [accessed 11 February 2019]
- Bairamian, D., Liu, S., & Eftekhari, B. (2019). Virtual Reality Angiogram vs 3-Dimensional Printed Angiogram as an Educational tool-A Comparative Study. *Neurosurgery*, 85(2), 343-349. <https://doi.org/10.1093/neuros/nyz003>

- Berkowitz, S. J., Kung, J. W., Eisenberg, R. L., Donohoe, K., Tsai, L. L., & Slanetz, P. J. (2014). Resident iPad use: has it really changed the game?. *Journal of the American College of Radiology : JACR*, *11*(2), 180-184. <https://doi.org/10.1016/j.jacr.2013.04.017>
- Bork, F., Stratmann, L., Enssle, S., Eck, U., Navab, N., Waschke, J., & Kugelmann, D. (2019). The Benefits of an Augmented Reality Magic Mirror System for Integrated Radiology Teaching in Gross Anatomy. *Anatomical Sciences Education*, *12*(6), 585-598. <https://doi.org/10.1002/ase.1864>
- Brassett, C., Cosker, T., Davies, D. C., Dockery, P., Gillingwater, T. H., Lee, T. C., Milz, S., Parson, S. H., Quondamatteo, F., & Wilkinson, T. (2020). COVID-19 and anatomy: Stimulus and initial response. *Journal of Anatomy*, *237*(3), 393-403. <https://doi.org/10.1111/joa.13274>
- Brucoli, M., Boffano, P., Pezzana, A., Sedran, L., Boccafoschi, F., & Benech, A. (2020) The potentialities of the Anatomage Table for head and neck pathology: medical education and informed consent. *Oral and Maxillofacial Surgery*, *24*(2), 229-234.
- Brucoli, M., Boccafoschi, F., Boffano, P., Broccardo, E., & Benech, A. (2018). The Anatomage Table and the placement of titanium mesh for the management of orbital floor fractures. *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*, *126*(4), 317-321.
- Chakraborty, T. R., & Cooperstein, D. F. (2018). *Exploring anatomy and physiology using iPad applications*. American Association of Anatomists, *11*: 336-345. doi:10.1002/ase.1747
- Duncan-Vaidya E.A., & Stevenson E. L. (1998). The Effectiveness of an Augmented Reality Head-Mounted Display in Learning Skull Anatomy at a Community College [published online ahead of print, 2020 Jun 24]. *Anatomical Sciences Education*, *14*(2), 221-231. <https://doi.org/10.1002/ase.1998>
- Ghosh S. K. (2015). Human cadaveric dissection: a historical account from ancient Greece to the modern era. *Anatomy & Cell Biology*, *52*(4), 414-418. <https://doi.org/10.5115/acb.19.224>
- Ha J.E., & Choi D.Y. (2019) Educational effect of 3D applications as a teaching aid for anatomical practice for dental hygiene students. *Anatomy & Cell Biology*, *52*(4), 414-418. doi:10.5115/acb.19.224.
- Hammond, I., Taylor, J., & McMenamin, P. (2003). Anatomy of complications workshop: An educational strategy to improve performance in obstetricians and gynaecologists. *The Australian & New Zealand Journal of Obstetrics & Gynaecology*, *43*(2), 111-114. <https://doi.org/10.1046/j.0004-8666.2003.00030.x>
- Houser, J.J., & Kondrashov, P. (2018). Gross Anatomy Education Today: The Integration of Traditional and Innovative Methodologies. *Missouri Medicine*, *115*(1), 61-65.
- Iwanaga J., Loukas M., Dumont A.S., & Tubbs R.S. (2020) A review of anatomy education during and after the COVID-19 pandemic: Revisiting traditional and modern methods to achieve future innovation [published online ahead of print, Jul 18]. *Clinical Anatomy (New York, N.Y.)*, *34*(1), 108-114. <https://doi.org/10.1002/ca.23655>
- Krause B., Riley M., Taylor M.(2015). Enhancing Clinical Gross Anatomy through Mobile Learning and Digital Media. *The FASEB Journal*, *29*: 550.3. [https://doi.org/10.1096/fasebj.29.1\\_supplement.550.3](https://doi.org/10.1096/fasebj.29.1_supplement.550.3)
- Lewis T.L., Burnett B., Tunstall R.G., & Abrahams P. H. (2014). Complementing anatomy education using three-dimensional anatomy mobile software applications on tablet computers. *Clinical Anatomy*, *27*(3), 313-320. doi:10.1002/ca.22256.
- Peterson D.C., & Mlynarczyk G.S. (2016). Analysis of traditional versus three-dimensional augmented curriculum on anatomical learning outcome measures. *Anatomical Sciences Education*, *9*(6), 529-536. doi:10.1002/ase.1612.
- Rosario M.G., Gonzalez-Sola M., Hyder A., Medley A., & Weber M. (2019). Anatomage Virtual Dissection Table: a Supplemental Learning Aid for Human Anatomy Education During an Undergraduate Outreach Activity. *The FASEB Journal*, *33*: 604.9-604.9. [https://doi.org/10.1096/fasebj.2019.33.1\\_supplement.604.9](https://doi.org/10.1096/fasebj.2019.33.1_supplement.604.9)
- Socrative. (2019). *Socrative quiz*. Showbie #403, 10113 104 Street NW, Edmonton, AB T5J 1A1 Canada. URL: <https://b.socrative.com> [accessed 11 February 2019]
- Sohrabi C., Alsafi Z., O'Neill N., Khan M., Kerwan A., & Al-Jabir A. (2020). World Health Organization declares global emergency: a review of the 2019 novel corona- virus (COVID-19). *International journal of surgery (London, England)*, *76*, 71-76. <https://doi.org/10.1016/j.ijssu.2020.02.034>.
- Szemik, S., Gajda, M., & Kowalska, M. (2020). Przegląd badań prospektywnych na temat stanu zdrowia psychicznego oraz jakości życia lekarzy i studentów medycyny [The review of prospective studies on mental health and the quality of life of physicians and medical students]. *Medycyna Pracy*, *71*(4), 483-491. <https://doi.org/10.13075/mp.5893.00958>
- Raney, M. (2014). Dose-and time-dependent benefits of iPad technology in an undergraduate human anatomy course (725.8). *The FASEB Journal* *28* (1\_supplement), 725(8), 2014.
- Uruthiralingam, U., & Rea, P. M. (2020). Augmented and Virtual Reality in Anatomical Education - A Systematic Review. *Advances In Experimental Medicine And Biology*, *1235*, 89-101. [https://doi.org/10.1007/978-3-030-37639-0\\_5](https://doi.org/10.1007/978-3-030-37639-0_5)
- Wang C., Horby P.W., Hayden F.G., Gao G.F. (2020). A novel coronavirus outbreak of global health concern. *Lancet*, *395*(10223), 470-473. doi: 10.1016/S0140-6736 (20)30185-9.
- Ward, T. M., Wertz, C. I., & Mickelsen, W. (2018). Anatomage Table Enhances Radiologic Technology Education. *Radiologic technology*, *89*(3), 304-306.