



















- sound guided caudal block for pain relief in children undergoing lower abdominal surgeries. *Egyptian Journal of Anaesthesia*. 2015;31(2): 155-60.  
doi: [10.1016/j.egja.2015.03.001](https://doi.org/10.1016/j.egja.2015.03.001)
21. Jain S, Kalra S, Sharma B, et al. Evaluation of Ultrasound-Guided Transversus Abdominis Plane Block for Postoperative Analgesia in Patients Undergoing Intraperitoneal Onlay Mesh Repair. *Anesth Essays Res*. 2019;13(1):126-31.  
doi: [10.4103/aer.AER\\_176\\_18](https://doi.org/10.4103/aer.AER_176_18)
22. Conacher ID. Pain relief after thoracotomy. *Br J Anaesth*. 1990;65(6):806-12.  
doi: [10.1093/bja/65.6.806](https://doi.org/10.1093/bja/65.6.806)
23. Kara H, Sahin N, Ulsan V, et al. Magnesium infusion reduces perioperative pain. *Eur J Anaesthesiol*. 2002;19(1):52-6.  
doi: [10.1017/s026502150200008x](https://doi.org/10.1017/s026502150200008x)
24. Güven Aytac B, Aytaç İ, Lafçı A, et al. The effect of pain management in laparoscopic cholecystectomy on recovery parameters. *TJCL*. 2018; 9(3): 216-20.  
doi: [10.18663/tjcl.445926](https://doi.org/10.18663/tjcl.445926)