

## Hydrophiloidea (Coleoptera: Helophoridae, Hydrochidae and Hydrophilidae) Fauna of Adıyaman Province

Gani Erhan TAŞAR  
Adıyaman University, Kahta Vocational High School, Adıyaman, TURKEY  
✉: erhantasar@gmail.com

Geliş (Received): 06.08.2016

Kabul (Accepted): 22.10.2016

**ABSTRACT:** In this study, the aquatic coleoptera species collected from Adıyaman province in 2013-2014 were evaluated. Overall, 46 taxa concerning the superfamily of Hydrophiloidea (Coleoptera: Helophoridae, Hydrochidae and Hydrophilidae) were detected in the area. Within these species, 38 taxa for South-eastern Anatolian region and 43 taxa for Adıyaman province were recorded for the first time.

**Keywords:** Adıyaman, Helophoridae, Hydrochidae, Hydrophilidae, Turkey.

### Adıyaman İli Hydrophiloidea (Coleoptera: Helophoridae, Hydrochidae ve Hydrophilidae) Faunası

**ÖZET:** Bu çalışmada, 2013-2014 yıllarında Adıyaman İlinden toplanan sucul kınkanatlı türleri değerlendirilmiştir. Araştırma alanında Hydrophiloidea (Coleoptera: Helophoridae, Hydrochidae ve Hydrophilidae) üst familyasına ait 46 taxa tespit edilmiştir. Bu türlerden 38 taxa Güneydoğu Anadolu Bölgesi ve 43 taxa Adıyaman ili için ilk kez kaydedilmiştir.

**Anahtar Kelimeler:** Adıyaman, Helophoridae, Hydrochidae, Hydrophilidae, Türkiye

### INTRODUCTION

Turkey has seven geographical regions (Aegean, Black sea, Central Anatolian, Eastern Anatolian, Marmara, Mediterranean and South-eastern Anatolian

region) and 81 provinces (Anonymous 1, 2016). Adıyaman is a city and located in the South-eastern Anatolian region, Turkey shown in the Figure 1 (Anonymous 2, 2016).




Figure 1. Map of the research area.

It has a semi-corrupted Mediterranean and terrestrial climate and its elevation is 669 meters. It has nine districts named as Adıyaman-centrum, Besni, Çelikhan, Gölbaşı, Gerger, Kahta, Samsat, Sincik, and Tut. All districts have very different geographic structures from each other; for example, Nemrut Mountain has 2150 meters length in Kahta district. On the other side, Centrum, Kahta and Samsat districts have coasts on the Atatürk Dam Lake. There are three lakes (Büyük, Azaplı and İnekli lakes) and many ponds that have very significant biodiversity in Gölbaşı district. Gerger district has big canyons and a dam lake (Anonymous 3, 2016).

Helophoridae family has a single genus: *Helophorus* Fabricius, 1775. This genus includes more than 190 species (Angus, 1984, 1985, 1988, 1992; Smetena, 1985). Approximately 150 species were reported from Palaearctic Region (Angus, 1992; Chiesa, 1959; Hebauer, 1994) and 41 species from Nearctic Region (Smetena, 1985); nevertheless, only 3 Oriental Region originated-species were reported (Angus, 1992; Hansen, 1999). 51 species were recorded concerning six subgenera in Turkey as follows; (*Helophorus* (*Atracthelophorus*), *H.* (*Empleurus*), *H.* (*Eutrichelophorus*), *H.* (*Rhopalhelophorus*), *H.* (s. str.), *H.* (*Transithelophorus*), *H.* (*Trichelophorus*) (Darilmaz and İncekara, 2011; Taşar et al., 2012).

Hydrochidae family has a single genus: *Hydrochus* Leach, 1817 (Hansen, 1987, 1991). This genus includes about 200 species worldwide (Hidalgo-Galiana et al., 2010). 27 species and two subspecies were reported from Palaearctic Region (Hansen, 2004). Seven species were recorded in Turkey: *Hydrochus brevis* (Herbst, 1793), *H. elongatus* (Schaller, 1783), *H. flavipennis* Kuster, 1852, *H. farsicus* Hidalgo-Galiana et al. 2010, *H. ignicollis* Motschulsky, 1860, *H. megaphallus* Berge Henegouwen, 1988, *H. nodulifer* Reitter, 1897 (Darilmaz and İncekara, 2011).

Hydrophilidae is a large family and has four subfamilies like Horelophinae, Horelophopsinae, Hydrophilinae and Sphaeridiinae (Short and Fikacek, 2011; Bayram et al., 2012). This family is also known as water scavenger beetle. It was reported that the species of Hydrophilinae and Sphaeridiinae subfamilies appeared in Palaearctic Region (Hansen, 2004). The Hydrophilidae family has 169 genera and 2835 species all over the world (Short and Fikacek, 2011). 102 species were reported from Turkey (Darilmaz and İncekara, 2011; İncekara et al., 2011; Taşar, 2014; Polat et al., 2015).

There is not any detailed study about Hydrophiloidea (Coleoptera) from Adıyaman province and other provinces of South-eastern Anatolian region, unless stated otherwise. The aim of this study was to present prosperity of species of Hydrophiloidea in Adıyaman province, Turkey. Besides, this study contributes new data for Turkish Hydrophiloidea Fauna.

## MATERIALS and METHODS

The specimens were collected from freshwater habitats of Adıyaman province (Turkey) with sieves having 3,15x1 and 3,15x0,5 mm mesh size. The beetles were killed with ethyl acetate and stored in small bottles until identification. Specimens were cleaned with brush before identification. Aedeagophores of collected specimens were dissected under a stereo microscope in the laboratory. The identified species were converted into museum material and deposited in the private collections of the author at Adıyaman University, Turkey.

## RESULTS and DISCUSSION

In the current study, 46 species of three families were collected and identified as following: Helophoridae (with 7 species), Hydrochidae (with 2 species) and Hydrophilidae (with 37 species). Locality data of collected specimens were presented in Table 1.

Within these species: *Cercyon laminatus* Sharp, 1873, *Enochrus calabricus* (Ferro, 1986) and *Hydrochus elongatus* (Schaller, 1783) were recorded for the second time from Turkey. 38 species were recorded for the first time from South-eastern Anatolian region. 41 species and two subspecies were reported as new records for Adıyaman province.

Determined species and their locality data are listed below:

### Family: Helophoridae

#### Genus: *Helophorus* Fabricius, 1775

##### Subgenus: *Eutrichelophorus* Sharp, 1915

##### *Helophorus* (*E.*) *micans* (Faldermann, 1835)

Material examined: A1, 04.06.2013, 5 ex.; A13, 04.06.2013, 4 ex.; A17, 28.04.2014, 2 ex.; A17, 22.05.2014, 2 ex.; A17, 22.05.2014, 1 ex.; A17, 19.06.2014, 2 ex.; A17, 14.07.2014, 2 ex.; A17, 28.08.2014, 1 ex.; A18, 20.09.2013, 6 ex.; A18, 20.09.2013, 3 ex.; A19, 28.04.2014, 2 ex.; A19, 28.04.2014, 1 ex.; A19, 22.05.2014, 2 ex.; A19, 30.05.2014, 2 ex.

##### Subgenus: *Helophorus* Fabricius, 1775

##### *Helophorus* (s. str.) *aquaticus* (Linnaeus, 1758)

Material examined: A11, 20.06.2013, 2 ex.; A10, 04.06.2013, 1 ex.; A38, 28.05.2014, 1 ex.

##### *Helophorus* (s. str.) *grandis* (Illiger, 1798)

Material examined: A3, 04.06.2013, 2 ex.; A10, 04.06.2013, 3 ex.; A45, 28.05.2014, 2 ex.; A46, 05.06.2013, 4 ex.; A21, 03.05.2014, 4 ex.; A22, 06.05.2014, 2 ex.; A30, 03.05.2014, 2 ex.; A49, 03.06.2013, 10 ex.; A50, 03.06.2013, 10 ex.

##### *Helophorus* (s. str.) *syriacus* Kuwert, 1885

Material examined: A2, 06.06.2013, 4 ex.; A47, 05.06.2013, 4 ex.; A48, 05.06.2013, 2 ex.; A31, 03.06.2013, 2 ex.; A49, 03.06.2013, 5 ex.; A50, 03.06.2013, 5 ex.

Table 1. Location of the sampling sites

Abbreviation	Sampling site	Coordinates	Altitude (m)
A1	Adıyaman, centrum	37°55'24"N 38°17'00"E	1160
A2	Adıyaman, centrum	37°43'41"N 38°11'50"E	685
A3	Adıyaman, centrum, Koçali	37°55'54"N 38°15'26"E	1067
A4	Adıyaman, centrum, Boğazkaya	37°53'33"N 38°31'28"E	850
A5	Adıyaman, centrum, Boğazözü	37°50'36"N 38°24'39"E	682
A6	Adıyaman, centrum, Sinke	37°52'59"N 38°29'56"E	767
A7	Adıyaman, centrum, Çakal	37°42'22"N 38°09'10"E	606
A8	Adıyaman, centrum, Hasancık	37°47'07"N 38°25'14"E	700
A9	Adıyaman, centrum, Kuruçay	37°46'58"N 38°20'72"E	584
A10	Çelikhan	37°59'06"N 38°15'35"E	1270
A11	Besni, Akpınar	37°44'54"N 37°46'37"E	814
A12	Besni, Su gözü	37°39'20"N 37°48'30"E	700
A13	Gölbaşı	37°47'57"N 37°39'45"E	900
A14	Gölbaşı	37°47'28"N 37°37'35"E	901
A15	Gölbaşı	37°48'11"N 37°40'07"E	900
A16	Gölbaşı, Saydere	37°45'22"N 37°44'52"E	842
A17	Gölbaşı, Azaplı Lake	37°45'59"N 37°33'20"E	880
A18	Gölbaşı, Büyük Lake	37°47'44"N 37°38'35"E	881
A19	Gölbaşı, Gözeler Pond	37°43'56"N 37°30'38"E	883
A20	Gölbaşı, Karaburun	37°45'53"N 37°35'51"E	907
A21	Kahta	37°53'51"N 38°34'40"E	836
A22	Kahta	37°53'05"N 38°34'28"E	835
A23	Kahta	37°46'33"N 38°38'48"E	635
A24	Kahta	37°51'55"N 38°40'39"E	740
A25	Kahta, Yassıkaya fountain	37°55'22"N 38°36'28"E	630
A26	Kahta, Değirmenbaşı	37°57'40"N 38°40'17"E	867
A27	Kahta, Subaşı	37°58'14"N 38°40'44"E	973
A28	Kahta, Doluca	37°54'32"N 38°34'27"E	865
A29	Kahta, Kozagaç	37°53'44"N 38°34'25"E	844
A30	Kahta, Karakuş Hill	37°52'10"N 38°35'03"E	872
A31	Kahta, Daşlıca	37°53'44"N 38°34'26"E	768
A32	Kahta, Karadut, Tanbaşı	37°54'50"N 38°48'59"E	854
A33	Kahta, Cendere Bridge	37°56'11"N 38°36'40"E	612
A34	Kahta Stream	37°52'03"N 38°37'18"E	550
A35	Kahta, Kahta Stream, Teğmenli	37°54'55"N 38°36'58"E	580
A36	Kahta-Gerger way	37°51'43"N 38°40'25"E	700
A37	Kahta, Old Kahta	37°56'03"N 38°38'07"E	664
A38	Gerger	38°00'37"N 39°01'25"E	598
A39	Gerger	37°56'36"N 38°51'58"E	680
A40	Gerger	37°59'01"N 38°56'43"E	555
A41	Gerger	37°51'44"N 38°40'27"E	760
A42	Gerger, Eceler	37°53'27"N 38°51'22"E	804
A43	Gerger, Ballı	37°53'17"N 38°51'16"E	600
A44	Gerger, Güzelsu	37°52'45"N 38°55'40"E	765
A45	Gerger, Karagöl (Sülüklü Lake)	37°59'25"N 38°49'22"E	1115
A46	Gerger, Sutepe	37°56'14"N 38°48'39"E	915
A47	Gerger, Kütüklü	37°58'25"N 38°49'05"E	1165
A48	Gerger, Şahintepe	37°55'24"N 38°48'39"E	870
A49	Sincik	38°01'47"N 38°37'10"E	1227
A50	Sincik	38°01'10"N 38°37'12"E	1200
A51	Sincik-Gerger way	37°51'36"N 38°35'46"E	777
A52	Sincik, Çatbahçe	37°57'51"N 38°36'00"E	707
A53	Tut	37°47'02"N 37°50'53"E	660
A54	Samsat	37°45'34"N 38°32'08"E	588

**Subgenus: *Rhopalohelophorus* Kuwert, 1886**

***Helophorus* (R.) *brevipalpis brevipalpis* Bedel, 1881**

Material examined: A13, 04.06.2013, 1 ex.; A20, 20.06.2013, 1 ex.; A17, 24.06.2013, 1 ex.; A17, 28.04.2014, 1 ex.; A18, 18.08.2013, 1 ex.; A19, 24.06.2013, 2 ex.; A19, 30.05.2014, 1 ex.

***Helophorus* (R.) *daedalus* d'Orchymont, 1932**

Material examined: A38, 28.05.2014, 2 ex.; A39, 28.05.2014, 2 ex.; A45, 28.05.2014, 1 ex.; A48, 05.06.2013, 4 ex.; A14, 04.06.2013, 2 ex.; A13, 20.06.2013, 2 ex.; A32, 28.05.2014, 2 ex.

***Helophorus* (R.) *hilaris* Sharp, 1916**

Material examined: A2, 06.06.2013, 4 ex.; A4, 28.05.2014, 2 ex.; A5, 28.05.2014, 2 ex.; A11, 20.06.2013, 4 ex.; A10, 04.06.2013, 4 ex.; A38, 28.05.2014, 2 ex.; A39, 28.05.2014, 2 ex.; A48, 05.06.2013, 4 ex.; A40, 18.06.2013, 2 ex.; A13, 04.06.2013, 4 ex.; A13, 04.06.2013, 2 ex.; A17, 04.06.2013, 10 ex.; A17, 20.06.2013, 10 ex.; A17, 24.06.2013, 4 ex.; A17, 28.04.2014, 2 ex.; A17, 22.05.2014, 2 ex.; A17, 22.05.2014, 2 ex.; A17, 19.06.2014, 4 ex.; A17, 14.07.2014, 1 ex.; A17, 28.08.2014, 2 ex.; A18, 24.06.2013, 4 ex.; A18, 18.08.2013, 4 ex.; A18, 20.09.2013, 2 ex.; A19, 04.06.2013, 4 ex.; A19, 20.06.2013, 4 ex.; A19, 20.06.2013, 4 ex.; A19, 24.06.2013, 4 ex.; A19, 24.06.2013, 4 ex.; A19, 20.09.2013, 6 ex.; A19, 28.04.2014, 2 ex.; A19, 28.04.2014, 2 ex.; A19, 22.05.2014, 2 ex.; A19, 30.05.2014, 3 ex.; A19, 19.06.2014, 2 ex.; A19, 14.07.2014, 1 ex.; A20, 20.06.2013, 2 ex.; A22, 06.05.2014, 1 ex.; A31, 03.06.2013, 2 ex.; A32, 27.04.2014, 1 ex.; A32, 28.05.2014, 1 ex.

**Family: Hydrochidae**

**Genus: *Hydrochus* Leach, 1817**

***Hydrochus* *elongatus* (Schaller, 1783)**

Material examined: A19, 30.05.2014, 11 ex.; A19, 22.05.2014, 2 ex.; A19, 22.05.2014, 3 ex.

***Hydrochus* *flavipennis* Kuster, 1852**

Material examined: A19, 28.04.2014, 3 ex.; A19, 30.05.2014, 1 ex.; A32, 30.09.2014, 1 ex.

**Family: Hydrophilidae**

**Subfamily: Hydrophilinae Latreille, 1802**

**Tribe: Anacaeni Hansen, 1991**

**Genus: *Anacaena* Thomson, 1859**

***Anacaena* *globulus* (Paykull, 1798)**

Material examined: A14, 37°47'28"N 37°37'35"E, 901m, 04.06.2013, 1 ex.

***Anacaena* *limbata* (Fabricius, 1792)**

Material examined: A15, 20.06.2013, 2 ex.; A17, 20.06.2013, 3 ex.; A17, 24.06.2013, 2 ex.; A18, 24.06.2013, 2 ex.; A19, 24.06.2013, 5 ex.; A19, 24.06.2013, 4 ex.; A19, 28.04.2014, 4 ex.; A19, 22.05.2014, 2 ex.; A19, 30.05.2014, 2 ex.; A33, 17.06.2013, 2 ex.

***Anacaena* *rufipes* (Guillebeau, 1896)**

Material examined: A4, 28.05.2014, 1 ex.; A11, 20.06.2013, 2 ex.; A38, 28.05.2014, 2 ex.; A39, 28.05.2014, 3 ex.; A45, 28.05.2014, 2 ex.; A46, 05.06.2013, 2 ex.; A40, 18.06.2013, 3 ex.; A19, 30.05.2014, 5 ex.; A16, 20.06.2013, 1 ex.; A33, 17.06.2013, 2 ex.; A31, 03.06.2013, 2 ex.; A32, 18.06.2013, 4 ex.; A32, 21.09.2013, 2 ex.; A32, 30.09.2014, 2 ex.; A30, 17.06.2013, 2 ex.; A50, 03.06.2013, 1 ex.; A51, 18.06.2013, 2 ex.; A53, 06.06.2013, 1 ex.

**Genus: *Paracymus* Thomson, 1867**

***Paracymus* *chalceolus* (Solsky, 1874)**

Material examined: A38, 28.05.2014, 2 ex.; A19, 28.04.2014, 3 ex.; A19, 22.05.2014, 2 ex.; A19, 19.06.2014, 2 ex.; A19, 14.07.2014, 1 ex.; A19, 28.08.2014, 3 ex.; A19, 29.09.2014, 2 ex.

**Tribe: Berosini Mulsant, 1844**

**Genus: *Berosus* Leach, 1817**

**Subgenus: *Berosus* Leach, 1817**

***Berosus* (s. str.) *affinis* Brullé, 1835**

Material examined: A19, 20.06.2013, 4 ex.; A19, 24.06.2013, 5 ex.; A19, 18.08.2013, 2 ex.; A19, 20.09.2013, 2 ex.; A19, 28.04.2014, 4 ex.; A19, 28.04.2014, 4 ex.; A19, 22.05.2014, 2 ex.; A19, 30.05.2014, 2 ex.; A19, 19.06.2014, 2 ex.; A19, 14.07.2014, 4 ex.; A19, 28.08.2014, 2 ex.; A19, 29.09.2014, 2 ex.

***Berosus* (s. str.) *byzantinus* Ganglbauer, 1904**

Material examined: A19, 28.04.2014, 3 ex.; A19, 28.04.2014, 3 ex.; A19, 30.05.2014, 2 ex.

**Tribe: Chaetarthriini Bedel, 1881**

**Genus: *Chaetarthria* Stephens, 1835**

***Chaetarthria* *seminulum* (Herbst, 1797)**

Material examined: A40, 18.06.2013, 2 ex.

**Tribe: Hydrophilini Latreille, 1802**

**Subtribe: Acidocerina Zaitzev, 1908**

**Genus: *Chasmogenus* Sharp, 1882**

***Chasmogenus* *livornicus* (Kuwert, 1890)**

Material examined: A17, 24.06.2013, 5 ex.; A17, 18.08.2013, 2 ex.; A17, 20.09.2013, 4 ex.; A19, 24.06.2013, 2 ex.; A19, 18.08.2013, 4 ex.; A19, 20.09.2013, 3 ex.; A19, 28.04.2014, 2 ex.; A19, 22.05.2014, 2 ex.; A19, 30.05.2014, 2 ex.; A19, 19.06.2014, 2 ex.; A19, 14.07.2014, 3 ex.; A19, 28.08.2014, 4 ex.; A19, 29.09.2014, 2 ex.

**Genus: *Cymbiodyta* Bedel, 1881**

***Cymbiodyta* *marginella* (Fabricius, 1792)**

Material examined: A17, 24.06.2013, 4 ex.; A17, 18.08.2013, 2 ex.; A17, 20.09.2013, 2 ex.; A19, 20.06.2013, 4 ex.; A19, 24.06.2013, 5 ex.; A19, 18.08.2013, 2 ex.; A19, 20.09.2013, 4 ex.; A19, 28.04.2014, 2 ex.; A19, 28.04.2014, 2 ex.; A19, 22.05.2014, 2 ex.; A19, 30.05.2014, 2 ex.; A19, 19.06.2014, 2 ex.; A19, 14.07.2014, 1 ex.; A19, 28.08.2014, 2 ex.; A19, 29.09.2014, 2 ex.

**Genus: Enochrus Thomson, 1859**

**Subgenus: Enochrus Thomson, 1859**

**Enochrus (s. str.) melanocephalus (Olivier, 1792)**

Material examined: A19, 28.04.2014, 1 ex.

**Subgenus: Lumetus Zaitzev, 1908**

**Enochrus (L.) bicolor (Fabricius, 1792)**

Material examined: A45, 28.05.2014, 1 ex.; A13, 04.06.2013, 1 ex.; A17, 24.06.2013, 5 ex.; A19, 20.06.2013, 2 ex.; A19, 24.06.2013, 4 ex.; A19, 28.04.2014, 3 ex.; A19, 22.05.2014, 1 ex.; A19, 30.05.2014, 3 ex.; A32, 21.09.2013, 5 ex.; A35, 28.05.2014, 2 ex.; A54, 28.04.2014, 2 ex.

**Enochrus (L.) calabricus (Ferro, 1986)**

Material examined: A4, 28.05.2014, 1 ex.; A46, 05.06.2013, 1 ex.

**Enochrus (L.) halophilus (Bedel, 1878)**

Material examined: A4, 28.05.2014, 1 ex.; A11, 20.06.2013, 3 ex.; A41, 05.06.2013, 1 ex.; A43, 18.06.2013, 3 ex.; A44, 18.06.2013, 2 ex.; A15, 20.06.2013, 1 ex.; A17, 24.06.2013, 5 ex.; A19, 20.06.2013, 5 ex.; A19, 22.05.2014, 1 ex.; A19, 30.05.2014, 1 ex.; A36, 18.06.2013, 2 ex.; A32, 19.08.2013, 3 ex.; A32, 27.04.2014, 3 ex.; A32, 28.05.2014, 4 ex.

**Enochrus (L.) ochropterus (Marsham, 1802)**

Material examined: A48, 05.06.2013, 1 ex.; A13, 04.06.2013, 1 ex.; A17, 28.04.2014, 1 ex.; A17, 22.05.2014, 1 ex.; A18, 20.09.2013, 1 ex.; A19, 24.06.2013, 3 ex.; A19, 30.05.2014, 2 ex.

**Enochrus (L.) politus (Küster, 1849)**

Material examined: A11, 20.06.2013, 2 ex.; A38, 28.05.2014, 3 ex.; A48, 05.06.2013, 2 ex.; A13, 04.06.2013, 2 ex.; A18, 18.08.2013, 1 ex.; A19, 28.04.2014, 2 ex.; A19, 22.05.2014, 1 ex.; A19, 30.05.2014, 3 ex.; A31, 03.06.2013, 3 ex.; A36, 18.06.2013, 1 ex.; A32, 27.04.2014, 1 ex.; A30, 03.06.2013, 1 ex.; A51, 18.06.2013, 6 ex.

**Enochrus (L.) quadripunctatus (Herbst, 1797)**

Material examined: A5, 28.05.2014, 8 ex.; A17, 24.06.2013, 1 ex.; A17, 28.04.2014, 1 ex.; A19, 20.06.2013, 1 ex.; A19, 22.05.2014, 3 ex.; A32, 27.04.2014, 2 ex.; A32, 30.09.2014, 5 ex.; A35, 28.05.2014, 2 ex.; A37, 03.06.2013, 1 ex.

**Subgenus: Methydrus Rey, 1885**

**Enochrus (M.) affinis (Thunberg, 1794)**

Material examined: A19, 28.04.2014, 2 ex.; A19, 22.05.2014, 5 ex.; A19, 30.05.2014, 2 ex.

**Genus: Helochares Mulsant, 1844**

**Subgenus: Helochares Mulsant, 1844**

**Helochares (s. str.) lividus (Forster, 1771)**

Material examined: A2, 06.06.2013, 4 ex.; A6, 30.09.2014, 3 ex.; A45, 28.05.2014, 5 ex.; A19, 30.05.2014, 4 ex.; A51, 18.06.2013, 4 ex.; A32, 37°55'14"N 38°48'02"E, 854m, 21.09.2013, 2 ex.

**Helochares (s. str.) obscurus (O. F. Müller, 1776)**

Material examined: A17, 04.06.2013, 5 ex.; A17, 20.06.2013, 3 ex.; A17, 24.06.2013, 4 ex.; A17, 18.08.2013, 4 ex.; A17, 20.09.2013, 2 ex.; A17, 28.04.2014, 2 ex.; A17, 22.05.2014, 2 ex.; A17, 22.05.2014, 4 ex.; A17, 19.06.2014, 4 ex.; A17, 14.07.2014, 4 ex.; A17, 28.08.2014, 5 ex.; A17, 29.09.2014, 2 ex.; A19, 20.06.2013, 2 ex.; A19, 24.06.2013, 2 ex.; A19, 24.06.2013, 2 ex.; A19, 18.08.2013, 2 ex.; A19, 20.09.2013, 3 ex.; A19, 28.04.2014, 2 ex.; A19, 28.04.2014, 2 ex.; A19, 22.05.2014, 2 ex.; A19, 30.05.2014, 2 ex.; A19, 19.06.2014, 2 ex.; A19, 14.07.2014, 2 ex.; A19, 28.08.2014, 3 ex.; A19, 29.09.2014, 2 ex.

**Subtribe: Hydrobiusina Mulsant, 1844**

**Genus: Hydrobius Leach, 1815**

**Hydrobius fuscipes (Linnaeus, 1758)**

Material examined: A46, 05.06.2013, 2 ex.; A17, 24.06.2013, 2 ex.; A31, 03.06.2013, 2 ex.; A49, 03.06.2013, 1 ex.

**Genus: Limnoxenus Motschulsky, 1853**

**Limnoxenus niger (Gmelin, 1790)**

Material examined: A17, 24.06.2013, 4 ex.; A19, 24.06.2013, 8 ex.; A19, 28.04.2014, 4 ex.; A19, 22.05.2014, 2 ex.; A19, 30.05.2014, 2 ex.

**Subtribe: Hydrophilina Latreille, 1802**

**Genus: Hydrochara Berthold, 1827**

**Hydrochara dichroma (Fairmaire, 1892)**

Material examined: A38, 28.05.2014, 1 ex.; A43, 18.06.2013, 1 ex.; A19, 30.05.2014, 1 ex.; A31, 03.06.2013, 2 ex.; A37, 03.06.2013, 2 ex.; A30, 17.06.2013, 2 ex.; A29, 17.06.2013, 1 ex.

**Genus: Brownephilus Mouchamps, 1959**

**Brownephilus major (İncekara et al., 2009)**

Material examined: A17, 18.08.2013, 1 ex.

**Genus: Hydrophilus Geoffroy, 1762**

**Subgenus: Hydrophilus Geoffroy, 1762**

**Hydrophilus (s. str.) piceus (Linnaeus, 1758)**

Material examined: A19, 20.06.2013, 1 ex.; A19, 30.05.2014, 1 ex.

**Tribe: Laccobiini Bertrand, 1954**

**Genus: Laccobius Erichson, 1837**

**Subgenus: Dimorpholaccobius Zaitzev, 1938**

**Laccobius (D.) bipunctatus (Fabricius, 1775)**

Material examined: A12, 20.06.2013, 2 ex.; A44, 18.06.2013, 2 ex.; A45, 28.05.2014, 2 ex.; A19, 30.05.2014, 3 ex.; A20, 20.06.2013, 2 ex.; A23, 03.06.2013, 1 ex.; A33, 17.06.2013, 2 ex.; A28, 03.06.2013, 1 ex.; A36, 18.06.2013, 2 ex.; A34, 18.06.2013, 2 ex.; A32, 18.06.2013, 3 ex.; A54, 28.04.2014, 2 ex.; A51, 18.06.2013, 2 ex.

**Laccobius (D.) hauserianus Kniz, 1914**

Material examined: A34, 18.06.2013, 1 ex.

**Laccobius (D.) hindukuschi Chiesa, 1966**

Material examined: A1, 04.06.2013, 1 ex.; A4, 28.05.2014, 2 ex.; A5, 30.09.2014, 2 ex.; A12, 20.06.2013, 2 ex.; A38, 28.05.2014, 2 ex.; A39, 28.05.2014, 2 ex.; A48, 05.06.2013, 2 ex.; A45, 28.05.2014, 2 ex.; A47, 05.06.2013, A40, 18.06.2013, 2

ex.; A17, 20.06.2013, 2 ex.; A16, 20.06.2013, 1 ex.; A21, 03.05.2014, 3 ex.; A24, 30.09.2014, 2 ex.; A33, 17.06.2013, 2 ex.; A31, 03.06.2013, 2 ex.; A32, 18.06.2013, 4 ex.; A32, 19.08.2013, 2 ex.; A32, 21.09.2013, 2 ex.; A32, 27.04.2014, 2 ex.; A32, 20.06.2014, 3 ex.; A32, 30.09.2014, 2 ex.; A30, 03.06.2013, 3 ex.; A29, 17.06.2013, 2 ex.; A52, 17.06.2013, 2 ex.

***Laccobius (D.) obscuratus aegaeus Gentili, 1974***

Material examined: A1, 04.06.2013, 1 ex.; A4, 28.05.2014, 2 ex.; A5, 30.09.2014, 2 ex.; A3, 04.06.2013, 2 ex.; A39, 28.05.2014, 1 ex.; A45, 1115m, 28.05.2014, 2 ex.; A21, 03.05.2014, 1 ex.; A24, 30.09.2014, 2 ex.; A31, 03.06.2013, 1 ex.; A32, 18.06.2013, 2 ex.; A32, 21.09.2013, 2 ex.; A32, 28.05.2014, 1 ex.; A32, 30.09.2014, 2 ex.; A27, 03.06.2013, 2 ex.; A53, 06.06.2013, 1 ex.

***Laccobius (D.) sinuatus Motschulsky, 1849***

Material examined: A4, 28.05.2014, 3 ex.; A38, 28.05.2014, 1 ex.; A48, 05.06.2013, 1 ex.; A24, 30.09.2014, 2 ex.; A33, 17.06.2013, 3 ex.; A31, 03.06.2013, 2 ex.; A37, 03.06.2013, 1 ex.; A35, 28.05.2014, 5 ex.; A32, 18.06.2013, 1 ex.

Remark: This species is a widespread European species, ranging from southern Scandinavia to North Africa and reaches to Balkans and European Russia in the east (Hansen, 1999). However, this species was firstly reported from Turkey in İzmir province (Sahlberg, 1913), this is the first report from South-eastern Anatolian Region of Turkey.

***Laccobius (D.) sipylus d'Orchymont, 1939***

Material examined: A4, 28.05.2014, 2 ex.; A5, 28.05.2014, 2 ex.; A11, 20.06.2013, 2 ex.; A40, 18.06.2013, 2 ex.; A38, 28.05.2014, 2 ex.; A39, 28.05.2014, 1 ex.; A43, 18.06.2013, 1 ex.; A42, 30.09.2014, 2 ex.; A17, 24.06.2013, 1 ex.; A16, 20.06.2013, 1 ex.; A21, 03.05.2014, 2 ex.; A24, 30.09.2014, 2 ex.; A33, 17.06.2013, 2 ex.; A31, 03.06.2013, 2 ex.; A35, 28.05.2014, 2 ex.; A32, 18.06.2013, 3 ex.; A32, 19.08.2013, 3 ex.; A32, 21.09.2013, 2 ex.; A32, 29.08.2014, 2 ex.; A32, 30.09.2014, 1 ex.; A30, 03.06.2013, 3 ex.; A30, 17.06.2013, 2 ex.; A30, 21.09.2013, 2 ex.; A36, 18.06.2013, 2 ex.; A54, 28.04.2014, 2 ex.; A52, 17.06.2013, 2 ex.; A53, 06.06.2013, 2 ex.

***Laccobius (D.) syriacus Guillebeau, 1896***

Material examined: A2, 06.06.2013, 4 ex.; A5, 28.05.2014, 4 ex.; A7, 30.09.2014, 2 ex.; A8, 05.06.2013, 4 ex.; A9, 03.05.2014, 4 ex.; A6, 30.09.2014, 2 ex.; A11, 20.06.2013, 2 ex.; A41, 05.06.2013, 2 ex.; A38, 28.05.2014, 2 ex.; A43, 18.06.2013, 2 ex.; A42, 30.09.2014, 2 ex.; A44, 18.06.2013, 2 ex.; A45, 28.05.2014, 2 ex.; A47, 05.06.2013, 2 ex.; A46, 05.06.2013, 1 ex.; A13, 04.06.2013, 2 ex.; A14, 04.06.2013, 2 ex.; A17, 04.06.2013, 2 ex.; A17, 18.08.2013, 2 ex.; A17, 20.09.2013, 2 ex.; A17, 28.04.2014, 3 ex.; A17, 19.06.2014, 2 ex.; A17, 14.07.2014, 2 ex.; A17, 28.08.2014, 1 ex.; A17, 29.09.2014, 2 ex.; A18,

24.06.2013, 2 ex.; A18, 18.08.2013, 2 ex.; A19, 24.06.2013, 2 ex.; A19, 18.08.2013, 2 ex.; A19, 20.09.2013, 2 ex.; A19, 20.06.2013, 3 ex.; A19, 28.04.2014, 2 ex.; A19, 30.05.2014, 2 ex.; A19, 19.06.2014, 1 ex.; A19, 14.07.2014, 2 ex.; A19, 28.08.2014, 2 ex.; A19, 29.09.2014, 2 ex.; A20, 20.06.2013, 2 ex.; A23, 03.06.2013, 4 ex.; A24, 30.09.2014, 2 ex.; A31, 03.06.2013, 2 ex.; A26, 03.06.2013, 2 ex.; A37, 03.06.2013, 1 ex.; A34, 18.06.2013, 2 ex.; A35, 28.05.2014, 2 ex.; A32, 18.06.2013, 5 ex.; A32, 19.08.2013, 2 ex.; A32, 21.09.2013, 2 ex.; A32, 29.08.2014, 3 ex.; A32, 30.09.2014, 2 ex.; A30, 03.06.2013, 2 ex.; A30, 17.06.2013, 2 ex.; A30, 21.09.2013, 2 ex.; A30, 03.05.2014, 2 ex.; A27, 03.06.2013, 2 ex.; A25, 17.06.2013, 1 ex.; A54, 28.04.2014, 2 ex.; A51, 18.06.2013, 2 ex.; A53, 06.06.2013, 2 ex.

**Subgenus: *Microlaccobius* Gentili, 1974**

***Laccobius (M.) alternus* Motschulsky, 1855**

Material examined: A4, 28.05.2014, 1 ex.; A5, 28.05.2014, 2 ex.; A9, 03.05.2014, 5 ex.; A39, 28.05.2014, 1 ex.; A21, 03.05.2014, 6 ex.; A30, 03.06.2013, 2 ex.; A54, 28.04.2014, 2 ex.; A53, 06.06.2013, 1 ex.

***Laccobius (M.) gracilis* Motschulsky, 1855**

Material examined: A1, 04.06.2013, 1 ex.; A4, 28.05.2014, 2 ex.; A5, 30.09.2014, 8 ex.; A7, 30.09.2014, 1 ex.; A8, 05.06.2013, 1 ex.; A9, 03.05.2014, 10 ex.; A41, 05.06.2013, 1 ex.; A45, 28.05.2014, 1 ex.; A48, 05.06.2013, 1 ex.; A19, 24.06.2013, 1 ex.; A19, 20.09.2013, 1 ex.; A16, 20.06.2013, 1 ex.; A24, 30.09.2014, 2 ex.; A32, 18.06.2013, 1 ex.; A32, 19.08.2013, 2 ex.; A32, 21.09.2013, 2 ex.; A32, 30.09.2014, 2 ex.; A35, 28.05.2014, 2 ex.; A35, 17.06.2013, 1 ex.; A54, 28.04.2014, 6 ex.; A52, 17.06.2013, 1 ex.; A53, 06.06.2013, 1 ex.

***Laccobius (M.) quaesitus* Gentili, 1988**

Material examined: A41, 05.06.2013, 1 ex.; A21, 03.05.2014, 2 ex.; A33, 17.06.2013, 1 ex.; A35, 28.05.2014, 1 ex.; A53, 06.06.2013, 1 ex.

**Subfamily: Sphaeridiinae Latreille, 1802**

**Tribe: Coelostomatini Heyden, 1891**

**Genus: *Coelostoma* Brullé, 1835**

**Subgenus: *Coelostoma* Brullé, 1835**

***Coelostoma (s. str.) orbiculare* (Fabricius, 1775)**

Material examined: A44, 18.06.2013, 2 ex.; A17, 29.09.2014, 2 ex.; A19, 18.08.2013, 2 ex.; A19, 30.05.2014, 2 ex.; A32, 19.08.2013, 2 ex.; A32, 30.09.2014, 1 ex.; A30, 03.06.2013, 1 ex.; A30, 17.06.2013, 2 ex.; A49, 03.06.2013, 1 ex.

**Tribe: Megasternini Mulsant, 1844**

**Genus: *Cercyon* Leach, 1817**

**Subgenus: *Cercyon* Leach, 1817**

***Cercyon (s. str.) circumcinctus* Reitter, 1889d**

Material examined: A17, 24.06.2013, 1 ex.; A19, 18.08.2013, 4 ex.

**Subgenus: Paracycreon d'Orchymont, 1942**

**Cercyon (P.) laminatus Sharp, 1873**

Material examined: A11, 20.06.2013, 1 ex.; A17, 24.06.2013, 2 ex.

South-eastern Anatolian region has nine provinces (Adıyaman, Batman, Diyarbakır, Gaziantep, Kilis, Mardin, Siirt, Şanlıurfa and Şırnak). This region was not studied in detail before, only a few reports were published (Angus, 1988, 1992; Gentili, 1988, 1991, 2000).

To the best of our knowledge, there is not any study on the species of Helophoridae and Hydrochidae families in Adıyaman province. Four species (*Enochrus affinis*, *Enochrus coarctatus*, *Laccobius gracilis* and *Laccobius hindukuschi*) of Hydrophilidae family were reported in Adıyaman province before (Darılmaz and İncekara, 2011; Taşar, 2014). Nonetheless, *Laccobius obscuratus orchymonti* Gentili, 1976 and *Sphaeridium scarabaeoides* (Linnaeus, 1758) were reported in Adıyaman province (Darılmaz and İncekara, 2011), none of the specimens of these species was found at the research area in the current study.

It was observed that different varieties of aquatic coleoptera placed in the habitats of the east and west sides of the research area. The most abundant habitats on account of species varieties were determined in the west side of the province having 900 meters altitude at Gölbaşı Lakes and their environment. It was indicated that 36 aquatic coleoptera (*Helophorus micans*, *Helophorus brevipalpis brevipalpis*, *Helophorus daedalus*, *Helophorus hilaris*, *Hydrochus elongatus*, *Hydrochus flavipennis*, *Anacaena globulus*, *Anacaena limbata*, *Anacaena rufipes*, *Paracymus chalceolus*, *Berosus affinis*, *Berosus byzantinus*, *Chasmogenus livornicus*, *Cymbiodyta marginella*, *Enochrus melanocephalus*, *Enochrus bicolor*, *Enochrus halophilus*, *Enochrus ochropterus*, *Enochrus politus*, *Enochrus quadripunctatus*, *Enochrus affinis*, *Helochares lividus*, *Helochares obscurus*, *Hydrobius fuscipes*, *Limnoxenus niger*, *Hydrochara dichroma*, *Brownephilus major*, *Hydrophilus piceus*, *Laccobius bipunctatus*, *Laccobius hindukuschi*, *Laccobius sipylus*, *Laccobius syriacus*, *Laccobius gracilis*, *Coelostoma orbiculare*, *Cercyon circumcinctus*, *Cercyon laminatus*) species were hosted by this area. The east side of the research area, containing Kahta, Sincik and Gerger districts, have different altitudes about 550-1227 m. It was indicated that the habitats placed in the east side of the research area had 10 more aquatic coleoptera species (*Helophorus aquaticus*, *Helophorus grandis*, *Helophorus syriacus*, *Chaetarthria seminulum*, *Enochrus calabricus*, *Laccobius hauserianus*, *Laccobius obscuratus aegaus*, *Laccobius sinuatus*, *Laccobius alternus*, *Laccobius quaesitus*) than the west side.

It was reported that Hydrophiloidea superfamily had 153 taxa (Coleoptera: Helophoridae; 49, Hydrochidae; 7 and Hydrophilidae; 97) in Turkey (Darılmaz and İncekara, 2011). After publication of this checklist, 7 more species (*Berosus asiaticus*, *Berosus dentalis*, *Berosus guttalis*, *Enochrus affinis*, *Enochrus calabricus*,

*Helophorus occidentalis*, *Helophorus yammounensis*.) were recorded firstly from Turkey (İncekara et al., 2011; Taşar et al., 2012; Taşar, 2014; Polat et al., 2015). For this reason, the number of the species of Hydrophiloidea superfamily (including Helophoridae, Hydrochidae and Hydrophilidae families) were raised to 160 taxa. In the current study, 46 taxa were identified in the research area as follows: 7 taxa of Helophoridae, 2 taxa of Hydrochidae and 37 taxa of Hydrophilidae families. Consequently, this study presents new distributional data for Turkish Hydrophiloidea fauna. More studies are needed to establish the overall distribution of Turkish Hydrophiloidea fauna.

**ACKNOWLEDGEMENTS**

This study was supported by Adıyaman University, project numbered: KMYOBAP-2012/0001. Furthermore, it was partially presented in International Ecology 2016 Adnan Aldemir Symposium on 16<sup>th</sup> -19<sup>th</sup> May 2016, The Kars Park Hotel/TURKEY.

**REFERENCES**

- Angus RB 1984. Towards a Revision of the Palearctic Species of *Helophorus* F. (Coleoptera, Hydrophilidae). I. Entomological Review, 63(3): 89-119.
- Angus RB 1985. Towards a Revision of the Palearctic Species of *Helophorus* F. (Coleoptera, Hydrophilidae). II. Entomological Review, 64(4): 128-162.
- Angus RB 1988. Notes on the *Helophorus* (Coleoptera, Hydrophilidae) occurring in Turkey, Iran and neighbouring territories. Revue suisse de Zoologie, 95(1): 209-248.
- Angus RB 1992. Insecta, Coleoptera, Hydrophilidae, Helophorinae. Süßwasserfauna von Mitteleuropa 20/10-2. Gustav Fischer Verlag, Jena. 144 p.
- Anonymous 1 2016. <https://tr.wikipedia.org/wiki/T%C3%BCrkiye>, (Date of Access: 08.10.2016).
- Anonymous 2 2016. <https://tr.wikipedia.org/wiki/Ad%C4%B1yaman>, (Date of Access: 08.10.2016).
- Anonymous 3 2016. [https://tr.wikipedia.org/wiki/Ad%C4%B1yaman\\_\(il\)](https://tr.wikipedia.org/wiki/Ad%C4%B1yaman_(il)), (Date of Access: 08.10.2016).
- Bayram S, Mart A, İncekara Ü, Polat A, Taşar GE 2012. A faunistic study on the Hydrophilidae in Sivas province (Turkey). Munis Entomology & Zoology, 7(2): 881-892.
- Chiesa A 1959. Hydrophilidae Europae, Coleoptera Palpicornia. Bologna, A. Forni, 126-133.
- Darılmaz MC, İncekara Ü 2011. Checklist of Hydrophiloidea of Turkey (Coleoptera: Polyphaga). Journal of Natural History, 45(11): 685-735.
- Gentili E 1988. Verso una revisione del genere *Laccobius* (Coleoptera, Hydrophilidae). Annuario Oss Fis Terr Mus Stoppani Semin Arc Milano, 9: 31-47.
- Gentili E 1991. Elementi per una revisione del genere *Laccobius* (Coleoptera, Hydrophilidae). Giornale Italiano di Entomologia, 5: 381-389.

- Gentili E 2000. Distribuzione del genere *Laccobius* (Coleoptera, Hydrophilidae) in Anatolia e problemi relativi. *Biogeographia*, XXI (2000):173-214.
- Hebauer F 1994. The Hydrophiloidea of Israel and the Sinai (Coleoptera, Hydrophiloidea). *Zoology in the Middle East*, 10: 73-137.
- Hansen M 1987. The Hydrophiloidea (Coleoptera) of Fennoscandia and Denmark. *Fauna Entomologica Scandinavica*, 18: 1-253.
- Hansen M 1991. The Hydrophiloid Beetles. Phylogeny, Classification and a Revision of the Genera. *Biologiske Skrifter* 40, Copenhagen, The Royal Danish Academy of Science and Letters. 368 p.
- Hansen M 1999. World Catalogue of Insects, Volume 2. Hydrophiloidea (Coleoptera). Apollo Books, Stenstrup. 416 p.
- Hansen M 2004. Hydrochidae. pp. 42-43. Catalogue of Palaearctic Coleoptera Volume 2. Apollo Books, Denmark. 942 p.
- Hidalgo-galiana A, Jach MA, Ribera I 2010. *Hydrochus farsicus* sp. n. from Iran and notes on other Palearctic species of the genus (Coleoptera: Hydrophiloidea: Hydrochidae). *Zootaxa*, 2344: 61-64.
- İncekara Ü, Mart A, Polat A, Aydoğan Z, Türken H, Taşar GE, Bayram S 2011. Studies on Turkish Hydrophilidae (Coleoptera) IV. Genus *Berosus* Leach, 1817 with description of a new species: *Berosus dentalis* sp. n. *Turkish Journal of Entomology*, 35(2): 231-244.
- Polat A, Taşar GE, İncekara Ü 2015. A New Record of *Enochrus* Thomson, 1859 (Coleoptera: Hydrophilidae) for the Turkish Fauna. *Turkish Journal of Science & Technology*, 10(1): 9-12.
- Sahlberg J 1913. Coleoptera mediterranea orientalia, quae in Aegypto, Palestina, Syria, Caramania atque in Anatolia occidentali anno 1904 collegerunt John Sahlberg et Unio Saalas. *Öfver Finska Vetensk Soc Förhandl*, 55(1912-1913) A19:1-281.
- Short AEZ, Fikacek M 2011. World catalogue of the Hydrophiloidea (Coleoptera): additions and corrections II (2006-2010). *Acta Entomologica Musei Nationalis Pragae*, 51(1): 83-122.
- Smetana A 1985. Revision of the subfamily Helophorinae of the Nearctic region (Coleoptera: Hydrophilidae). *Memoirs of the Entomological Society of Canada*, 131: 1-154.
- Taşar GE, Polat A, Darilmaz MC, Türken H, Aydoğan Z, İncekara Ü, Kasapoğlu A 2012. A good sample to concurrent fauna: study on aquatic Coleoptera fauna (Adephaga and Polyphaga) of Lake Van Basin (Turkey), with some zoogeographic remarks. *Journal of the Entomological Research Society*, 14(2): 27-37.
- Taşar GE 2014. The occurrence of the subgenus *Methydrus* Rey, 1885 in Turkey (Coleoptera: Hydrophilidae, *Enochrus*) with taxonomic and distributional notes. *Munis Entomology & Zoology*, 9(1): 478-482.