

Animal Studies on Male Fertility Enhancing Properties of Plants In Malaysia: A Review of The Past 16 Years

Malezya'da Bitkilerin Erkek Doğurganlık Arttırıcı Özelliklerine Yönelik Hayvan Çalışmaları: Son 16 Yılın Bir Değerlendirmesi

Redzuan Nul Hakim Abdul Razak¹, Muhammad Lokman Md Isa^{2*}, Afzan Mat Yusof², Azantee Yazmie Abdul Wahab⁴, Hussin Muhammad³&Roszaman Ramli⁴

¹ Department of Biomedical Science, Kulliyah of Allied Health Sciences, IIUM Kuantan

² Department of Basic Medical Sciences, Kulliyah of Nursing, IIUM Kuantan

³ Institute for Medical Research, Kuala Lumpur

⁴ Department of Obstetrics and Gynaecology, Kulliyah of Medicine, IIUM Kuantan

Abdul Razak RNH, Isa ML, Yusof AM, Wahab AYA, Muhammad H & Ramli R. Animal Studies on Male Fertility Enhancing Properties of Plants In Malaysia: A Review Of The Past 16 Years. J Biotechnol and Strategic Health Res. 2017;1:17-24.

Abstract

Infertility is an issue of global and national public health concern. It is a worrying scenario with increasing number of prevalence in infertility. The importance of drugs of plant origin in the quest of fertility enhancing agents for the male from natural products has long been recognized. The present review is an attempt to summarize the fertility enhancing plants with various approaches which are: part of plant have been used, type of extract for isolating the compounds, different isolated compounds (active principles) along with different animal model used. The literature covered is of 16 years from 2000 to 2016 for around 12 plants showing improving fertility activity in males. In conclusion, this review will help other researchers in focusing future herb based drug discovery in improving fertility problem among male across the globe.

Keywords: herbal plant, reproductive system, fertility, animal study.

Özet

İnfertilite, ulusal ve küresel önemi olan ciddi bir halk sağlığı konusudur. İnfertilite prevalansının artıyor olması endişe verici bir senaryodur. Doğal ürünlerden erkeklerde fertilitiyi arttırıcı ajanlar arayışında bitki kökenli ilaçların önemi uzun bir süredir bilinmektedir. Bu çalışma, erkek fertilité verimliliğini arttırıcı çeşitli bitki araştırmaları yaklaşımlarını özetlemektedir ki bu çalışmalardan bir kısmında bitkiler bizzat kullanılmıştır, bazılarında bitkiden bileşiklerin izole edilmesi için ekstrakt elde edilmiştir, diğer bir kısmı ise farklı hayvan modellerinde denenen aktif bileşiklerdir. Araştırılan literatür, 2000'li yıllardan 2016'ya 16 yıllık çalışmaları kapsamakta olup bunlarda yaklaşık 12 bitkinin erkek fertilité aktivitesine etkilerini gösterilmiştir. Sonuç olarak, bu araştırma, dünyadaki erkeklerde doğurganlık sorununu iyileştirmede gelecekteki bitki uyumu keşifine odaklanmada diğer araştırmacılara yardımcı olacaktır.

Anahtar Kelimeler: Herbal bitki, üremesistemi, doğurganlık, hayvançalışmaları



Geliş Tarihi / Received : 28.05.2017

Kabul Tarihi / Accepted : 05.06.2017

*Corresponding Author:

Muhammad LokmanMd Isa
Department of Basic Medical Sciences,
Kulliyah of Nursing, IIUM Kuantan

E-mail: lokman@iium.edu.my

Introduction

For centuries, people have been practising phytomedicine in treating ailments or reducing risk of suffering certain diseases. It is considered as a part of an ancient medicine with interest in it becomes rapidly escalating in this modern era. Expansive and prescribed medicine is not the only true path to treat various illnesses. Without disclaiming the modern medicine, herbs can be used as an alternative or a combined therapy with conventional medication. Phytomedicine or ethnomedicine is not a new field in the world of research. It has been started long ago since the ancient times. As we realized the expensive modern medication is not the only mean to treat illness, interest in the discovery of remedy through natural or conventional products has become more escalating.

In the field of andrology, there is a need and an urgency to discover alternative treatment for fertility issue seems the male reproductive capacity recorded to be reduced globally. The impairment in fertility will affect personal, biological and social activities of a man. Development of modern drugs that are now available in the market to overcome infertility had been taking place in the past few years. As defined by World Health Organization (WHO), infertility is a state of inability to have conception after regular sexual activity within 12 months. Numerous drugs are available such as clomiphene, tamoxifen, anastrozole and aromatase inhibitor. However, some of these drugs fail to achieve normal sperm parameters. A prospective study conducted by Nada (2014) indicated that 6 months duration of tamoxifen treatment failed to show significant improvement in sperm motility¹. Therefore, it is a great concern has been brought into attention to look for another alternative in curing male sexual problems with minimal or zero side effects. It is noted that male fertility becomes one of the paramount issue to be highlighted in the development of phytomedicine. The use of plant in medicine or ethnomedicine is now globally accepted and it has to be scientifically validated. Malaysia, with the magnificent number of biodiversity, should uphold the in-depth study of ethnomedicine. The enthusiasm in practising herbal medicine should not be neglecting the evidence-based medicinal approach. Animal study and properly designed human trials should be worked out and encouraged to determine the efficacy and safety of potential phytotherapies. Thus, the traditional approach of herbal medicine

can be translated into properly justified method of treating illness and improving human wellness.

This review summarizes the local studies on fertility enhancing plants with emphasize to the part of plant have been used, type of extract prepared, animal model used and fertility parameters used. The literature covered is of 16 years from 2000 to 2016 for around 13 plants possessed promising findings in male fertility activity (Table 1). Numerous recent studies show medicinal plant potency in improving male fertility on animal.

Andrographispaniculata

Andrographispaniculata has been used for centuries as a medicinal herb for the treatment of various ailments. Treatment of 50% of ethanolic extract *A. paniculata* was significantly increased serum testosterone level, while FSH and LH concentrations remained statistically unchanged at any of the dose levels. Increased in testosterone level could indicate the beneficial use of this plant as fertility enhancer².

Chlorophytumbrovilianum

Chlorophytumbrovilianum or safedmusli is from the family Liliaceae. 60 days administration of its dried roots aqueous extract able to increase sperm count in both the treated groups, 125 mg/kg and 250 mg/kg in a dose dependent pattern³. Its aqueous roots extract also successfully restored the sperm count and endogenous antioxidative enzymes in streptozotocin-induced diabetic rats. All the oxidative stress parameters also reduced in treated rats⁴.

Eurycomalongifolia

Eurycomalongifolia or commonly known as Tongkat Ali in Malaysia from the Simaroubaceae family is a symbol of man's strength as it is claimed by Malaysian men to increase sexual activity and virility. A study conducted in 2000 indicated the extensive growth of both ventral prostate and seminal vesicle in all treated rats with 200, 400 and 800 mg/kg butanol, methanol, water and chloroform fractions⁴. The treatment of aqueous extract of Eurycomalongifolia for 28 days indicated an improvement in the sperm count, motility and viability in all treated rats. However, no evident changes found in sperm morphology⁶. A study of standardized methanol extract containing 13- α (21)-epoxyeurycomanone, eurycoma-

none, 13-alpha,21-dihydroeurycomanone,eurycomanol increased sperm count, plasma and testicular testosterone level and spermatocytes in the seminiferous tubules and the Leydig cells appeared normal⁷.An aqueous extract of Eurycoma longifolia capable of reversing the effects of estrogen by increasing spermatogenesis and sperm counts in rats after fourteen consecutive days of treatment⁸.

A standardized extract of methanol/aqueous resulted in four fractions and eurycomanone is one of the fractions. Microscopic analysis of the rat testis following treatment with eurycomanone showed significant increase in the number of spermatocytes and round spermatids. The plasma testosterone, FSH and LH were recorded to be high as compared to control⁹. Prolonged treatment (28 days) of aqueous extract of Eurycomalongifolia improved the sperm count, motility, viability and histology of the testis as compared to short period of treatment (14 days)¹⁰.

Ficusdeltoidea

Among Malaysian, Ficusdeltoidea is popularly known as mas cotek, serapat angina and telingaberuk. It has been used as a food supplement. Four weeks treatment of aqueous and methanol extract of Ficusdeltoidea leaves elevated the testosterone level, sperm count and motility in alloxan-induced diabetic rats^{11,12}.

Gynuraprocumbens

Gynuraprocumbens is a plant under family Asteraceae and can be found in China, Africa and Southeast Asia. This plant was recorded to protect the male reproductive system from toxicity caused by diabetes. Sperm count, motility, viability and testicular lactate dehydrogenase activity were increased in rats treated with 100 mg/kg body weight Gynuraprocumbens aqueous extract (13).

Hibiscus sabdariffa

Hibiscus sabdariffa or roselle is a shrub tree under family Malvaceae. Its calyx extract is famously used as beverages in many tropical and sub-tropical countries. A study was conducted on streptozotocin-induced diabetic rats reported improvement in sperm quality and follicular stimulating hormone but no improvement in testosterone and luteinizing level¹⁴.

Hylocereuscostaricensis

Red pitaya or dragon fruit is fruit ofHylocereuscostaricensis and native plant of the tropical forest regions in Mexico and South America. Farid and Mahanem (2012) stated that oral administration of Hylocereuscostaricensisethanol extractin ICR mice for 25 days improved sperm parameters and testicular histology. Epididymal sperm count was found to be highest in 500 mg/kg body weight extract while 1000 mg/kg successfully increased sperm viability and its production rate. Testicular histology in 500 mg/kg body weight indicated high spermatogenic activity as compared to 1000 mg/kg body weight and control¹⁵.

Lunasiaamara

Lunasiaamara or sanrego is classified under the family Rutaceae. Its used was documented in traditional medicine by local people of Sabah, Philippines and Indonesia. A study showed that treatment with 60 mg/kg body weight of Lunasiaamara aqueous extract for 42 days increased the sperm count, motility, viability, testosterone level and testicular antioxidant enzyme activities¹⁶.

Mitragynaspeciosa

A great interest has been given to this plant recently following the discovery of its bioactivity. It is known as ketum in Malaysia and local plant of Southeast Asian region. Its leaves exhibit an opium-like effect could lead to addiction. There was a study investigated the potential of Mitragynaspeciosa leaves methanol extract on male mice fertility in period of 14 days oral gavage. As compared to fertility drug, clomiphene (25 mg/70kg), the treated groups (50, 100 and 200 mg/kg body weight) clearly increased the sperm concentration. However, the sperm motility was reduced and abnormal sperm morphology was more apparent¹⁷.

Nigella sativa

Nigella sativa seeds are frequently used in folk medicine in the Middle East and some Asian countries for the promotion of good health and treatment of many ailments. It is commonly known as black seed or black cumin and from Ranunculaceae family. Apart from its essential oil, some studies used an active constituent of Nigella sativa named thymoquinone. Thymoquinone successfully inhibited the reproductive toxicity caused by chemotherapeutic drug, cyclophosphamide (200 mg/kg body weight). Administra-

tion of thymoquinone (10 mg/kg body weight) on alternate days for 53 days in male mice increased seminiferous tubules integrity and reduced total number of DNA-damaged cells¹⁸ and increased sperm count despite no improvement in testicular histology¹⁹. Apart from that, thymoquinone also recorded a marked increase in testicular weight and cellular morphology in testis²⁰. Two studies on protective effect of *Nigella sativa* showed that 100 days of treatment with *Nigella sativa* oil improved the histology and function of both prostate gland and seminal vesicle²¹ and sperm quality²². Detrimental effects on male reproductive parameters due to chronic exposure to lead acetate also could be reversed by *Nigella sativa*²³.

Phaleriamacrocarpa

Phaleriamacrocarpa or mahkotadewa is a native plant of Papua, Indonesia. It has been planted widely due to its beneficial effects on health. In fact, there is a claim this plant capable of increase sexual libido and strength. Earlier study of *Phaleriamacrocarpa* on fertility was conducted by Parhizkar, Maryam Jamielah, & Mohammad Aziz (2013). Aqueous extract (240 mg/kg body weight) of *Phaleriamacrocarpa* significantly increased sperm viability without altering the sperm motility and morphology after 7 weeks treatment²⁴. Similar study was conducted had reported an increase in the number of spermatogonia cell and the thickness of seminiferous tubules of male rats²⁵.

Plantago major

This plant is called “ekoranjing” by Malaysian. The used of this plant as traditional remedies were documented by numerous folk medicines including Spanish, Mexican and native people in Brazil. Aqueous extract of its seed (30, 60, 100 and 200 mg/kg body weight) elevated the sperm count after 20 days oral gavage. The increasing trend in testosterone level was insignificant²⁶.

DISCUSSION

In Malaysia, the most studied plant as fertility enhancer was *Eurycomalongifolia*. It is widely known that *Eurycomalongifolia* or “Tongkat Ali” is highly regarded as male sexual enhancer. The progression of Tongkat Ali’s research up to clinical trial or human study is an impressive breakthrough in the Malaysian’s herbal medicine. The used of rat as animal model found to be more

prominent. Some studies had shown a positive effect of plant in spermatogenesis which is a vital element in male fertility. Spermatogenesis failure including azoospermia and oligospermia is one of the root cause of male infertility. Apart from androgen level, poor spermatogenic activity and sperm quality could be associated with drug treatment, chemotherapy, toxins, air pollution and vitamins insufficient intake. Hence, a comprehensive analysis on each parameters associated with male fertility enhancement are vital to ensure the data and findings are properly justified.

It is clearly that the profound animal study of the effect of plants towards male reproductive system will support the use and the effectiveness of the medicinal plants. It is a great loss if their potentials are neglected without proper study and analysis. More studies should be conducted to understand the action mechanism, its active components as well as their molecular aspect. The development of the current methodologies able to provide comprehensive view on the therapeutic value, efficacy as well as its possible mechanism of action. It is crucial to have robust and valid methods in assessing the improvement of sperm function and its fertilizing ability. There are several parameters can be used to evaluate the fertility promoting ability of any compound or natural product. These parameters encompass the overall fertility modalities including sperm quality, hormonal concentration, testicular and accessory organs histology and weight, seminal fluid content and deoxyribonucleic acid (DNA) integrity. Some of the studies equip their analysis with oxidative stress and antioxidant level assays.

Is it worth to continue the use of animal study in searching for male fertility enhancer? It is a continuous debate among the researchers regarding this issue. With the development of in vitro technique²⁷ as an alternative in evaluating the fertility improvement properties of a plant, it can be a driving factor to develop more research without animal involvement which can be considered as an ethical-wise. However, it has to be agreed that in vivo data solely cannot ultimately conclude the ability or potential of any herb in promoting fertility. Reproductive system is a complex body system and influenced by various factors especially hormonal regulation. Therefore, the deep understanding of herbal product in hormonal mechanism and spermatogenesis is vital. This can be achieved via properly designed of animal study. It is fair to conclude that both

Table 1.1 Plants with male fertility enhancing properties in Malaysia

Species name	Part used	Type of plant extract/ active constituents	Animal models	Fertility Parameters	Reference
Eurycomalongifolia	Root	Butanol, methanol, water and chloroform fractions	Rat	Promoted growth of ventral prostate and seminal vesicle	(5)
		Aqueous	Rat	Improvement in the sperm count, motility and viability	(6)
		Methanol/ 13-alpha(21)-epoxyeurycomanone, eurycomanone, 13-alpha,21-	Rat	Increased sperm count Plasma and testicular testosterone were significantly increased Spermatocytes in the seminiferous tubules and the Leydig cells appeared normal	(7)
		Aqueous	Rat	Significantly higher sperm counts and sperm motility	(8)
		Methanol, aqueous/ eurycomanone	Rat	Increased in the number of spermatocytes and round spermatids Increased plasma testosterone, FSH and LH	(9)
		Aqueous	Rat	Increased the sperm count, motility, viability and histology of the testis	(10)
Plantago major	Seed	Aqueous	Rat	Increased sperm concentration and testosterone level	(26)
Gynuraprocumbens	Leaf	Aqueous	Rat	Increased sperm count and motility Sperm mortality decreased Testicular LDH increased	(13)
Holocereuscostaricensis	Fruit	95% ethanol	Mice	Increased sperm count, sperm viability High density of sperm in seminiferous tubules.	(15)
Ficusdeltoidea	Leaf	Aqueous, ethanol	Rat	Improved the testosterone level, sperm count and motility Reduced sperm abnormalities	(11)
Mitragynaspeciosa	Leaf	Methanol	Mice	Increased in the number of sperm count	(17)
Hibiscus sabdariffa	Calyx	Aqueous	Rat	High sperm concentrations and sperm motility. Low sperm abnormality Plasma follicle-stimulating hormone level elevated No alteration in plasma testosterone and luteinizing hormone level	(14)
Phaleriamacrocarpa	Fruit	Aqueous	Rat	Increased sperm viability without changing the sperm motility and morphology	(24)
				Increased the number of cell and the thickness of seminiferous tubules	(25)
Chlorophytumborivilianum	Root	Aqueous	Rat	Increased sperm count Reduced percentage of sperm abnormality	(4)

Species name	Part used	Type of plant extract/ active constituents	Animal models	Fertility Parameters	Reference
Nigella sativa	Seed	Oil	Rat	Improvement in histology and function of both prostate gland and seminal vesicle	(21)
				Increase sperm quality and showed better testis histological features	(22)
		Thymoquinone	Mice	Increased seminiferous tubules integrity Reduced total number of DNA-damaged cells Increased sperm count Significant difference in testicular weight Significant difference in sperm motility Improvement in the histology of the testes	(18,19, 20)
		Water suspension	Rat	Improved in sperm concentration, viability, and motility	(23)
Andrographispaniculata	Leaf	50% ethanol	Rat	Increasedserum testosterone level	(2)
Lunasiaamara	Stem	Aqueous	Rat	Sperm count, motility, viability, testosterone level and testicular antioxidant enzyme activities increased Increasedspermatozoa density	(16)

in vivo and in vitro study are complementary and each of them has their role or ability in assessing natural product on male fertility. Although extrapolations from animal data to clinical study has its limitations, they can sometimes be suggestive. The aspects of quality, efficacy and safety should be in place to ensure the progress of medicinal plant research with regard to male fertility.

CONCLUSION

Management of male infertility using herbal remedies is useful because of long cultural history of utilization and the current renewed interest in natural products to sustain health globally. Comprehensive research on the efficacy and safety of herbal approach for the management of male infertility is demanded as a way of appreciating the values and roles of traditional medical knowledge in health care provision. The screening of medicinal plants with fertility enhancing effect should be in line with the further isolation and identification of active constituents from plants. Moreover, research on intracellular signalling pathways could be another option for further understanding the extract's mechanism of action in improving male fertility particularly spermatogenesis. Thus, the rising of herbal medicine in improving male fertility in Malaysia is significant and may bring a dynamic change in the modern world.

ACKNOWLEDGEMENT

The Author would like to thank the Department of Biomedical Science, Kulliyah of Allied Health Sciences and Centre for Post-graduate Studies, International Islamic University Malaysia.

References

- Nada EA, El Taieb MA, Ibrahim HM, Al Saied AE. Efficacy of tamoxifen and L-carnitine on sperm ultra structure and seminal oxidative stress in patients with idiopathic oligoasthenoteratozoospermia. *Andrologia*. 2015;47(7):801-10.
- Dasuki M, Wan M, Hasnan J, Siti Amrah S, D'Souza U. Effects of 50% ethanolic extract of *Andrographis paniculata* on sexual behavior and serum hormonal assay in male Sprague Dawley rats. *International Journal of Applied Biology and Pharmaceutical Technology*. 2015;6(1):165-171.
- Kenjale R, Shah R, Sathaye S. Effects of *Chlorophytum borivilianum* on sexual behaviour and sperm count in Male rats. *Phytotherapy Research*. 2008;22:796-801.
- Giribabu N, Kumar KE, Rekha SS, Muniandy S, Salleh, N. *Chlorophytum borivilianum* (Safed Musli) root extract prevents impairment in characteristics and elevation of oxidative stress in sperm of streptozotocin-induced adult male diabetic Wistar rats. *BMC Complementary and Alternative Medicine*. 2014;14(1):291.
- Ang, HH, Cheang HS, Ahmad Pauzi MY. Effects of *Eurycoma longifolia* jack (Tongkat Ali) on the initiation of sexual performance of inexperienced castrated male rats. *Experimental Animals / Japanese Association for Laboratory Animal Science*. 2000; 49(1): 35-38.
- Mahanem MN, Abu Hassan Shaari MN, Lukman CH. The Effect of *Eurycoma Longifolia* Jack (Tongkat Ali) on Sexual Behaviour and Sperm Quality in Rats. *Malaysian Journal of Pharmaceutical Sciences*. 2004;2(1):53-60.
- Chan KL, Low BS, Teh CH, Das PK. The effect of *Eurycoma longifolia* on sperm quality of male rats. *Natural Product Communications*. 2009;4(10):1331-1336.
- Norhazlina, AW, Norfilza MM, Wan Nurul Heriza AH, Das S. The effect of *Eurycoma longifolia* Jack on spermatogenesis in estrogen-treated rats. *Clinics*. 2010;65(1):93-98.
- Low BS, Das PK, Chan KL. Standardized quassinoid-rich *Eurycoma longifolia* extract improved spermatogenesis and fertility in male rats via the hypothalamic-pituitary-gonadal axis. *Journal of Ethnopharmacology*. 2013;145(3):706-714.
- Amal Salem Farag M, Mahanem MN. Comparative study on the effect of *Eurycoma longifolia* and *Smilax myosotiflora* on male rats fertility. *AIP Conference Proceedings*. 2013;1571:227-233.
- Nurdiana S, Mohd Idzham AZ, Zanariah A, Mohd Luqman Hakim MN. Effect of *Ficus deltoidea* leaves extracts on blood clotting, sperm quality and testosterone level in alloxan-induced male diabetic rats. *International Journal of Pharmaceutical Sciences Review and Research*. 2011;13(1):111-114.
- Samsulrizal N, Awang Z, MohdNajib MLH, Idzham M, Zarin A. Effect of *Ficus deltoidea* leaves extracts on sperm quality, LDH-C 4 activity and testosterone level in alloxan-induced male diabetic rats. *IEEE Colloquium on Humanities, Science and Engineering*. 2011. <http://doi.org/10.1109/CHUSER.2011.6163864>
- Hakim P, Halimah AS, Mahanem MN. Effects of *Gynura procumbens* extract and glibenclamide on sperm quality and specific activity of testicular lactate dehydrogenase in streptozotocin-induced diabetic rats. *Malaysian Journal of Biochemistry and Molecular Biology*. 2008;16(2):10-14.
- Muhd Hanis MI, Siti Balkis B, Mohamad O, Jamaludin M. Protective role of *Hibiscus sabdariffa* calyx extract against streptozotocin induced sperm damage in diabetic rats. *EXCLI Journal*. 2012;11:659-669.
- Farid AA, Mahanem MN. Ethanol extract of dragon fruit and its effects on sperm quality and histology of the testes in mice. *Biomedical Research*. 2010;21(2):126-130.
- Nor-Raidah R, Mahanem MN. Enhancement of fertility and libido in male sprague dawley rats following the administration of aqueous extract of *Lunasia amara*. *Malaysian Applied Biology*. 2015;44(1):125-131.
- Mohamad Syamsudin MD, Wan Mastura SM, Arifah AK, Fuzina NH. Effect of short-term ingestion of the methanolic extract of *Mitragyna speciosa* on sperm quality in mice. In *Seminar on Veterinary Sciences*. 2011:51-57.
- Saheera K, Munirah S, Suzanah AR. Effects on mouse spermatogenesis and DNA fragmentation following exposure to cyclophosphamide and thymoquinone. *European International Journal of Science and Technology*. 2013;2(7):119-136.
- Suzanah AR, Noor Faridah SD, Shaik Sadak B, Saheera K. Protective effect of black seed *Nigella sativa* (L.) against cyclophosphamide-induced toxicity on reproductive and acrosomal function in mice. *Middle East Journal of Scientific Research*. 2013;17(7):955-964.
- Suzanah AR, Norul Athirah MA, Shaik Sadak B, Saheera K. Impact of thymoquinone supplementation on immobilisation stress-induced changes in reproductive characteristics of male mice. *Journal of Applied and Natural Science*. 2014;6(1):1-5.
- Lina S, Hashida NH, Eliza H. Role of *Habbatus sauda* towards the histological features of nicotine treated male rats seminal vesicle and prostate gland. *Biomedical Research*. 2014; 25(1):11-18.
- Ping NC, Noor Hashida H, Durriyyah Sharifah HA. Effects of *Nigella sativa* (*Habbatus sauda*) oil and nicotine chronic treatments on sperm parameters and testis histological features of rats. *Evidence-Based Complementary and Alternative Medicine*. 2014:1-7.
- Assi MA, Hezmee MNM, Abba Y, Rajion MA, Wahid H, Yusof MSM. Assessment of therapeutic effects of *Nigella sativa* against chronic lead acetate-induced reproductive dysfunction in male Sprague-Dawley rats. *Comparative Clinical Pathology*. 2016 <http://doi.org/10.1007/s00580-016-2349-3>.
- Parhizkar S, Maryam Jamielah Y, Mohammad Aziz D. Effect of *Phaleria macrocarpa* on sperm characteristics in adult rats. *Advanced Pharmaceutical Bulletin*. 2013;3(2):345-352.
- Parhizkar S, Suriani BZ, Mohammad Aziz D. Testicular morphology of male rats exposed to *Phaleria macrocarpa* (Mahkota dewa) aqueous extract. *Iranian Journal of Basic Medical Sciences*. 2014;17:384-390.
- Noor H, Juing M, Chee BJ, Kueh BL, Zolkepli O. Medicinal properties of *Plantago major*: Hypoglycaemic and male fertility studies. *Pertanika J. Trp. Agric. Sci*. 2000;23(1):29-35.
- Mocé, E, Graham JK. In vitro evaluation of sperm quality. *Animal Reproduction Science*. 2008;105(1-2):104-118.