







14. Wunderink RG, Cammarat SK, Oliphant T, Kollef MH. Continuation of a randomized, double-blind, multicenter study of linezolid versus vancomycin in the treatment of patients with nosocomial pneumonia. *Clin Therapeutics* 2003; 25: 980-92.
15. Rubinstein E, Cammarat SK, Oliphant TH, Wunderink RG. Linezolid (PNU-100766) versus vancomycin in the treatment of hospitalized patients with nosocomial pneumonia: a randomized, double-blind, multicenter study. *Clin Infect Dis* 2001; 32: 402-12.
16. Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases: 2-Vol Set, 8e, 2015.
17. Lee M, Lee J, Carrol MW, et al. Linezolid for treatment of chronic extensively drug-resistant tuberculosis. *New Eng J Med* 2012; 67: 1508-18.
18. Gerson SL, Kaplan SL, Bruss JB, et al. Hematologic effects of linezolid: summary of clinical experience. *Antimicrob Agents Chemother* 2002; 46: 2723-6.
19. Nukui Y, Hatakayema S, Okamoto K, et al. High plasma linezolid concentration and impaired renal function affect development of linezolid-induced thrombocytopenia. *J Antimicrob Chemother* 2013; 68: 2128-33.
20. Takahashi Y, Takesue Y, Nakajima K, et al. Risk factors associated with the development of thrombocytopenia in patients who received linezolid therapy. *J Infect Chemother* 2011; 17: 382-7.
21. Jones SL, Athan E, O'Brien D. Serotonin syndrome due to co-administration of linezolid and venlafaxine. *J Antimicrob Chemother* 2004; 54: 289-90.
22. Bernard L, Stern R, Lew D, Hoffmeyer P. Serotonin syndrome after concomitant treatment with linezolid and citalopram. *Clin Infect Dis* 2003; 36: 1197.
23. Bressler AM, Zimmer SM, Gilmore JL, Somani J. Peripheral neuropathy associated with prolonged use of linezolid. *Lancet Infect Dis* 2004; 4: 528-31.
24. Lee E, Burger S, Melton C, Mullen M, Warren F. Linezolid-associated toxic optic neuropathy: a report of 2 cases. *Clin Infect Dis* 2003; 37: 1389-91.