

---

*Araştırma Makalesi / Research Article*

---

## Complex Network Analysis Approach to Examining Undergraduate Program Preferences

Volkan TUNALI<sup>\*1</sup>, Erdal GÜVENOĞLU<sup>2</sup>

<sup>1</sup>Maltepe University, Department of Software Engineering, Istanbul

<sup>2</sup>Maltepe University, Department of Computer Engineering, Istanbul

---

### Abstract

In this study, we analyzed undergraduate program preferences of students by using complex network analysis techniques. We collected program preferences data from the YokAtlas portal provided by the Council of Higher Education using a web crawler we developed. We constructed a kind of co-occurrence network we called co-preference network of 622 nodes and 6,136 edges from the collected raw data. We performed a comprehensive exploratory complex network analysis on the co-preference network using Cytoscape and NodeXL tools. Using several node centrality measures, we identified the most popular programs that students frequently preferred together with other programs. In addition, we observed the clusters of programs embedded in the network using several network community detection methods. Finally, we performed a structure analysis to compare our network to a corresponding random network, and we showed that our network had the common characteristic properties that many real-world networks exhibit.

**Keywords:** Network Science, Complex Network Analysis, Higher Education, Undergraduate Program.

---

## Yükseköğretim Programı Tercihlerinin İncelenmesinde Karmaşık Ağ Analizi Yaklaşımı

### Öz

Bu çalışmada, karmaşık ağ analizi teknikleri kullanarak, öğrencilerin yükseköğretim programı tercihlerini analiz ettik. Program tercihleri verisini, kendi geliştirdiğimiz bir web sayfası tarama aracı kullanarak, Yükseköğretim Kurulu tarafından sağlanan YökAtlas portalından topladık. Toplanan ham veriden 622 düğüm ve 6.136 kenara sahip, birlikte tercih edilme ağı olarak adlandırdığımız bir çeşit birliktelik ağı oluşturduk. Cytoscape ve NodeXL araçlarını kullanarak, bu ağ üzerinde keşif türünden kapsamlı bir karmaşık ağ analizi gerçekleştirdik. Çeşitli düğüm merkezilik ölçütleri kullanarak, öğrencilerin diğer programlarla birlikte sıklıkla tercih ettiği en popüler programları tespit ettik. Ayrıca, çeşitli topluluk tespiti yöntemleri kullanarak, ağ içerisinde yerleşik program kümelerini gözlemledik. Son olarak, ağıımızı, karşılık gelen rasgele ağ ile karşılaştırmak amacıyla bir yapı analizi gerçekleştirdik ve ağıımızın çoğu gerçek hayat ağıının sergilediği ortak karakteristik özelliklere sahip olduğunu gösterdik.

**Anahtar kelimeler:** Ağ Bilimi, Karmaşık Ağ Analizi, Yükseköğretim, Yükseköğretim Programı.

---

### 1. Introduction

In Turkey, the higher education system requires that students take a series of university entrance exams and specify their undergraduate program preferences after their exam grades are announced. The whole process called the Student Selection and Placement System (Öğrenci Seçme ve Yerleştirme Sistemi – ÖSYS) is administered by the Center for Measurement, Selection and Placement (Ölçme, Seçme ve Yerleştirme Merkezi – ÖSYM) which selects and places students in available programs, considering their performance on the university entrance exams and their undergraduate program preferences [1].

---

\*Sorumlu yazar: [volkan.tunali@gmail.com](mailto:volkan.tunali@gmail.com)

Geliş Tarihi: 26.07.2018, Kabul Tarihi: 14.11.2018

There are several studies conducted on university and undergraduate program selection of students in the literature. These studies mostly focused on identifying the factors that affected the decisions of prospective students, such as interest in the program, tuition and availability of funding, geographic location, and campus facilities [2-4]. Similar studies were also conducted for specifically Turkish universities. Ağaoğlu and Yurtkoru [5] evaluated program preference criteria of students with respect to study areas, academic units, education type, language of instruction, and gender. Özgüven [6] estimated private university preference rankings by analytic hierarchy process using several criteria.

In this study, we aim to analyze undergraduate program preferences of students by means of complex network analysis techniques. Rather than analyzing the influential factors in deciding the undergraduate programs, we investigate the associations between the programs preferred together. One plausible approach to analyzing such relationships is to use the classical Association Rule Mining from Data Mining techniques. However, this type of analysis usually generates many rules depending on the thresholds like minimum support and minimum confidence, and it becomes difficult to interpret the rules to gain valuable insights. Besides, from many single rules, it is hard to reach the larger structure and patterns. Therefore, in our research, we use complex network analysis tools and techniques to explore and analyze the program preferences of students. Complex network analysis makes it possible to analyze the data in terms of the global structure of connected entities as well as in terms of local individual entities. In addition, complex network visualization techniques enable us to analyze the data and perceive the patterns visually. This study in general takes an exploratory approach to answer the following research questions:

What are the most central and important (in other words, the most co-preferred) programs?

Are there any structural patterns in undergraduate program preferences of students, or instead, do these preferences happen to be random? Can we understand the phenomenon by analyzing the co-preference network? If any patterns are observed, do they reflect the attitude and the way of thinking of prospective university students in general?

Do the co-preference network we construct have similar structural properties observed in most real-world networks?

This paper is organized as follows. In Section 2, we give the details of the material and the method we used for the analysis. In Section 3, we present and discuss our findings. Finally, we conclude the paper and give some directions for future research in Section 4.

## 2. Material and Method

Our research methodology consists of four distinct phases: data collection, data cleansing, network modeling and construction, and complex network analysis. Details of each phase are given under their respective sub-sections in this section.

### 2.1. Data Collection

Data for this study are collected from the Higher Education Program Atlas (Yükseköğretim Program Atlası) web portal (abbreviated as YokAtlas), which is provided by the Council of Higher Education (Yükseköğretim Kurulu – YÖK) to help prospective university students make university and undergraduate program preferences consciously [7]. In this portal, very comprehensive and detailed statistics about each undergraduate program by the years 2015, 2016, and 2017 under 31 different headings are accessible via a very user-friendly web interface, such as several preference statistics of the program, other universities and programs that the students enrolled in the program preferred together, and university entrance exam grades and ranks of the students enrolled in the program.

For this study, we made use only of the statistical data of the programs that the students enrolled in a program in 2017 preferred together. For example, Table 1 shows the list of programs (and their preference counts) that were preferred together by the students enrolled in Maltepe University, Faculty of Engineering and Natural Sciences, Software Engineering (English) (Full Scholarship) program in 2017. For each one of total 23,245 undergraduate programs offered by 207 universities, this list was crawled and saved into a text file by a Python program we developed. Specifically, we made use of Selenium [8] to obtain the contents of the necessary web pages, and lxml [9] to extract the tabular data from the web pages crawled. After collecting the preferences data in text file format, the data were

inserted into a relational database for further easy querying and processing. In the program preferences table, there were 765,712 data rows (roughly 33 preferences per program).

**Table 1.** Sample data crawled from YokAtlas

Program Name (Original)	Program Name (in English)	Preference Count
Bilgisayar Mühendisliği	Computer Engineering	27
Elektrik-Elektronik Mühendisliği	Electrical-Electronic Engineering	9
Yazılım Mühendisliği	Software Engineering	7
Endüstri Mühendisliği	Industrial Engineering	6
Fizyoterapi ve Rehabilitasyon(Fakülte)	Physical Therapy and Rehab. (Faculty)	4
Elektronik ve Haberleşme Mühendisliği	Electronics and Communication Eng.	2
Kontrol ve Otomasyon Mühendisliği	Control and Automation Engineering	2
Elektrik Mühendisliği	Electrical Engineering	1

## 2.2. Data Cleansing

Since the collected data were not readily available for network modeling and analysis as they contained several problems, we first needed to perform several data cleansing operations on the data. In Turkish higher education, there are several variants of most undergraduate programs depending on the language of instruction and the scholarship opportunities. For example, there were eight variants of Medicine program with two different language options (Turkish and English) and four different scholarship options (100%, 50%, 25% scholarship, and no scholarship) at Maltepe University. Nevertheless, the preferences data provided by YokAtlas lacked these details; that is, only the bare profession names were supplied instead of full program names. Therefore, we needed to normalize the names of the 23,245 programs in order to make them compatible with the preferences data. For this normalization, program language and other similar options that appeared in program names within brackets were all removed. We also made a similar normalization for the preferred program names as they sometimes contained similar distinguishing elements inside brackets. In addition, we saw that the same program name was recorded with different capitalizations, which would cause problems during the analysis phase as we needed unique names. Thus, we transformed such program names to a single common one. Furthermore, there were several program names in the preferences data like “Kıbrıs”, “KKTC”, and “Yabancı” that were not correct undergraduate program names at all. Then, we omitted these names from our unique program names list, and the number of valid undergraduate program names were 631. However, nine of them were not preferred with any other program together, therefore, we removed them from the final list. Finally, we obtained 622 distinct undergraduate program names (actually profession names) and 72,571 co-preference data rows.

## 2.3. Network Modeling and Construction

A very common way of network construction is to use the co-occurrence of events in any domain. In this work, we used the data of undergraduate programs preferred together by university students during the program selection. We called this type of data “program co-preference data”. Once we obtained the program co-preference data, it was a straightforward process to construct the “co-preference network”. Each undergraduate program was represented by a distinct node in the network. Due to the nature of the data YokAtlas provided, if a student enrolled in program A had preferred program B, then a directed edge was created between the corresponding nodes in the network from A to B. Therefore, the relationships between some programs were expected to be reciprocal; that is, if there is a directed edge from A to B, then there is also another directed edge from B to A. Furthermore, we ignored the edge weights because most complex network analysis methods do not use the weights (unless the weights represent a meaningful distance value in the network of interest).

Using the above network construction method, we constructed the co-preference network of 622 nodes and 72,571 directed edges. 27,633 node pairs had reciprocal edges and 17,305 node pairs had only single-direction edges. Since the network was highly dense (undirected density was  $d=0.233$ ), visualization of it did not reveal the underlying structural patterns easily. Besides, we considered most edges as noise that prevented the conceivable analysis of structural properties of the network. Then, we

followed a sort of filtering approach that permitted a better analysis. Instead of using all co-preferred programs, we selected top 10 most co-preferred programs (in descending order of preference count) for each program, and then constructed a new network with the same method.

The new network had 622 nodes and 6,136 directed edges. 516 node pairs had reciprocal edges and 5,104 node pairs had only single-direction edges.

## 2.4. Complex Network Analysis

Complex Network Analysis is a set of techniques that study the statistics, the structure and the function of large and complex networks where nodes represent any kind of entities, and edges represent any kind of relationships between the entities [10]. It is based on theories and methods from several disciplines including mathematics, physics, computer science, statistics, and sociology. A network analysis study usually involves the following steps after a network representation of the complex phenomenon is obtained. First, the network data is visualized and patterns are searched for visually. Then, the structural analysis is performed to understand the general characteristics of the network as a whole. For example, structural measures like degree distribution of nodes, clustering coefficient, average path length, and diameter give us important information about the network. Third, centrality analysis is employed, where structurally the most central and important nodes are identified using appropriate centrality measures like degree, closeness, betweenness, and eigenvector centrality. A final analysis called community analysis is performed to reveal the transitive relationships between nodes to detect the clusters or dense groups in the network [11].

In this study, we used Cytoscape 3.6.1 [12] and NodeXL Basic 1.0 [13] to visualize and analyze the undergraduate program co-preference network. Cytoscape is a general-purpose, open-source software environment specifically developed for the large scale integration of molecular interaction network data. However, it can be used to analyze any type of network owing to its extensive analysis capabilities and plugin-based extensibility. NodeXL Basic is a free, open-source template for Microsoft Excel 2007 and later versions that integrates the ease of use of Excel with powerful network analysis and visualization capabilities.

## 3. Results and Discussion

Using the above mentioned network analysis tools, we analyzed the co-preference network in four distinct phases. First, we visualized the network to see its general structure and layout. Then, we performed structural network analysis. Next, centralities of the nodes were analyzed. Finally, we tried to reveal the community structures embedded in the network.

### 3.1. Visual Network Analysis

The very first step of any complex network analysis usually involves the visualization of the network using an appropriate layout algorithm that enables one to see the organization of the nodes and their relationships with each other as clearly as possible. For this reason, we visualized the network using Fruchterman-Reingold layout algorithm available in NodeXL [14]. Fruchterman-Reingold is a fast and effective layout algorithm that distributes the nodes in such a way that the edges intersect minimally to provide a clear view of the network. The visualization of the network is shown in Figure 1. The figure clearly reveals without any further effort that there are three big and one relatively small clusters. A detailed analysis of these cluster formations are given in Section 3.4.

### 3.2. Structural Network Analysis

We obtained the general structural measures of the network using Cytoscape, such as density, clustering coefficient, diameter, centralization, and characteristic path length. All these measures are presented in Table 2.



**Figure 1.** Visualization of the network


**Table 2.** Structural measures of the network

Measure Name	Value
Nodes	622
Edges	6,136
Clustering coefficient	0.543
Characteristic path length	3.019
Density	0.029
Connected components	1
Diameter	6
Radius	3
Average number of neighbors	18.071
Centralization	0.170

We also obtained the degree distribution chart shown in Figure 2. Degree distribution suggests that the network exhibits a degree distribution close to the Power Law distribution, which is the distribution usually observed in most real-world networks regardless of the type and size of the network [11]. This distribution indicates that most of the nodes have a relatively low degree (number of neighbors) while a few nodes have a very high degree. High number of neighbors (or degree) can be attributed to the popularity of the node (the corresponding undergraduate program).

In order to check whether the network structure was a result of a random process or rather there was a natural force or process that generated the network which was far from random, we applied a further empirical analysis. In this analysis, we created 10 different Erdős-Rényi [15] random graphs with the same number of nodes and edges as our co-preference network using the network randomizer plugin in Cytoscape. Then, we compared the structural analysis results of this corresponding random graphs to the results of our network. On the average, the random graphs had a clustering coefficient of 0.031 and a characteristic path length of 2.487. In addition, the random graphs had a degree distribution different

from the Power Law distribution. These findings were in line with the general expectation. It is a well-known fact that random networks do not exhibit the high clustering of real-world networks. Clustering coefficient 0.543 of our network was very much higher than the clustering coefficient 0.031 of the corresponding random graphs. Short characteristic path length is also a common behavior of both real-world and random networks. Therefore, it was very normal that we observed close characteristic path lengths of 3.019 and 2.487. Finally, the random graphs had a Poisson degree distribution as expected as a result of random edge addition between nodes. According to these three characteristic properties, our co-preference network was said to be far from randomness. This is not surprising because students do not make program choices randomly from the list of all undergraduate programs offered by the universities. Instead, they mostly prefer similar or related undergraduate programs together according to their likely future professions along with several other criteria.



**Figure 2.** Degree distribution of the network

### 3.3. Centrality Analysis

In this phase of the analysis, we calculated degree, closeness, betweenness, and eigenvector centralities of the nodes in the network using NodeXL. These are the most commonly used centrality measures that usually give useful insights about the relative importance of nodes in the network. The higher the centrality value, the more central a node is. Top 20 programs are ranked by their degree, closeness, betweenness, and eigenvector centralities in Table 3, 4, 5, and 6 respectively.

While different centrality measures compute the importance of nodes from different perspectives, we often see that their results support each other, which was also the case in our analysis. We see that all top 10 programs in Table 4 (betweenness centrality ranking) except “Worker’s Health And Job Safety” appear in all other centrality tables. These programs are emphasized in the tables with boldface font. We can interpret these findings that these were the most co-preferred programs in 2017.

Table 3 (degree centrality ranking) displays a blend of these nine programs with the most popular engineering programs in Turkey. Table 6 (eigenvector centrality ranking) shows a similar result by placing these engineering programs at the top of the list. These programs are emphasized in the tables with italic font. This result is reasonable because eigenvector centrality calculation also depends on the degrees of the nodes but it gives more importance to the nodes whose neighbors have also higher degrees. We can infer that these engineering programs were very popular among students and that the students choosing these programs also chose other popular programs together.

**Table 3.** Top 20 programs by their degree centralities

Rank	Program Name (Original)	Program Name (in English)	Degree
1	<b>Halkla İlişkiler ve Tanıtım</b>	<b>Public Relations and Publicity</b>	123
2	<b>Okul Öncesi Öğretmenliği</b>	<b>Preschool Teaching</b>	116
3	<b>İşletme</b>	<b>Business Administration</b>	115
4	<i>Bilgisayar Mühendisliği</i>	<i>Computer Engineering</i>	115
5	<b>Hemşirelik</b>	<b>Nursing</b>	110
6	<b>Bankacılık ve Sigortacılık</b>	<b>Banking and Insurance</b>	110
7	<i>Elektrik-Elektronik Mühendisliği</i>	<i>Electric-Electronic Engineering</i>	103
8	<b>Çocuk Gelişimi</b>	<b>Child Development</b>	102
9	<i>Makine Mühendisliği</i>	<i>Mechanical Engineering</i>	99
10	<b>İlahiyat</b>	<b>Theology</b>	93
11	<b>Adalet</b>	<b>Jurisprudence</b>	92
12	<i>İnşaat Mühendisliği</i>	<i>Civil Engineering</i>	92
13	<i>Endüstri Mühendisliği</i>	<i>Industrial Engineering</i>	91
14	Büro Yönetimi ve Yönetici Asistanlığı	Office Management and Executive As.	87
15	İktisat	Economics	85
16	<b>Tıbbi Dokümantasyon ve Sekr.</b>	<b>Medical Documentation and Secr.</b>	81
17	Muhasebe ve Vergi Uygulamaları	Accounting and Taxation	79
18	Siyaset Bilimi ve Kamu Yönetimi	Political Science and Public Adminis.	77
19	Uluslararası İlişkiler	International Relations	77
20	İş Sağlığı ve Güvenliği	Worker's Health And Job Safety	75

**Table 4.** Top 20 programs by their betweenness centralities

Rank	Program Name (Original)	Program Name (in English)	Betweenness
1	<b>Hemşirelik</b>	<b>Nursing</b>	28,319.01
2	İş Sağlığı ve Güvenliği	Worker's Health And Job Safety	21,306.84
3	<b>Halkla İlişkiler ve Tanıtım</b>	<b>Public Relations and Publicity</b>	20,746.26
4	<b>Okul Öncesi Öğretmenliği</b>	<b>Preschool Teaching</b>	19,129.26
5	<b>İlahiyat</b>	<b>Theology</b>	17,082.51
6	<b>Çocuk Gelişimi</b>	<b>Child Development</b>	15,757.27
7	<b>Bankacılık ve Sigortacılık</b>	<b>Banking and Insurance</b>	12,863.82
8	<b>İşletme</b>	<b>Business Administration</b>	10,854.83
9	<b>Adalet</b>	<b>Jurisprudence</b>	6,800.76
10	<b>Tıbbi Dokümantasyon ve Sekreterlik</b>	<b>Medical Documentation and Secr.</b>	6,702.67
11	<i>Bilgisayar Mühendisliği</i>	<i>Computer Engineering</i>	6,209.62
12	İlk ve Acil Yardım	First and Emergency Aid	5,895.35
13	Maliye	Public Finance	5,361.08
14	Grafik Tasarımı	Graphic Design	5,115.28
15	İktisat	Economics	5,076.25
16	<i>Endüstri Mühendisliği</i>	<i>Industrial Engineering</i>	5,070.34
17	Turizm ve Otel İşletmeciliği	Tourism and Hotel Management	4,451.93
18	Sınıf Öğretmenliği	Primary School Education	4,451.69
19	Muhasebe ve Vergi Uygulamaları	Accounting and Taxation	4,376.92
20	Endüstri Ürünleri Tasarımı	Industrial Product Design	4,236.66

**Table 5.** Top 20 programs by their closeness centralities

Rank	Program Name (Original)	Program Name (in English)	Closeness
1	Okul Öncesi Öğretmenliği	Preschool Teaching	0.000743
2	İlahiyat	Theology	0.000734
3	Çocuk Gelişimi	Child Development	0.000708
4	Sınıf Öğretmenliği	Primary School Education	0.000700
5	Halkla İlişkiler ve Tanıtım	Public Relations and Publicity	0.000688
6	Hemşirelik	Nursing	0.000687
7	Bankacılık ve Sigortacılık	Banking and Insurance	0.000686
8	Adalet	Jurisprudence	0.000684
9	İşletme	Business Administration	0.000680
10	İş Sağlığı ve Güvenliği	Worker's Health And Job Safety	0.000678
11	Tıbbi Dokümantasyon ve Sekr.	Medical Documentation and Secr.	0.000677
12	Maliye	Public Finance	0.000671
13	Sağlık Yönetimi	Healthcare Management	0.000663
14	Bankacılık ve Finans	Banking and Finance	0.000656
15	Özel Eğitim Öğretmenliği	Special Education Teaching	0.000654
16	Otel Yöneticiliği	Hotel Management	0.000653
17	İktisat	Economics	0.000650
18	Sosyal Hizmetler	Social Services	0.000646
19	Rehberlik ve Psikolojik Danışmanlık	Guidance and Psychological Counseling	0.000646
20	Grafik Tasarımı	Graphic Design	0.000644

**Table 6.** Top 20 programs by their eigenvector centralities

Rank	Program Name (Original)	Program Name (in English)	Eigenvector
1	Bilgisayar Mühendisliği	Computer Engineering	0.010240
2	Elektrik-Elektronik Mühendisliği	Electric-Electronic Engineering	0.009405
3	Hemşirelik	Nursing	0.009083
4	Makine Mühendisliği	Mechanical Engineering	0.008937
5	İnşaat Mühendisliği	Civil Engineering	0.008730
6	Endüstri Mühendisliği	Industrial Engineering	0.008383
7	Halkla İlişkiler ve Tanıtım	Public Relations and Publicity	0.008378
8	Çocuk Gelişimi	Child Development	0.007316
9	Bankacılık ve Sigortacılık	Banking and Insurance	0.007124
10	Okul Öncesi Öğretmenliği	Preschool Teaching	0.006950
11	Adalet	Jurisprudence	0.006554
12	Büro Yönetimi ve Yönetici Asistanlığı	Office Management and Executive As.	0.006271
13	İlahiyat	Theology	0.006071
14	İşletme	Business Administration	0.005965
15	Mimarlık	Architecture	0.005811
16	Tıbbi Dokümantasyon ve Sekr.	Medical Documentation and Secr.	0.005798
17	Matematik	Mathematics	0.005160
18	Muhasebe ve Vergi Uygulamaları	Accounting and Taxation	0.005155
19	Diş Hekimliği	Dentistry	0.004809
20	Siyaset Bilimi ve Kamu Yönetimi	Political Science and Public Adminis.	0.004691

### 3.4. Community Analysis

In this final phase of the complex network analysis, we used NodeXL to detect the clusters or dense groups of nodes in the network. First, we applied Clauset-Newman-Moore clustering method [16] and found three large and one relatively small clusters that we could easily distinguish when we visualized the network as seen in Figure 1. Then, we applied Wakita-Tsurumi method [17] and found eight clusters of different sizes. These clusters are shown in Figure 3 where nodes in distinct clusters appear with



distinct colors. In this study, a cluster is a collection of programs that were preferred together highly often by the students. Table 7 gives the properties of the clusters found.




Figure 3. Visualization of the clusters in the network

Table 7. Clusters found in the network

#	Node Color	Cluster Size	Program Themes in the Cluster
1	●	176	Economics, Administration, Communication, Education
2	●	157	Engineering, Medicine, Natural Sciences
3	●	139	Vocational School (mix with no specific theme)
4	●	79	Vocational School (Medical, Technology)
5	●	44	Language, Literature, Interpreting
6	●	25	Vocational School (Banking, Insurance, Tourism)
7	●	1	Art and Social Sciences
8	●	1	Marine School Deck

Clusters detected clearly show the general tendency of students while specifying their program preferences. Cluster 1 comprises of economics and business related programs as well as communication and education programs. Programs within Cluster 2 are related to engineering, medicine, and natural sciences, which are frequently preferred together by students from a science and maths background in Turkey. We see that vocational school programs are grouped into three distinct clusters 3, 4 and 6, depending on the relative affinity of the programs within the clusters. Cluster 5 contains the language, literature and interpreting programs. Clusters 7 and 8 have single members, “Art and Social Sciences” and “Marine School Deck”, respectively. Although these two programs are connected to a few other programs, the clustering algorithm did not place them into any other cluster most probably because of their unique structural characteristics.

#### 4. Conclusion and Future Directions

In this research, we analyzed the undergraduate program preferences of students by using complex network analysis techniques. First, we collected program preferences data from the YokAtlas portal

using a web crawler we developed. Then, we applied several cleansing and transformation operations on the data to make it convenient to construct the preference network. Next, we constructed the network we called “co-preference network” of 622 nodes and 6,136 edges. Once the network was available in a suitable format, we used Cytoscape and NodeXL tools to explore and analyze it. With regard to research questions we introduced before, we obtained the findings as follows.

First, using several centrality measures, it was possible to identify the most central (in other words, the most important) programs that the students frequently preferred together with other programs. We saw that “Nursing”, “Public Relations and Publicity”, “Preschool Teaching”, and “Banking and Insurance” programs were highly popular. Besides these programs, we could see that “Computer Engineering”, “Electric-Electronic Engineering”, “Mechanical Engineering”, “Civil Engineering”, and “Industrial Engineering” engineering programs were the most popular ones as we would expect in Turkey.

Second, we observed cluster formations both by visual and community analysis. These clusters show that undergraduate programs preferred together are the result of a conscious and meaningful decision process rather than being at random.

Finally, we wanted to check whether the co-preference network we constructed had the characteristic properties that were commonly observed in most real-world networks. In order to do this, we calculated the clustering coefficient, characteristic path length and obtained the node degree distribution of our network. Then, we constructed a number of Erdős-Rényi random graphs with the same number of nodes and edges as our co-preference network, and calculated the same metrics from these random graphs. After that, we compared the two set of values and degree distributions. We observed that our co-preference network also had the common characteristics that many real-world networks exhibit.

In this study, we focused only on the data of 2017 preferences. However, it is possible to obtain the data of 2015 and 2016 from the YokAtlas portal, and to apply the same methodology to them. This way, it would be possible to compare the program preferences and observe the differences and similarities. Moreover, the YokAtlas portal provides the university preferences of students, and it is possible to conduct a similar study on the co-preferred universities network.

## References

- [1] ÖSYS. 2018. ÖSYS: Öğrenci Seçme ve Yerleştirme Sistemi. <http://www.osym.gov.tr/TR,8832/hakkinda.html> (Erişim Tarihi: 30.06.2018).
- [2] Briggs S., Wilson A. 2007. Which university? A study of the influence of cost and information factors on Scottish undergraduate choice, *Journal of Higher Education Policy and Management*, 29 (1): 57-72.
- [3] Daily C.M., Farewell S., Kumar G. 2010. Factors Influencing the University Selection of International Students, *Academy of Educational Leadership Journal*, 14 (3): 59-75.
- [4] Abubakar B., Shanka T., Muuka G.N. 2010. Tertiary education: an investigation of location selection criteria and preferences by international students—The case of two Australian universities, *Journal of Marketing for Higher Education*, 20 (1): 49-68.
- [5] Ağaoğlu M., Yurtkoru E.S. 2013. A Research on Students' University and Program Preference Criteria, *Öneri Dergisi*, 10 (40): 115-124.
- [6] Özgüven N. 2011. Vakıf Üniversitesi Tercihinin Analitik Hiyerarşik Süreci ile Belirlenmesi, *Dumlupınar Üniversitesi Sosyal Bilimler Dergisi*, (30): 279-290.
- [7] YÖK Atlas. 2018. Yükseköğretim Program Atlası. <https://yokatlas.yok.gov.tr/> (Erişim Tarihi: 30.06.2018).
- [8] Salunke S.S. 2014. *Selenium Webdriver in Python: Learn with Examples*, CreateSpace Independent Publishing Platform. 86s.
- [9] lxml. 2018. lxml - XML and HTML with Python. <https://lxml.de/> (Erişim Tarihi: 30.06.2018).
- [10] Zweig K.A. 2016. *Network Analysis Literacy: A Practical Approach to the Analysis of Networks*, Springer-Verlag. 535s. Austria.
- [11] Tunalı V. 2016. *Sosyal Ağ Analizine Giriş*, Nobel Akademik Yayıncılık. 200s. Ankara.

- [12] Shannon P., Markiel A., Ozier O., Baliga N.S., Wang J.T., Ramage D., Amin N., Schwikowski B., Ideker T. 2003. Cytoscape: A Software Environment for Integrated Models of Biomolecular Interaction Networks, *Genome Research*, 13 (11): 2498-2504.
- [13] Hansen D.L., Shneiderman B., Smith M.A. 2011. *Analyzing Social Media Networks with NodeXL: Insights from a Connected World*, Morgan Kaufmann. Boston.
- [14] Fruchterman T.M.J., Reingold E.M. 1991. Graph Drawing by Force-directed Placement, *Software: Practice and Experience*, 21 (11): 1129-1164.
- [15] Erdős P., Rényi A. 1959. On Random Graphs, *Publicationes Mathematicae Debrecen*, 6: 290-297.
- [16] Clauset A., Newman M., Moore C. 2004. Finding community structure in very large networks, *Physical Review E*, 70 (6): 66-111.
- [17] Wakita K., Tsurumi T. 2007. Finding community structure in mega-scale social networks: [extended abstract], 16th international conference on World Wide Web, pp1275-1276, Banff, Alberta, Canada.