

THE PERCEIVED COMPETENCE OF PEDIATRIC RESIDENTS ABOUT INFANT AND TODDLER DEVELOPMENT

ÇOCUK SAĞLIĞI VE HASTALIKLARI UZMANLIK ÖĞRENCİLERİNİN -BEBEKLİK VE ERKEN ÇOCUKLUK DÖNEMİNDE GELİŞİM KONUSU'NDA KENDİNİ DEĞERLENDİRMESİ

E.Bahar BİNGÖLER PEKCİCİ¹, Gülsüm ATAY², Tuğba KAZMACAN³, H. İbrahim YAKUT³

¹ Turkish Ministry of Health Ankara Children's Hematology Oncology Research and Training Hospital, Developmental- Behavioral Pediatrics Unit

² Ankara Baskent University Medical Faculty Pediatrics Department, Developmental- Behavioral Pediatrics Unit

³ Turkish Ministry of Health Ankara Children's Hematology Oncology Research and Training Hospital

Dear Editor,

In our study about "The perceived competence of pediatric residents about infant and toddler development" we found that pediatric residents in our hospital had lack of knowledge about the promotion of early childhood development and prevention, early identification and management of developmental problems and also we have presented a poster about this topic in the 1st National Developmental- Behavioral Pediatrics Congress.

In developed countries it is known that theoretical and practical lessons about the promotion of early childhood development and prevention, early identification and management of developmental problems are given for many years to the pediatric residents (1). In our country there is no nationwide and structured education programs about these topics in this field yet (2,3). Therefore this is a risk that pediatric residents will not be able to assess the child's developmental status, diagnose developmental problems and direct the family and child to early intervention services although this knowledge is crucial for pediatric science. This study aimed to evaluate the perceived competence of the knowledge, skills and experiences of the pediatric residents about the promotion of early childhood development and prevention, early identification and management of developmental problems in our hospital. "The perceived competence of pediatric residents on child development scale (PCPD)" which was developed by the researchers was administered to the pediatric residents. This instrument had 30- items, asking about perceived competence in 4 main topics: theory of child development, assessment and early identification, management of common developmental problems, and collaboration with other community services. Each item was rated on a 10- point Likert scale (1= non competent and 10= very competent), providing a total score within a range of 30 to 300. Scores of 8,9, and 10 were categorized as "competent" and scores less than 8 as "non competent".

Correspondence Address:

Uz. Dr. E. Bahar BİNGÖLER PEKCİCİ
Turkish Ministry of Health Ankara Children's Hematology Oncology Research and Training Hospital, Developmental- Behavioral Pediatrics Unit
e-mail: baharbingoler@yahoo.com

The instrument was administered to 54 pediatric residents. Most of the residents had more than 2 years of experience in their residency and their practice year median were 27 (3-60) months. The median PCPD score was 106 (minimum- maximum: 53 – 251). The rate of the perceived competence of the residents about assessing the development of children under 3 years of age was 35%. The ratio of residents those perceive competent about “knowing and applying the theories about developmental support in their pediatric practice” and “providing developmental and health surveillance to children with developmental problems (such as premature infants, children with Down syndrome, and cerebral palsy)” was only 13%. The ratio of the residents who perceive competent to “detect the special need children and refer them to early intervention and services” was 9%. There was no statistically significant relation between perceived competence and practice year in pediatric residency. There was a direct relation between the practice year of the residents and to know, assess and manage the developmental risks of the chronically ill children ($p=0.03$). The lack of knowledge about child development was also stated in studies from other countries (4).

We would like to state that we are in need of new pediatric curriculums to improve knowledge, skills and experiences of the pediatric residents about the promotion of development in the early childhood, prevention, early identification and management of common developmental problems.

REFERENCES

1. Bennett FC, Guralnick MJ, Richardson HB Jr, Heiser KE. Teaching developmental pediatrics to pediatric residents: effectiveness of a structured curriculum. *Pediatrics* 1984;74(4):514–22.
2. Ertem İ, Ulukol B, Kemahlı S, Cin Ş. Türk Pediatri Kurumu XXXV. Ulusal Pediatri Kongresi Türkiye’de Pediatri Eğitimi Anket Sonuçları, Ankara, 1999.
3. Ertem IO, Pekcici EB, Gok CG, Ozbas S, Ozecebe H, Beyazova U. Addressing early childhood development in primary health care: experience from a middle-income country. *J Dev Behav Pediatr* 2009;30(4):319–26.
4. Figueiras AC, Puccini RF, Da Silva EM, Pedromonico MR. Evaluation of practices and knowledge among primary health care professionals in relation to child development surveillance. *Cad Saude Publica* 2003;19(6):1691–9.

Teşekkür / Thanks

2011 yılı içerisinde yayınlanan sayılarımızda (Cilt:5; Sayı:1,2,3,4) dergimizin danışma kurulu üyeliğinde yer alan, gönüllü olarak makalelerimizde hakemlik görevinde bulunarak dergimizi destekleyen ve emeği geçen hocalarımıza teşekkür eder, saygılar sunarız.

Prof. Dr. Adem AYDIN
Prof. Dr. Armağan İNCESULU
Prof. Dr. Ateş KARA
Prof. Dr. Aydın ŞENCAN
Prof. Dr. Aydın YAĞMURLU
Prof. Dr. Ayşe SERDAROĞLU
Prof. Dr. Barış KUŞKONMAZ
Prof. Dr. Berkan GÜRAKAN
Prof. Dr. Birgül VARAN
Prof. Dr. Can TANELİ
Prof. Dr. Ceyda KARADENİZ
Prof. Dr. Cüneyt TURAN
Prof. Dr. Didem ALİEFENDİOĞLU
Prof. Dr. Ercan TUTAR
Prof. Dr. Fahri OVALI
Prof. Dr. Faruk ÖKTEM
Prof. Dr. Faysal GÖK
Prof. Dr. Gülay DEMİRCİN
Prof. Dr. Hüseyin DİNDAR
Prof. Dr. İlknur BOSTANCI
Prof. Dr. Kayıhan PALA
Prof. Dr. Mansur TATLI

Prof. Dr. Münevver TÜRKMEN
Prof. Dr. Nejat NARLI
Prof. Dr. Oya EVİRGEN
Prof. Dr. Reha CENGİZLİER
Prof. Dr. Rıdvan AKIN
Prof. Dr. S.Ümit SARICI
Prof. Dr. Salih ÇETİNKURŞUN
Prof. Dr. Sefer AYCAN
Prof. Dr. Selda HİZEL BÜLBÜL
Prof. Dr. Selim KURTOĞLU
Prof. Dr. Serdar KULA
Prof. Dr. Uğur DİLMEN
Prof. Dr. Yaşar ANLAR
Prof. Dr. Yıldırım BEYAZIT
Prof. Dr. Zeynep ŞIKLAR
Doç. Dr. Aysu DUYAN ÇAMURDAN
Doç. Dr. Ayşe METİN
Doç. Dr. Burak TANDER
Doç. Dr. Ergun ÇETİNKAYA
Doç. Dr. Esra ARUN ÖZER
Doç. Dr. Fulya DEMİRÇEKEN
Doç. Dr. Gonca YILMAZ

Doç. Dr. Gülcan TÜRKER
Doç. Dr. Gülşen KÖSE
Doç. Dr. H.Tuğrul TİRYAKİ
Doç. Dr. Hakan GÜMÜŞ
Doç. Dr. Hüseyin PER
Doç. Dr. İ.İlker ÇETİN
Doç. Dr. Kadir BABAOĞLU
Doç. Dr. Koray HARMANCI
Doç. Dr. Latif ABBASOĞLU
Doç. Dr. Ömer ERDEVE
Doç. Dr. Özlem ERDOĞAN
Doç. Dr. Pelin ERTAN
Doç. Dr. Semra ÇETİNKAYA
Doç. Dr. Serap AKSOYLAR
Doç. Dr. Serap TEBER
Doç. Dr. Suna EMİR
Doç. Dr. Suzi DEMİRBAĞ
Doç. Dr. Yaşar ŞEN
Doç. Dr. Zehra AYCAN
Uz. Dr. Pelin ZORLU

TÜRKİYE ÇOCUK HASTALIKLARI DERGİSİ

TURKISH JOURNAL OF PEDIATRIC DISEASE

5. CİLT KONU DİZİNİ

VOL: 5 SUBJECT INDEX

- Adenoid: 2/69
Aile içi şiddet: 4/247
Aile Merkezli Değerlendirme: 2/123
Aile: 1/19, 2/118,
Allerji: 4/203
Allerjik:3/170
Alternatif Tıp: 2/81
Anemi:1/49
Angiofolliküler:1/44
ASA: 4/232
Aşırı düşük doğum ağırlığı: 4/209
Atılım: 4/215
Atopik: 3/170
Bartter Sendromu: 2/108
Beyin: 2/75
Bilgisayarlı Kafa Tomografi: 2/75
Boy Kısaldığı: 3/133
Büyüme: 3/181
Büyümenin İzlenmesi: 3/181
Castleman hastalığı: 1/44
CFU-Assay: 4/198
Çocuk: 1/19, 1/29, 1/44, 1/54, 2/69, 2/75, 2/81, 2/114, 3/133,139, 1/144, 3/156, 3/177, 4/203, 4/221, 4/215
DMSA: 4/241
Ekokardiyografi: 4/221
Elektrokardiyografi: 4/221
Endokrinoloji: 3/133
Ensefalosel: 1/40
Epidemiyoloji: 1/29
Epidermolizis Bülloza: 1/5, 2/100
Febril:1/11
Gastroözofageal Reflü:1/25
Gelişememe: 3/181
Gelişimsel Sorunlar: 2/123
Glukozüri: 1/36
hCG: 4/232
Hematopoetik kök hücre nakli: 4/198
Hemolitik: 1/49
Hemorajik: 4/247
Herni: 3/139
Hidatid Kist: 3/177
Hipertrofisi: 2/69
Hipoksik-İskemik Ensefalopati: 2/89
Hipomelanozis Ito: 2/104,
IgA Eksikliği: 3/156
İdrar: 4/215
İkiz: 2/118
İmmünglobulin: 2/69
İndometazin: 2/108
İnguinal: 3/139
İnkomplet Form: 3/149
İnmemiş testis: 4/232
İntrauterin: 4/247
İşlev: 1/19
İyot: 4/215
Kabızlık: 3/144
Kafa Travması: 2/75
Kardeş: 2/118
Kawasaki Hastalığı: 3/149
Kist: 4/247
Klasik Form: 3/149
Koklear İmplantlar: 1/19
Konsültasyon: 4/203
Konvülsiyon: 1/11
Kök hücre: 4/198
Kronik: 3/144
Laparoskopi: 3/139
Lenf Nodu Hiperplazisi: 1/44
Makrocefali: 2/104
Malnutrisyon: 1/54
Meckel-Gruber sendromu: 1/40
Megarektum: 3/144
Metabolik Asidoz: 1/162
Methemoglobinemi: 3/172
Metilen Mavisi: 3/172
Mezenter: 3/177
Minör: 2/75
Mitral Kapak Prolapsusu: 3/156
Multisentrik: 1/44
Myastenia Gravis: 3/170
Nefrokalsinozis: 2/108
Nüks: 3/139
Obezite: 3/133
Otoimmünite: 3/156
Özel Gereklinimi Olan Çocuklar: 2/123
Özöfagus atrezisi:1/5, 2/100
Pediatrik: 4/203
pH monitorizasyon: 1/25
Pnömotoraks: 2/118
Polidaktili: 1/40
Polihidramniyoz: 2/108
Preterm Doğum: 2/108
Prik Test: 3/170
Prilokain: 3/172
Proteinüri: 1/44
Puberte Bozuklukları: 3/133
Purpura Fulminans: 2/95
Renal Tutulum: 1/44
Renal Tübüler Bozukluk: 2/108
Rinit: 3/170
Risk faktörleri:1/11
Rüptür: 3/177
Schwannoma: 2/114
Semtom: 2/69
Serum:2/69
SGLT2:1/36
SLC5A2: 1/36
Sodyum Bikarbonat: 3/162
Stereoloji: 4/232
Sublingual: 2/114
Tamamlayıcı Tıp: 2/81,
Tedavi: 1/54
Tekrarlayan solunum sistemi semptomları: 1/25
Term: 2/89
Testosteron: 4/232
Travma: 4/247
Veziköretoral reflü: 4/241
Wilson hastalığı: 1/49
Wolff-Parkinson-White: 4/221
Yarı dudak-damak: 1/5, 2/100
Yaygın Damar İçi Pıhtılaşma: 2/95
Yenidoğan yoğun bakım: 4/209
Yenidoğan:1/5, 2/81, 2/89, 2/95, 2/104, 2/108, 2/118, 3/162
Zehirlenme: 1/29

TÜRKİYE ÇOCUK HASTALIKLARI DERGİSİ

TURKISH JOURNAL OF PEDIATRIC DISEASE

5. CİLT KONU DİZİNİ

VOL: 5 SUBJECT INDEX

- Adenoidal: 2/70
Allergic: 3/169
Allergy: 4/202
Alternative medicine: 2/82
Angiofollicular lymph node hyperplasia: 1/45
ASA: 4/231
Atopic: 3/169
Autoimmunity: 3/162
Bartter's syndrome: 2/109
Brain: 2/76
CFU-Assay: 4/197
Child: 1/20, 1/30, 1/45, 1/55, 2/70, 2/76, 2/82, 2/115, 3/140, 3/1453,162, 3/178, 4/202, 4/214, 4/220
Children with special health care needs: 2/124
Chronic: 3/145
Classical form: 3/150
Cleft lip-palate:1/6, 2/101
Cochlear implants:1/20
Complementary medicine: 2/82
Computed tomography: 2/76
Consultation: 4/202
Convulsions: 1/11
Crisis: 1/50
Developmental problems: 2/124
Disseminated intravascular coagulation: 2/96
DMSA: 4/240
Domestic violence: 4/246
Echocardiography: 4/220
Electrocardiography: 4/220
Encephalocele: 1/40
Epidemiology: 1/30
Epidermolysis bullosa: 1/6, 2/101
Esophageal atresia:1/6, 2/101
Excretion: 4/214
Extremely low birthweight: 4/208
Failure to thrive: 3/181
Family centered assessment: 2/124
Family: 1/20, 1/119
Febrile:1/11
Gastroesophageal reflux: 1/26
Glucosuria: 1/36
Growth monitoring: 3/181
Growth: 3/181
hCG: 4/231
Head injury: 2/76
Hematopoietic stem cell transplantation: 4/197
Hemolytic: 1/50
Hemorrhagic cyst: 4/246
Hydatid cyst: 3/178
Hypertrophy: 2/70
Hypomelanosis Ito: 2/105
Hypoxic - Ischemic Encephalopathy: 4/202
IgA deficiency: 3/162
İmmonoglobulin: 2/70
İncomplete form: 3/150
İndomethacin: 2/109
Intrauterine: 4/246
Iodine: 4/214
Kawasaki disease: 3/150
Laparoscopy: 3/140
Macrocephaly: 2/105
Malnutrition: 1/55
Meckel-Gruber syndrome: 1/40
Megarectum: 3/145
Mesenteric: 3/178
Methemoglobinemia: 3/173
Methylene blue: 3/173
Minor: 2/76
Mitral valve prolapse: 3/162
Multicentric Castleman disease: 1/45
Myasthenia Gravis: 3/169
neonatal intensive care unit: 4/208
Neonate: 1/6, 2/82, 2/90, 2/96, 2/105, 2/109, 2/119
Nephrocalcinosis: 2/109
Neurilemmoma: 2/115
Obesity:3/134
Pediatric endocrinology:3/134
Pediatric: 4/202
pH monitorization: 1/26
Pneumothorax: 2/119
Poisoning: 1/30
Polydactyly: 1/40
Polyhydramnios: 2/109
Premature delivery: 2/109
Premature: 4/208
Prick test: 3/169
Prilocaine: 3/173
Proteinuria: 1/45
Pubertal disorders:3/134
Purpura fulminans: 2/96
Recurrent Inguinal Hernia: 3/140
Recurrent respiratory symptoms: 1/26
Referral:3/134
Renal involvement: 1/45
Renal tubular disorder: 2/109
Rhinitis: 3/169
Risk factors: 1/11
Role: 1/20
Rupture: 3/178
Serum: 2/70
SGLT2: 1/36
Short stature:3/134
Siblings: 2/119
SLC5A2: 1/36
Stem Cell:4/197
Stereology: 4/231
Sublingual: 2/115
Symptoms: 2/70
Term: 2/90
Testosterone: 4/231
Trauma: 4/246
Treatment: 1/55
Twin: 2/119
Undescended testis: 4/231
Unremitting constipation: 3/145
Urinary: 4/214
Vesicoureteral reflux: 4/240
Wilson's disease: 1/50
Wolff-Parkinson-White: 4/220

TÜRKİYE ÇOCUK HASTALIKLARI DERGİSİ

TURKISH JOURNAL OF PEDIATRIC DISEASE

5. CİLT YAZAR DİZİNİ

VOL: 5 AUTHOR INDEX

- AKAR M: 2/95
AKBIYIK F: 1/25, 3/139
AKIŞ Z: 2/100
AKKOYUN İ: 3/139
AKTAN B: 2/114
ALADAĞ N: 2/89
ALP H: 2/69
ALTAŞ B: 1/54
ALTAŞ S: 2/114
ALTAY D: 2/89
APAYDIN S: 1/44
ARITÜRK E: 4/246
ATAY G: 2/123
ATAYURT H: 1/25, 3/144, 4/240
AYDIN M: 2/108
AYGÜN C: 2/89
AZILI MN: 1/25, 3/144, 4/240
BARMAK E: 1/19
BAYRAM KABAÇAM G: 1/25, 4/240
BELGİN E: 1/19
BERNAY F: 4/246
BIÇAKCI Ü: 4/246
BİLGİN H: 1/40,
BİLGİN KARADENİZ L: 4/220
BİNGÖLER PEKÇİ EB: 2/123, 4/251
BOSTANCI İ: 2/81, 3/169, 4/202
CANAL E: 4/197
CANDAN F: 4/214
CANER İ: 3/172
CEYLAN Ö: 3/156
ÇALIŞKAN D: 4/240
ÇAY Ü: 1/44
ÇETİN İİ: 3/162, 4/220
DALLAR Y: 2/81
DEĞERLİYURT A: 1/11, 2/104
DELİBAŞ N: 4/231
DEMİREL F: 3/133
DEMİR B: 3/133
DEMİRÇEKEN FG: 1/49
DEMİREL FG: 2/95, 2/118
DEMİRKAN H: 3/144
DERBENT M: 2/75
DİBEK MISIRLIOĞLU E: 4/202
GİNİŞ T: 4/202
DİLMEN U: 2/95, 2/118, 4/208
DOĞAN V: 3/149, 3/156
DOĞRU M: 4/202
DOKSÖZ Ö: 3/156
DÖNMEZ A.D: 1/49
DUMAN H: 3/169, 4/202
DURŞUN A: 2/108
EKİCİ F: 3/162, 4/220
EMİR S: 1/44
ERDEVE Ö: 2/95, 2/118, 4/208
ERDOĞAN Ö: 2/108
ERTAN P: 1/36
ERTAN Ü: 1/49, 3/156
ESEN İ: 3/133
FETTAH A: 2/108
GÜNAYDIN M: 4/246
DEMİREL BD: 4/246
GÜNDÜZ M: 3/162
GÜVEN A: 1/11
HAKAN N: 2/108
HIZLI Ş: 1/29
İNCE OT: 3/181
İNÖZÜ M: 2/104
İPEK MŞ: 2/108
KAÇAR A: 3/144
KARA N: 2/81
KARADEMİR S: 3/149,3/156
KARADENİZ BİLGİN L: 2/89, 3/162
KESKİN M: 3/156
KILIÇ K: 2/114
KOÇAK M: 1/29
KONDOLOT M: 3/181
KONUKSEVER D: 2/75
KÖKSAL Y: 4/197
KÖSE G: 1/11
KULOĞLU Z: 1/54
KUNDAK MA: 2/108
KÜÇÜK A: 3/177
MURAT M: 4/214
NİRON EA: 2/75
ODABAŞ D: 1/40
OĞUZ S: 2/95, 2/118, 4/208
OK BOZKAYA İ: 4/197
OKUMUŞ N: 2/108
ÖCAL B: 3/149, 3/156
ÖNCEL MY: 1/5, 2/75, 3/162, 4/208
ÖRÜN UA: 3/149, 3/156
ÖZAYDIN E: 1/11
ÖZDEMİR R: 4/208
ÖZGÜNER İF: 4/231
ÖZGÜNER M: 4/197, 4/231
ÖZGÜR S: 3/156
ÖZKAN ULU H: 2/118
ÖZMEN S: 3/169, 4/202
ÖZTÜRK ERTEM İ: 2/123
ÖZTÜRK H: 3/177
PELTEK KENDİRCİ HN: 1/29
PİRGON Ö: 1/40
POLAT E: 1/29
POTUR ED: 2/81
RIZALAR R: 4/246
SANDAL G: 4/208
SAYLAM E: 1/29
ŞAHLI S: 1/19
ŞENAYLI A: 2/100
ŞENEL E: 1/44
ŞENKON G: 2/104
ŞENOCAK F: 3/156
TANDER B: 4/246
TANIR G: 3/149
TANRIKULU B: 2/104
TAŞ F: 4/214
TAŞAR MA: 2/81
TAŞTEKİN A: 3/172
TAVİL B: 4/197
TEKİN G: 1/36
TEPE D: 3/133
TİRYAKİ HT: 1/25, 2/100, 3/144, 4/240
TÖREL ERGÜR A: 4/214
TUNÇ B: 1/49, 4/197
UNCU N: 1/44
URAŞ N: /95, 2/118
ÜÇÜNCÜ H: 2/114
ÜNAL S: 1/5, 3/162
VİDİNLİSAN S: 1/11
YAĞLI ÇOLAKOĞLU E: 1/29
YAKUT AKBAŞ A: 1/5
YALÇIN SS: 3/181
YARALI N: 1/49
YAŞAR MZ: 1/11
YAŞAR M: 3/177
YILDIRIM M: 4/202
YILDIZ J: 1/5
YILMAZ A: 1/5
YILMAZ G: 1/29
YILMAZ O: 3/156
YILMAZ Y: 2/118
YÖRÜK Ö: 2/114
YURTTUTAN S: 4/208
ZENCİROĞLU A: 2/108
ZİRAATÇI Ö: 3/172