



Checklist of the Hungarian species of family Macrochelidae (Acari: Mesostigmata)

Jenő KONTSCHÁN 

Plant Protection Institute, Centre for Agricultural Research, Hungarian Academy of Sciences, H-1525 Budapest, P.O. Box 102, Hungary.

e-mail: kontschan.jeno@agrar.mta.hu

Received: 29 March 2019

Accepted: 22 November 2019

Available online: 31 January 2020

ABSTRACT: All published Hungarian records of the macrochelid mites are summarized. Occurrences of four species were deleted from list due to misidentification. Currently 34 macrochelid species are known from the area of Hungary.

Keywords: Macrochelidae, occurrences, Hungary.

Zoobank: <http://zoobank.org/F882F08A-BA8B-4C5A-9E5F-120E17CBFFDD>

INTRODUCTION

The members of the family Macrochelidae are large and fast-moving predators, they are inhabiting soil substrates, litter and decomposing organic matter where feed on nematodes, eggs and larvae of insects or weakly sclerotized mites, and very often live in association with some groups (like flies, beetles) of insects (Mašán, 2003). The family of Macrochelidae is relatively well known in some countries of Europe, like: British Isles (Evans and Browning, 1956; Hyatt and Emberson, 1988), Germany (Karg, 1993), Austria (Johnston, 1970) and Slovakia (Mašán, 2003). But the information about their occurrences in the area of Hungary is insufficient.

The first paper about the Hungarian macrochelids was published by Erőss and Mahunka (1971a), who listed numerous macrochelid mite species from several regions of Hungary, but in same year Erőss and Mahunka (1971b) presented another paper to concentrate for the species living in dung substrate and here they did not get any names of the localities, perhaps the name of the localities originated from the previous presented one (Erőss and Mahunka 1971a). Later Kandil (1983) presented 14 species during the survey of the fauna of the Hortobágy National Park, Ambros (1993) investigated another Hungarian protected area, and listed three small mammal associated species in Bükk National Park. Ten years later, new occurrences of numerous species were added by faunistic surveys of Salmane and Kotschán (2005, 2006), and Kotschán (2005). One year later, Kotschán (2006) summarized the knowledge of the Hungarian macrochelid mites, which contained records of 32 macrochelid species. Subsequently, Kotschán (2015) mentioned three species from urban habitat from the capitol (Budapest) of Hungary and one year later, Ács and Kotschán (2014) added several new occurrences to the Hungarian species and recorded firstly three species from Hungary. After that several new data to the mites of agricultural soils with some records of members of family Macrochelidae are reported by Kotschán et al. (2014, 2015a, 2016). In same time, Kotschán et al. (2015b) presented their results about the mites of the highways rest station and listed

some macrochelid mites from these disturbed areas. Some years later, Kotschán (2018) described a new species in association with a flower beetle and Kotschán and Hornok (2019) presented a macrochelid species associated with stable fly.

MATERIALS AND METHODS

I gathered all the published papers about the Hungarian macrochelid mites. I gave only the synonymous names mentioned in Hungarian literatures of the species with the firstly published names by the original author together with the published records of occurrences. I also illustrated all Hungarian occurrences on maps (Figs 1-9).

The Hungarian specimens deposited in the Hungarian Natural History Museum of *Macrocheles moneronicus* Bregetova and Koroleva, 1960 (coll. number: HNM Meso-5146), *Macrocheles violovitschi* Bregetova and Koroleva, 1960 (coll. number: HNM Meso-5189), *Macrocheles caucasicus* Bregetova and Koroleva, 1960 (coll. number: HNM Meso-2289) and *Macrocheles kolpakovae* Bregetova and Koroleva, 1960 (coll. number: HNM Meso-5216) are also investigated, but these specimens are in poor conditions, several characters were not visible).

RESULTS

List of the taxa

Macrochelidae Vitzthum, 1930

Dissoloncha Falconer, 1923

Dissoloncha Falconer, 1923: 151.

Dissoloncha superbus (Hull, 1918)

Macrocheles superbus Hull, 1918: 71.

Occurrence. Bátaapáti (Salmane and Kotschán, 2006).

Geholaspis Berlese, 1918

Geholaspis Berlese, 1918: 145.

Geholaspis berlesei Valle, 1953

Geholaspis berlesei Valle, 1953: 332.

Occurrences. Velem, Szentmargitfalva (Kotschán, 2006).



***Geholaspis longispinosus* (Kramer, 1876)**

Gamasus longispinosus Kramer, 1876: 100.

Occurrences. Barcs (Kontschán, 2005), Oroszlány (Vértes) (Salmane and Kontschán, 2005), Budapest, Kőszeg, Magyarhertelend, Nagyrécse, Regéc, Vidosnyaszőlős, Szarud, Szigetbecse (Kontschán, 2006), Stajerházak (Ambros 1987).

Glyptholaspis Filippioni and Pegazzano, 1960

Glyptholaspis Filippioni and Pegazzano, 1960: 136.

***Glyptholaspis americana* (Berlese, 1888)**

Holostaspis marginata var. *americana* Berlese, 1888: 195.

Macrocheles americana Berlese, 1888: Kandil, 1983.

Macrocheles vagabundus Berlese, 1889: Erőss and Mahunka, 1971a.

Occurrences. Dunavecse, Fertőszentmiklós, Isaszeg, Nagybárákány, Örvényes, Sukoró (Erőss and Mahunka, 1971a), Balmazújváros, Egyek, Kunmadaras, Újszentmargita (Kandil, 1983), Budapest (Kontschán, 2015).

Notes. This species was collected from dungs of horse, cattle and fowl (Erőss and Mahunka, 1971b), and from soil (Kandil, 1983).

***Glyptholaspis confusa* (Foá, 1900)**

Holostaspis confusa Foá, 1900: 137.

Macrocheles plumiventris Hull, 1925: Erőss and Mahunka, 1971a.

Occurrences. Kiskunfélegyháza, Kopáncs, Lajosmizse, Töltésvára, Velence, Zamárdi (Erőss and Mahunka, 1971a), Szekszárd (Kontschán, 2005), Budapest (Kontschán, 2015).

***Glyptholaspis saprophila* Mašán, 2003**

Glyptholaspis saprophila Mašán, 2003: 125.

Occurrences. Szada (Kontschán et al., 2014).

Notes. Only one population was recorded from the leaf litters of a bamboo brush (Kontschán et al., 2014).

***Holostaspella* Berlese, 1903**

Holostaspella Berlese, 1903: 241.

***Holostaspella exornata* Filippioni and Pegazzano, 1967**

Holostaspella exornata Filippioni and Pegazzano, 1967: 230.

Occurrences. Oroszlány (Salmane and Kontschán, 2005).

***Holostaspella ornata* (Berlese, 1904)**

Holostaspis ornatus Berlese, 1904: 277.

Occurrences. Nyíregyháza (Kontschán, 2005).

Longicheles Valle, 1953

Longicheles Valle, 1953: 343.

***Longicheles hortorum* (Berlese, 1904)**

Holostaspis hortorum Berlese, 1904: 265.

Geholaspis hortorum: Kontschán, 2005, 2006, Kontschán et al., 2015b.

Occurrences. Vokány (Kontschán, 2005), Szigetbecse (Kontschán, 2006), Letenye (Kontschán et al., 2015b).

***Longicheles longulus* (Berlese, 1887)**

Holostaspis longulus Berlese, 1887: 9.

Occurrences. Aggtelek (Ács and Kontschán, 2014).

Note. This species was collected in cave habitat (Ács and Kontschán, 2014).

***Longicheles mandibularis* (Berlese, 1904)**

Holostaspis mandibularis Berlese, 1904: 263.

Geholaspis mandibularis: Salmane and Kontschán, 2005, Kontschán, 2006.

Occurrences. Zsujta (Salmane and Kontschán, 2005), Gánt, Velem (Kontschán, 2006).

Macrocheles Latreille, 1829

Macrocheles Latreille in Cuvier, 1829: 282.

***Macrocheles decoloratus* (C. L. Koch, 1839)**

Gamasus decoloratus C. L. Koch, 1839: 14.

Occurrences. Dány, Mecsek Mts (Erőss and Mahunka, 1971a), Újszentmargita (Kandil, 1983).

***Macrocheles glaber* (J. Müller, 1860)**

Holastaspis glabra J. Müller, 1860: 178.

Occurrences. Dobogókő, Lajosmizse, Zebegény, Békéscsaba (Erőss and Mahunka, 1971a), Miskolc (Ambros, 1993), Dömös (Kontschán, 2005), Budapest (Kontschán, 2015), Gyöngyös (Ács and Kontschán, 2014), Oroszlány (Kontschán et al., 2016), Mátraalmás (Ambros, 1987).

Notes. This species was collected usually from soil, but it was found in association with *Cetonia aurata* beetle (Ács and Kontschán, 2014).

***Macrocheles insignitus* Berlese, 1918**

Macrocheles insignitus Berlese, 1918: 158.

Occurrences. Isaszeg, Töltésvára (Erőss and Mahunka, 1971a), Tiszacsege (Kandil, 1983).

***Macrocheles kekensis* Kontschán, 2018**

Macrocheles kekensis Kontschán, 2018: 98-102.

Occurrences. Kék (Kontschán 2018).

Note. This species was collected in association with ceto-niin beetle.

***Macrocheles mammifer* Berlese, 1918**

Macrocheles mammifer Berlese, 1918: 171.

Macrocheles pavlovski Bregetova and Koroleva, 1960: Erőss and Mahunka, 1971a.

Occurrences. Fertőszentmiklós, Isaszeg, Sámsonháza, Zamárdi (Erőss and Mahunka, 1971a).

Notes. This species was collected from dungs of horse, cattle and pig (Erőss and Mahunka, 1971b).

***Macrocheles matrius* (Hull, 1925)**

Nothrholaspis matrius Hull, 1925: 212.

Occurrences. Zamárdi, Dömösd, Fertőszentmiklós, Kőszeg, Perkáta, Sári, Sukoró, Törek, Zalavár, (Erőss and Mahunka, 1971a), Nagyvisnyó (Ambros, 1993), Tihany (Salmane and Kontschán, 2005), Bakonybél (Kontschán, 2006), Polgár, Ecséd, Kisbag (Kontschán et al., 2015b).

Notes. This species was collected mostly from soil samples, but also from dungs of horse (Erőss and Mahunka, 1971b).

***Macrocheles merdarius* (Berlese, 1889)**

Holostaspis merdarius Berlese, 1889: 1.

Occurrences. Dobogókő, Dömösd, Dunabogdány, Dunavecse, Isaszeg, Kopáncs, Kőszeg, Lajosmizse,

Nagybákkány, Perkáta, Sámsonháza, Sári, Töltéstava, Vác, Zamárdi (Erőss and Mahunka, 1971a).

Notes. This species was collected from dung of horse, cattle, pig, fowl and from soil (Erőss and Mahunka, 1971b).

***Macrocheles muscaedomesticae* (Scopoli, 1772)**

Acarus musca domesticae Scopoli, 1772: 157.

Occurrences. Budapest, Dunavecse (Erőss and Mahunka, 1971a), Balmazújváros, Nagyiván (Kandil, 1983), Bátaapáti (Salmane and Kotschán, 2006).

Notes. Besides specimens found in soil samples (Kandil, 1983, Salmane and Kotschán, 2006), this species was collected from dung of cattle and from human faces (Erőss and Mahunka, 1971b).

***Macrocheles nataliae* Bregetova and Koroleva, 1960**

Macrocheles nataliae Bregetova and Koroleva, 1960: 140.

Occurrences. Aggtelek, Dunavecse, Isaszeg, Sukoró, Szabadbattyán, Tátika, Zamárdi (Erőss and Mahunka, 1971a), Egyek, Nagyiván, Tiszacsege, Újszentmargitfa (Kandil, 1983).

Notes. This species was collected from dungs of horse and cattle (Erőss and Mahunka, 1971b), and from soil (Kandil, 1983).

***Macrocheles peniciliger* (Berlese, 1904)**

Holostaspis penicilliger Berlese, 1904:

Occurrences. Nadap, Sukoró, Zamárdi (Erőss and Mahunka, 1971a), Egyek, Nagyiván, Újszentmargita (Kandil, 1983) Tihany (Salmane and Kotschán, 2005) Bátaapáti, Oroszlány (Salmane and Kotschán, 2006), Lipót (Kotschán, 2006), Anna-hegy (Kotschán et al., 2015b).

***Macrocheles perglaber* Filippioni and Pegazzano, 1962**

Macrocheles perglaber Filippioni and Pegazzano, 1962: 221.

Occurrences. Dömösd, Dunabogdány, Dunavecse, Fertőszentmiklós, Isaszeg, Misina, Nagybákkány, Perkáta, Pócs-megyer, Kopáncs, Sámsonháza, Sukoró, Szabadbattyán, Töltéstava, Vác, Velence, Zamárdi, Zebegény (Erőss and Mahunka, 1971a).

Notes. The differences between the *M. glaber* and *M. perglaber* is very week based on female morphology (Halliday, 1986), but Mašán (2003) listed some characters (e.g. shape of some dorsal setae) of female which can help to separate these two species, but investigation without the males seems to be very uncertain. Erőss and Mahunka (1971a,b) collected this species from dung of cattle, horse and pig, but they did not give information about the sexes of the collected specimens. Therefore the Hungarian occurrence of this species needs to be confirmed.

***Macrocheles punctoscutatus* Evans and Browning, 1956**

Macrocheles punctoscutatus Evans and Browning, 1956: 18.

Occurrences. Lajosmizse, Sukoró, Velence (Erőss and Mahunka, 1971a), Újszentmargita (Kandil, 1983).

***Macrocheles punctatissimus* Berlese, 1918**

Macrocheles punctatissimus Berlese, 1918: 171.

Occurrence. Aggtelek (Ács and Kotschán, 2014).

Note. This species were collected in cave habitat (Ács and Kotschán, 2014).

***Macrocheles robustulus* (Berlese, 1904)**

Holostaspis subbadius var. *robustulus* Berlese, 1904: 264.

Macrocheles robustulus Berlese, 1904: Kandil, 1983.

Macrocheles punctillatus Willmann, 1939: Erőss and Mahunka, 1971a.

Occurrences. Dunabogdány, Dunavecse, Fertőszentmiklós, Isaszeg, Nagybákkány, Sámsonháza, Töltéstava, Dabas (Erőss and Mahunka, 1971a), Egyek (Kandil, 1983).

Notes. This species was collected from dung of horse, cattle and pig (Erőss and Mahunka 1971) and from soil (Kandil, 1983).

***Macrocheles rotundiscutis* Bregetova and Koroleva, 1960**

Macrocheles rotundiscutis Bregetova and Koroleva, 1960: 116.

Occurrences. Tátika (Erőss and Mahunka, 1971a), Egyek, Kunmadaras, Nagyiván, Újszentmargita (Kandil, 1981) Tihany, Villány (Kotschán, 2005).

***Macrocheles subbadius* (Berlese, 1904)**

Holostaspis subbadius Berlese, 1904: 264.

Macrocheles vernalis Schweitzer, 1961: Kandil, 1983.

Occurrences. Dömösd, Jósvafő, Misina, Nőgrádverőce, Perkáta, Tác, Zalavár (Erőss and Mahunka, 1971a), Újszentmargita (Kandil, 1983).

Notes. This species were collected on soil and leaf litter, but some specimens were found in association with stable flies (Kotschán and Hornok, 2019).

Macrolaspis Oudemans, 1931

Macrolaspis Oudemans, 1931: 272.

***Macrolaspis opacus* C. L. Koch, 1839**

Gamasus opacus C. L. Koch, 1839.

Occurrences. Sopron, Tátika (Erős and Mahunka, 1971a).

Notes. This species were collected from soil (Erős and Mahunka, 1971a).

***Macrolaspis similiopacus* (Mašán, 2003)**

Macrocheles similiopacus Mašán, 2003: 71–73.

Occurrences. Aggtelek (Ács and Kotschán, 2014).

Notes. This species was found in cave (Ács and Kotschán, 2014).

***Macrolaspis recki* (Bregetova and Koroleva, 1960)**

Macrocheles recki Bregetova and Koroleva, 1960: 104.

Occurrences. Tátika (Erőss and Mahunka, 1971a), Anna-hegy, Ferihegy, Ecséd, Budaörs, Velence, Törek, Letenye (Kotschán et al., 2015b).

Neopodocinum Oudemans, 1902

Neopodocinum Oudemans, 1902: 24.

***Neopodocinum meridionalis* (Sellnick, 1931)**

Coprolaelaps meridionalis Sellnick, 1931: 760

Occurrences. Tatabánya (Kotschán, 2006), Visegrád (Ács and Kotschán, 2014).

Note. This species was collected from *Geotrupes* beetle (Kotschán, 2006).

***Neopodocinum mrciaki* Sellnick, 1968**

Neopodocinum mrciaki Sellnick, 1968: 253.

Occurrences. Mátraalmás (Ambros, 1984).

Note. This species was collected on *Apodemus flavicollis* mouse species.

Nothrholaspis Berlese, 1918

Nothrholaspis Berlese, 1918: 169.

Nothrholaspis carinatus (C. L. Koch, 1839)

Gamasus carinatus C. L. Koch 1839: 16.

Occurrences. Budapest, Diósjenő, Nadap, Sári (Erős and Mahunka 1971a), Várgesztes (Kontschán, 2006).

Nothrholaspis montanus (Willmann, 1951)

Macrocheles montanus Willmann, 1951: 158.

Occurrences. Aggtelek, Balatonszentgyörgy, Budapest, Csákvár, Diósjenő, Nadap, Sopron, Sukoró, Tátika, Törek, Vác (Erős and Mahunka, 1971a), Egyek (Kandil, 1981), Nagyvisnyó, Miskolc (Ambros, 1993), Zempléni Mts and Paks (Salmane and Kontschán, 2005), Mecsek, Bátaapáti (Salmane and Kontschán, 2006), Villányi Mts (Kontschán, 2005), Várgesztes, Budapest, Szigetbecse, Nagyrécse (Kontschán, 2006).

Nothrholaspis tardus (C.L. Koch, 1841)

Gamasus tardus C. L. Koch, 1841: 14.

Occurrences. Bátortliget, Kaposvár, Kőszeg, Lillafüred, Sári, Sopron, Szár, Velence, Zalavár, (Erőss and Mahunka, 1971a), Oroszlány (Salmane and Kontschán, 2005), Kőszeg, Nagyrécse, Tatárszentgyörgy, Lipót, Villány (Kontschán, 2006).

DISCUSSION

Present paper contains proved occurrences of 34 macrochelid mite species from Hungary. Four species are deleted from these previously presented records. These four species are reported in Erős and Mahunka (1971a), which are misidentifications. The reason of the misidentification can be the poorly known literatures of these mites in the previous century. In the second half of the XX. century, in several cases only the Russian literatures were only available for the Hungarian researchers, therefore some species described from Russia were also presented from Hungary. *Macrocheles moneronicus* Bregetova and Koroleva, 1960 were listed in Erőss and Mahunka (1971a) and in Kandil (1983) as well, but the specimens belong to species *M. subbadius*. Several setae were broken from the idiosoma, but the ornamentation of the sternal shield refers to *M. subbadius* and not to the *M. moneronicus*. *Macrocheles violovitschi* Bregetova and Koroleva, 1960 was reported by Erőss and Mahunka (1971a), but the sternal setae are apically pilose (as in species *M. matrius*) and not smooth in the case of *violovitschi*. Besides of the morphological differences, these two species was described from Sakhalin (Easter Part of Russia), which is far from Hungray and was not found in other part of the Palearctic region. *Macrocheles caucasicus* Bregetova and Koroleva, 1960 was also mentioned by Erőss and Mahunka (1971a). This species was reported only from Caucasus, the Hungarian occurrence was questionable. During the study of the deposited specimens the ornamentation of sternal shield and shape of setae j5

pilose (as in *M. montanus*) and not smooth (in *M. caucasicus*). The fourth species, *Macrocheles kolpakovae* Bregetova and Koroleva, 1960, was also reported by Erőss and Mahunka (1971a). This species was found only in Dagestan and later was not mentioned from Europe; in the investigation of this specimens it is clear this species is belong to the genus *Geholaspis*, and not to the *Macrocheles*. All characters are not visible well, but the specimens seem to be belonging to species *Geholaspis pontina* Fillipova and Pegazzano, 1960 (based on narrow z6 setae and ornamentation of the idiosoma) and not to other *Geholaspis* species.

Seven species of the listed 34 macrochelids were collected from dung of different animals, three species were found in cave habitats and three species occurred in association with insects. Two species lived in soil of agricultural habitats, other species were reported from soil, moss and leaf litter of natural habitats, often from protected areas.

Regarding to the Slovakian fauna, from where 48 species are reported (Mašán, 2003), the Hungarian fauna seems to be poorly investigated. Contrary with the six newly described macrochelids from Slovakia (Mašán 2003), only one species, *Macrocheles kekensis* is discovered and described from Hungary.

Acknowledgements

This study was supported by NKFIH (OTKA) 108663 grant.

REFERENCES

- Ács, A. and Kontschán, J. 2014. Contribution to the Macrochelidae Vitzthum, 1930 fauna of the Carpathian Basin and the Balkan Peninsula (Acari: Mesostigmata). Opuscula Zoologica Budapest, 45 (2): 109-118.
- Ambros, M. 1984. Mite species (Acari: Mesostigmata) new to the Hungarian fauna. Miscellanea zoologica hungarica, 2: 43-44.
- Ambros, M. 1987. Mites (Acari: Mesostigmata) from small mammals in Hungary. Parasitologia Hungarica, 20: 99-107.
- Ambros, M. 1993. Mites (Acari: Mesostigmata) from small mammals (Insectivora and Rodentia) in the Bükk Mts (Hungary). In: Mahunka, S. (Ed.): The fauna of the Bükk Nemzeti Park I. The Hungarian Natural History Museum, Budapest, 449-453.
- Berlese, A. 1887. Acari, Myriopoda et Scorpiones hucusque in Italia reperta, 38, 19 text pages + Plates 1-10. Reprint by Junk, The Hague, 1979.
- Berlese, A. 1888. Acari Austro-American quos collegit Aloysius Balzan. Manipulus primus. Species novas circiter quinquaginta complectens. Bullettino della Società Entomologica Italiana, 20: 171-222, pls. V-XIII.




Figure 1. Occurrences of macrochelid mites in Hungary.




Figure 2. Occurrences of *Geholaspis* and *Glyphholaspis* species in Hungary.




Figure 3. Occurrences of *Holostaspella* and *Longicheles* species in Hungary.




Figure 4. Occurrences of *Neopodocinum* and *Macrholaspis* species in Hungary.




Figure 5. Occurrences of *Macrocheles* species (I) in Hungary.




Figure 6. Occurrences of *Macrocheles* species (II) in Hungary.




Figure 7. Occurrences of *Macrocheles* species (III) in Hungary.




Figure 8. Occurrences of *Macrocheles* and *Dissoloncha* species in Hungary




Figure 9. Occurrences of *Northrolaspis* species in Hungary.

Berlese, A. 1889. Acari, Myriopoda et Scorpiones hu-
cusque in Italia reperta, 54, 18 text pages + Plates 1-
10. Reprint by Junk, The Hague, 1979.

Berlese, A. 1903. Acari nuovi. Manipulus Ius. Redia, 1:
235-252.

Berlese, A. 1904. Acari nuovi. Manipulus IIus. Redia, 1:
258-280.

Berlese, A. 1918. Centuria quarta di Acari nuovi. Redia,
13: 113-190.

Bregetova, N.G. and Koroleva, E.V. 1960. Mites of the fami-
ly Macrochelidae Vitzthum, 1930 in the fauna of the
USSR. Parazitologicheskii Sbornik Zoologicheskogo
Instituta Akademii Nauk SSSR, 19: 346-411.

Cuvier, G. 1829. Le Règne Animal Distribué d'après son
Organisation, pour Servir de Base à l'Histoire Natu-
relle des Animaux et d'Introduction à l'Anatomie
Comparée. In: Cuvier and Latreille, (Eds), Le règne
animal distribué d'après son organisation, pour servir
de base à l'histoire naturelle des animaux et d'intro-
duction à l'anatomie comparée. Nouvelle édition rev.
et aug. Déterville and Cochard, Paris. Vol. 4, Nouvelle
Edition: i-xxviii, 584 pp.

doi: 10.5962/bhl.title.49223

Erőss, J. and Mahunka, S. 1971a. Adatok Magyarország
macrochelidáinak (Acari, Gamasina) ismeretéhez. (Da-
ta to the knowledge of Macrochelidae (Acari, Gamasina)
in Hungary.) Parasitologia Hungarica, 4: 201-214.

Erőss, J. and Mahunka, S. 1971b. Investigations on co-
philous and stercoricolous Macrochelids (Acari, Gamasina)
in Hungary, as possible agents in the control of synanthropic flies. Parasitologia Hungarica, 4:
215-226.

Evans, G.O. and Browning, E. 1956. British mites of the
subfamily Macrochelinae Trägårdh (Gamasina, Macro-
chelidae). Bulletin of the British Museum (Natural His-
tory) Zoology, 4: 1-55.

Falconer, W. 1923. Two British mites new to science and a
new subgenus of Macrocheles Latr. Naturalist, 1923,
151-153.

Filippioni, A. and Pegazzano, F. 1962. Specie italiane del
gruppo-glaber (Acarina, Mesostigmata, Macrochelidae,
Macrocheles). Redia, 47: 211-238.

Filippioni, A. and Pegazzano, F. 1960. Acari del genere
Glyptholapsis nom. nov. pro *Macrocheles* (Macro-
cheles) Berlese 1918 (Mesostigmata, Macrochelidae).
Redia, 45: 133-171.

Filippioni, A. and Pegazzano, F. 1967. Contributo alla cono-
scenza del genere *Holoytasella* Berlese, 1903 (Acaria:
Mesostigmata: Macrochelidae). Redia, 50: 219-259.

Foà, A. 1900. Esistono il polimorfismo e la partenogenesi
nei Gamasidi? Bolletino della Società Entomologica
Italiana, 32: 121-149.

- Halliday, R.B. 1986. Mites of *Macrocheles glaber* group in Australia (Acarina: Macrochelidae). Australian Journal of Zoology, 34: 733-752.
doi: [10.1071/ZO9860733](https://doi.org/10.1071/ZO9860733)
- Hull, J.E. 1918. Terrestrial Acari of the Tyne Province. Natural History Transactions of Northumberland and Durham, 5: 13-88.
- Hull, J.E. 1925. Acari of the family Gamasidae; new and rare British species. Annals and Magazine of Natural History (series 9), 15: 201-209.
doi: [10.1080/00222932508633202](https://doi.org/10.1080/00222932508633202)
- Hyatt, K.H. and Emberson, R.M. 1988. A review of the Macrochelidae (Acaria: Mesostigmata) of the British Isles. Bulletin of the British Museum (Natural History) Zoology, 54: 63-125.
doi: [10.5962/bhl.part.17598](https://doi.org/10.5962/bhl.part.17598)
- Johnston, D. 1970. Notes on a collection of Austrian Macrochelidae with the description of *Macrocheles beieri*, n. sp. Annalen des Naturhistorischen Museums in Wien, 74: 145-150.
- Kandil, M.M. 1983. The Mesostigmata fauna of the Hortobágy National Park (Acaria). In: Mahunka, S. (Ed.) The fauna of the Hortobágy National Park. Akadémiai Kiadó, Budapest, 365-373.
- Karg, W. 1993. Acari (Acarina), Milben Parasitiformes (Anactinochaeta) Cohors Gamasina Leach. Raubmilben. Jena, Stuttgart, New York Gustav Fischer Verlag, 96-114.
- Koch, C.L. 1839. Deutschlands Crustaceen, Myriapoden und Arachniden. Ein Beitrag zur Deutschen Fauna. Regensberg, Herrich-Schäffer. Volume 23-30.
- Koch, C.L. 1841. Deutschlands Crustaceen, Myriapoden und Arachniden. Ein Beitrag zur Deutschen Fauna. Regensberg, Herrich-Schäffer. Volume 31-34.
- Kontschán, J. 2005. Contribution of the Macrochelidae fauna of Hungary (Acaria: Mesostigmata). Folia Historico Naturalia Musei Matraensis, 29: 77-80.
- Kontschán, J. 2006. Check list of the Hungarian Mesostigmatid mites. I.-II. Zerconidae and Macrochelidae. Folia Historico Naturalia Musei Matraensis, 30: 129-136.
- Kontschán, J. 2015. Atkák mikroskálán: Akarológiai vizsgálat egy kis kertben. (Mites on microscales: acarological studies in a small garden.) Integrált termesztsés a kertészeti és szántóföldi kultúrákban. 32: 63-69.
- Kontschán, J. 2018. *Macrocheles kekensis* sp. n., a new macrochelid mite associated with a centonin beetle from Hungary (Acaria, Mesostigmata). Zookeys, 768: 97-104.
doi: [10.3897/zookeys.768.24460](https://doi.org/10.3897/zookeys.768.24460)
- Kontschán, J., Ács A. and Neményi, A. 2014. Adatok a magyarországi bambuszok atkáihoz. (Data to the mites of the Hungarian bamboo brushes). Növényvédelem, 50 (7): 339-343.
- Kontschán, J., Ács, A., Wang, GQ. and Neményi, A. 2015a. New data to the mite fauna of Hungarian bamboo plantations. Acta Phytopathologica et Entomologica Hungarica, 50 (1): 77-83.
doi: [10.1556/038.50.2015.1.7](https://doi.org/10.1556/038.50.2015.1.7)
- Kontschán, J., Ács, A., Suták, A. and Kiss, B. 2015b. A hazai autópályák pihenőinek atkái. Akarológiai tanulmányok 4. (Mites of the rest stops of the Hungarian motorways. Acarological studies 4.). StormingBrain Kiadó, Budapest, 124 pp.
- Kontschán, J., Ács, A. and Suták, A. 2016. Contribution to the soil-dwelling mite fauna of the Hungarian agroecosystems (Acaria). Acta Phytopathologica et Entomologica Hungarica, 51 (1): 133-143.
doi: [10.1556/038.51.2016.1.12](https://doi.org/10.1556/038.51.2016.1.12)
- Kontschán, J. and Hornok, S. 2019. New records, a completed list and identification key of mites (Acaria) associated with the stable fly, *Stomoxys calcitrans* (L.) (Diptera: Muscidae). Acarologia, 59 (1): 3-11.
doi: [10.24349/acarologia/20194306](https://doi.org/10.24349/acarologia/20194306)
- Kramer, P. 1876. Zur Naturgeschichte einiger Gattungen aus der Familie der Gamasiden. Archiv für Naturgeschichte, 42: 46-105.
- Latreille, P.A. 1829. Les Arachnides (Arachnides). In: Cuvier, G. (Ed.), Le Règne Animal. 2nd Edition. Vol. 4. Décerville, Paris, 206-291.
- Mašán, P. 2003. Macrochelid Mites of Slovakia (Acaria, Mesostigmata, Macrochelidae). Bratislava, Institute of Zoology, Slovak Academy of Sciences, 149 pp.
- Müller, J. 1860. Die Insektenepizoen mährischen Fauna. Jahresbericht der mährisch-schlesische Gesellschaft, Brünn, 1859, 157-184.
- Oudemans, A.C. 1902. New list of Dutch Acari, second part. With remarks on known and description of a new subfamily, nem genera and species. Tijdschrift voor Entomologie, 45: 1-52.
- Oudemans, A.C. 1931. Acarologische Aanteekeningen CIX. Entomologische Berichten, 8: 272-280.
- Salmane, I. and Kontschán, J. 2005. Soil Gamasina mites (Acaria, Parasitiformes, Mesostigmata) from Hungary. I. Latvijas Entomologs, 42: 39-44.
- Salmane, I. and Kontschán, J. 2006. Soil Mesostigmata mites (Acaria: Parasitiformes) from Hungary II. Latvijas Entomologs, 43: 14-17.
- Schweitzer, J. 1961. Die Landmilben der Schweiz (Mittelalp, Jura und Alpen). Parasitiformes Reuter. Neue Denkschriften der Schweizerischen Naturforschenden Gesellschaft, 84: 184-186.

- Scopoli, J.A. 1772. Annus V. Historico Naturalis. Lipsiae, 8-128.
- Sellnick, M. 1931. Zoologische Forschungsreise nach den Jonischen Inseln und dem Peloponnes. Akademie der Wissenschaften in Wien, Mathematische-Naturwissenschaftliche Klasse, Sitzungsberichte (Abt. 1), 140: 693-776.
- Sellnick, M. 1968. *Neopodocinum mrciaki*, sp. n., eine neue Milbenart aus Slowakei. Folia Parasitologica, 15: 253-262.
- Valle, A. 1953. Revisione di generi e sottogeneri Berlesiani di Acari (Primo contributo). Redia, 38: 316-360.
- Vitzthum, H.G. 1930. Acarologische Beobachtungen. 14. Reihe. Zoologischer Jahrbücher, Abteilung für Systematik, 59: 282-348.
- Willmann, C. 1939. Terrestrische Acari der Nord-und Ostseeküste. Abhandlungen der Naturwissenschaftlichen Verein zu Bremen, 31: 521-550.
- Willmann, C. 1951. Untersuchungen über die terrestrische Milbenfauna im pannonicischen Klimagebiet Österreich. Sitzungsberichte Österreichische Akademie der Wissenschaften (Abt. 1.), 106: 91-176.

Edited by: Raşit Urhan

Reviewed by: Three anonymous referees

Citation: Kontschán, J. 2020. Checklist of the Hungarian species of family Macrochelidae (Acari: Mesostigmata). *Acarological Studies*, 2 (1): 7-17.