



Research Article

Title of Manuscript

First Author^{1*}, Second Author² and Third Author¹

¹Department of Mathematics, Faculty of Science and Arts, Düzce University, Düzce, Türkiye 

²Department of Mathematics, Faculty of Science, Sakarya University, Sakarya, Türkiye 

*Corresponding author

Article Info

Keywords: First keyword, Second keyword (Please, alphabetical order and at least one keyword)

2020 AMS: xxxxx, xxxxx (Must be at least one and sequential)

Received: X Month 202X

Accepted: X Month 202X

Available online: X Month 202X

Abstract

The manuscript should contain an abstract. The abstract should be self-contained and citation-free and should be maximum 400 words. The abstract should state the purpose, approach, results and conclusions of the work. The author should assume that the reader has some knowledge of the subject but has not read the paper. Thus, the abstract should be intelligible and complete in it-self (no numerical references); it should not cite figures, tables, or sections of the paper. The abstract should be written using third person instead of first person.

1. Section Title

This template contains detailed instructions for preparing manuscripts for our journal. Missing to follow them may cause rejecting of the manuscript without further processing. So, please read both the source and compiled texts.

Insert your text here. Make sure that it is written in correct English. The guides [1,2], [3–8] may help you with it.

If there are subsections, then you may use

1.1. Subsection title

You may also use subsubsections, but please put a line or two of text between the subsection and the subsubsection titles.

Proclaims (theorems, propositions,...) should be inserted as follows:

Theorem 1.1. *Statement of the theorem.*

Please, do not put a proclaim immediately after a subtitle of any level. Write a line or two of text in between.

Proof. Your proof. Please do not use the quantifiers \forall, \exists as abbreviations, i.e., use them only in the papers from formal logics. The symbol for the end of the proof will appear automatically. □

For displayed equations (formulas) you may use

$$e^{i\pi} = -1 \tag{1.1}$$

and/or similar \LaTeX constructions (align(ed), multiline, gather(ed),...).

$$\ell_{\infty}(\Omega) = \{x = (x_k) \in \omega : \Omega x \in \ell_{\infty}\}$$

$$c(\Omega) = \{x = (x_k) \in \omega : \Omega x \in c\}$$

$$c_0(\Omega) = \{x = (x_k) \in \omega : \Omega x \in c_0\}$$

That way, you may refer to (1.1) in the subsequent text. We strongly encourage the usage of this dynamic system of referencing instead of explicitly writing, for example, (1.1).

If you do not refer to an equation, then you may write it as

$$e^{i\pi} = -1$$

(preferred) or

$$e^{i\pi} = -1$$

In such a starred version the equation will not be numbered. If you want to use a distinctive tag to an equation, you may do that in the following manner:

$$e^{i\pi} = -1 \tag{1.2}$$

So you can refer to (1.2).

Formulas should be displayed *only* if they must be numbered for a subsequent reference or if they are too long or complicated. Please *do not* number displayed formulas that are not referred to.

Send figures/illustrations as eps files (each figure/illustration in a separate file). They can be inserted in the following way:

x	$M = 4, k = 0$	$M = 4, k = 1$	$M = 1, k = 1$	$M = 8, k = 0$	$ y - y_{101} $
0	2.37 e-8	4.63339 e-10	2.61472 e-11	6.32711 e-15	0.0000255
0.3	4.497 e-9	1.04070 e-10	5.93744 e-12	6.38417 e-15	4.53581E-6
0.2	3.8574 e-11	3.13685 e-12	2.31892 e-13	5.12340 e-16	1.32679E-7
0.2	6.5129 e-12	1.90014 e-12	1.48048 e-14	4.40110 e-17	9.91385E-8

Table 1.1: Bla bla bla



Figure 1.1: Universal journal of mathematics and applications

The code (autoref) Table 1.1 and Figure 1.1 must be used in Tables and Figures.

Besides the standard handbooks on L^AT_EX [9–12], please consult the short and useful guide [13–16].

2. Conclusion

In this section you should present the conclusion of the paper. Conclusions must focus on the novelty and exceptional results you acquired. Allow a sufficient space in the article for conclusions. Do not repeat the contents of Introduction or the Abstract. Focus on the essential things of your article.

Article Information

Acknowledgements: The authors would like to express their sincere thanks to the editor and the anonymous reviewers for their helpful comments and suggestions.

Author's Contributions: The parts contributed by each author should be written in detail.

Artificial Intelligence Statement: Provide information about the use of artificial intelligence. This section must be filled in when submitting an article. If artificial intelligence was not used, it must be clearly stated.

Conflict of Interest Disclosure: Please indicate whether there is a conflict of interest. For example: No potential conflict of interest was declared by authors.

Plagiarism Statement: This article was scanned by the plagiarism program.

References

- [1] M. Bohner, A. Peterson, (Eds.), *Advances in Dynamic Equations on Time Scales*, Birkhäuser, Boston, 2003.
- [2] C. Niculescu, L. E. Persson, *Convex Functions and Their Applications*, Vol. 23, Springer, New York, 2006.
- [3] R. Bölling, Karl Weierstrass and some basic notions of the calculus, In: *The Second W. Killing and K. Weierstraß Colloquium*, Braniewo (Poland), March 2010, pp. 24–26.
- [4] E. Kropat, G. W. Weber, S. Z. Alparslan-Gok, et al., Inverse problems in complex multi-modal regulatory networks based on uncertain clustered data, In A. A. Pinto, D. Zilberman (Eds.), *Modeling, Dynamics, Optimization and Bioeconomics I*, Springer International Publishing, 2014, pp. 437–451. [1, 2], [3–8]
- [5] S. Sadiq Basha, N. Shahzad, R. Jeyaraj, *Optimal approximate solutions of fixed point equations*, Abstr. Appl. Anal., **2011** (2011), Article ID 174560, 9 pages. <https://doi.org/10.1155/2011/174560>
- [6] M. I. Gil', *On stability of linear Barbashin type integro-differential equations*, Math. Probl. Eng., (2015), Article ID 962565, 5 pages. <https://doi.org/10.1155/2015/962565>

- [7] E. E. Kara, *On matrix transformations between some sequence spaces and the hausdorff measure of noncompactness*, Ph.D. Thesis, Sakarya University, 2012.
- [8] K. G. Tay, S. L. Kek, *Approximating the smallest eigenvalue using inverse method through spreadsheet Excel*, Proceeding of the 17th National Symposium on Mathematical Science (SKSM 2009), (2009), 653-658.
- [9] M. Akyigit, H. H. Kosal, M. Tosun *Split Fibonacci quaternions*, Adv. App. Clifford Alg., **23** (2013), 535-545. <https://doi.org/10.1007/s00006-013-0401-9>
- [10] R. J. Greechie, S. P. Gudder, *Quantum logics*, In C. A. Hooker (Ed.), *Contemporary Research in the Foundations and Philosophy of Quantum Theory*, Reidel, Dordrecht, 1973, pp. 143-173.
- [11] A. N. Kochubei, *Extensions of symmetric operators and symmetric binary relations*, Mat. Zametki, **17** (1975), 25-28.
- [12] R. Lopez, *Differential Geometry of curves and surfaces in Lorentz-Minkowski space*, Int. Electron. J. Geom., **7**(1) (2008), 44-107. <https://doi.org/10.36890/iejg.594497>
- [13] J. Trzeciak, *Mathematical English Usage. A Dictionary*. Available at: <https://www.emis.de/monographs/Trzeciak/>. Accessed February 11, 2025.
- [14] J. Amendt, C. S. Richards, C. P. Campobasso, et al., *Best practice in forensic entomology – standards and guidelines*, Int. J. Legal Med., **125**(6) (2011), 777–782. Available at: <https://pubmed.ncbi.nlm.nih.gov/16633812/>. Accessed September 10, 2024.
- [15] M. Y. Li, *An Introduction to Mathematical Modeling of Infectious Diseases*, Springer Cham, 2018. <https://doi.org/10.1007/978-3-319-72122-4>
- [16] Turkish Statistical Institute, Address-based population registration system results database, (2022). Available at: <https://data.tuik.gov.tr/Bulten/Index?p=The-Results-of-Address-Based-Population-Registration-System-2022-49685&dil=2>. Accessed September 10, 2024.